



(11) **EP 0 837 052 A1**

(12) **EUROPEAN PATENT APPLICATION**  
published in accordance with Art. 158(3) EPC

(43) Date of publication:  
22.04.1998 Bulletin 1998/17

(21) Application number: 96918841.6

(22) Date of filing: 19.06.1996

(51) Int. Cl.<sup>6</sup>: **C07C 233/52**, C07C 233/84,  
C07C 271/24, C07C 311/06,  
C07C 311/11, C07C 311/13,  
C07C 311/19, C07D 493/08,  
C07D 495/08, A61K 31/16

(86) International application number:  
PCT/JP96/01685

(87) International publication number:  
WO 97/00853 (09.01.1997 Gazette 1997/03)

(84) Designated Contracting States:  
**AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC**  
**NL PT SE**  
Designated Extension States:  
**AL LT LV SI**

(30) Priority: 21.06.1995 JP 154575/95

(71) Applicant: **SHIONOGI & CO., LTD.**  
Osaka-shi, Osaka-fu 541 (JP)


(72) Inventors:  
• **OHTANI, Mitsuki**  
Nara 630 (JP)

• **ARIMURA, Akinori**  
Osaka-shi Osaka 558 (JP)  
• **TSURI, Tatsuo**  
Kobe-shi Hyogo 651-11 (JP)  
• **KISHINO, Junji**  
Hyogo 654-01 (JP)  
• **HONMA, Tsunetoshi**  
Nara 630-02 (JP)


(74) Representative:  
**Baverstock, Michael George Douglas et al**  
**BOULT WADE TENNANT,**  
27 Fumival Street  
London EC4A 1PQ (GB)

(54) **BICYCLIC AMINO DERIVATIVES AND PGD 2 ANTAGONIST CONTAINING THE SAME**


(57) A compound of the formula (I):




wherein



is




for example, a compound below:



wherein

$R_1$  is  $CH_3$ , H or Na; and  $X_1$ - $X_2$ - $X_3$  is



or a salt or a hydrate thereof is useful as a  $PGD_2$  antagonist and can be used as a drug for treating diseases in which mast cell dysfunction is involved, for example, systemic mastocytosis and disorder of systemic mast cell activation, and also tracheal contraction, asthma, allergic rhinitis, allergic conjunctivitis, urticaria, injury due to ischemic reperfusion, and as an anti-inflammatory agent. It is particularly useful in the treatment of nasal occlusion.

## Description

## FIELD OF THE INVENTION

5 The present invention relates to bicyclic amino derivatives and prostaglandin D<sub>2</sub> (hereinafter, referred to as PGD<sub>2</sub>) antagonist containing them.

## BACKGROUND OF THE INVENTION

10 Some bicyclic amino derivatives of the present invention are known to be useful as thromboxane A<sub>2</sub> (TXA<sub>2</sub>) antagonists (Japanese Patent Publication (KOKOKU) No. 79060/1993). However, Japanese Patent Publication (KOKOKU) No. 79060/1993 only describes the compounds as useful as TXA<sub>2</sub> antagonists, and does not suggest usefulness thereof as PGD<sub>2</sub> antagonists as disclosed by the present invention.

Namely, TXA<sub>2</sub> is known to have activities such as action against platelet agglutination, thrombogenesis, etc. The TXA<sub>2</sub> antagonist has therefore been considered to be useful as an anti-thrombotic agent, and also in the treatment of myocardial infarction or asthma by antagonizing against TXA<sub>2</sub>.

On the other hand, the PGD<sub>2</sub> antagonist of the present invention is useful in the improvement of conditions due to excessive production of PGD<sub>2</sub>. Specifically, it is useful as a drug for treating diseases in which mast cell dysfunction is involved, for example, systemic mastocytosis and disorder of systemic mast cell activation, and also tracheal contraction, asthma, allergic rhinitis, allergic conjunctivitis, urticaria, injury due to ischemic reperfusion, and inflammation.


As is apparent from the above, the TXA<sub>2</sub> antagonist and the PGD<sub>2</sub> antagonist are completely different from each other in terms of the active site, mechanism of action, and application, and have quite different characteristics. Accordingly, it has never been expected that any compound could possess these activities simultaneously.

PGD<sub>2</sub> is produced through PGG<sub>2</sub> and PGH<sub>2</sub> from arachidonic acid by the action of cyclooxygenase activated by immunological or unimmunological stimulation and is the major prostanoid that is produced and released from mast cells. PGD<sub>2</sub> has various potent physiological and pathological activities. For example, PGD<sub>2</sub> can cause strong tracheal contraction, which leads to bronchial asthma, and, in a systemic allergic state, it can dilate the peripheral vessels, which leads to an anaphylactic shock. Especially, much attention has been paid to the idea that PGD<sub>2</sub> is one of the causal substances responsible for the onset of nasal occlusion in the allergic rhinitis. Therefore, it has been proposed to develop an inhibitor against the biosynthesis of PGD<sub>2</sub> or an antagonist of PGD<sub>2</sub> receptor as a drug for the reduction of nasal occlusion. However, the inhibitor of PGD<sub>2</sub> biosynthesis possibly affects greatly the synthesis of prostaglandins in other organisms, and therefore, it is desirable to develop an antagonist (blocker) specific to PGD<sub>2</sub> receptor.

## DISCLOSURE OF THE INVENTION

35 The present inventors have studied intensively to develop PGD<sub>2</sub> receptor antagonists (blockers) specific to PGD<sub>2</sub> receptor, and found that compounds of the formula (I) below or its salt possess a potent activity as PGD<sub>2</sub> receptor antagonists and are chemically and biochemically stable.


Accordingly, the present invention provides a PGD<sub>2</sub> antagonist which comprises a compound of the general formula (I) below or its salt or a hydrate thereof as an active ingredient:



wherein




is



is



5




;

10 m is 0; and when Z is  $\text{SO}_2$ , both  $\text{X}_1$  and  $\text{X}_2$  are a single bond;  $\text{X}_3$  is alkyl, phenyl, naphthyl, stylyl, quinolyl or thienyl; and a cyclic substituent among these substituents optionally has one to three substituents selected from the group consisting of nitro, alkoxy, substituted- or unsubstituted-amino, halogen, alkyl and hydroxyalkyl, or a salt or hydrate thereof.


Similarly, specific examples include a compound of the formula (I) wherein

15



20

is




25

;

30 when m is 1, both  $\text{X}_1$  and  $\text{X}_2$  are a single bond; and  $\text{X}_3$  is phenyl optionally substituted with halogen, or a salt or hydrate thereof.


Similarly, specific examples include a compound of the formula (I) wherein

35



40

is




45

;


50 when m is 1,  $\text{X}_1$  is phenyl,  $\text{X}_2$  is  $-\text{CH}_2-$  or  $-\text{N}=\text{N}-$  and  $\text{X}_3$  is phenyl, or a salt or hydrate thereof. Similarly, examples of compounds of the formula (I) include those of the formula (Ia):

55




wherein A, B, R, X<sub>1</sub>, X<sub>2</sub> and X<sub>3</sub> are as defined above, or its salt or hydrate thereof, provided that those wherein (1) X<sub>1</sub> and X<sub>2</sub> are a single bond, and X<sub>3</sub> is substituted- or unsubstituted-phenyl, or naphthyl; and (2) A is 5-heptenylene, R is COOR<sub>1</sub> (R<sub>1</sub> is hydrogen or methyl), X<sub>1</sub> is 1,4-phenylene, X<sub>2</sub> is a single bond, and X<sub>3</sub> is phenyl are excluded.

Similarly, examples of compounds of the formula (I) include those of the formula (Ib):



wherein



A, B, R, X<sub>1</sub>, X<sub>2</sub> and X<sub>3</sub> are as defined above, or a salt or hydrate thereof, provided that those wherein X<sub>1</sub> and X<sub>2</sub> are a single bond, and X<sub>3</sub> is phenyl, and wherein X<sub>1</sub> is a single bond, X<sub>2</sub> is -O-, and X<sub>3</sub> is benzyl are excluded.


More specifically, examples of compounds of the formula (I) include those of the formula (Ia) wherein X<sub>1</sub> and X<sub>2</sub> are a single bond, X<sub>3</sub> is isoxazolyl, thiazazolyl, isothiazazolyl, morpholyl, indolyl, benzofuryl, dibenzofuryl, dibenzodioxinyl, benzothienyl, dibenzothienyl, carbazolyl, xanthenyl, phenanthridinyl, dibenzoxepinyl, dibenzothiepinyl, cinnolyl, chromenyl, benzimidazolyl or dihydrobenzothiepinyl, or its salt or hydrate thereof.

Similarly, examples of compounds of the formula (I) include those of the formula (Ia) wherein X<sub>1</sub> is a single bond, X<sub>2</sub> is phenylene, X<sub>3</sub> is alkenyl, alkynyl, -CH=NR<sub>6</sub> or -N=C(R<sub>7</sub>)R<sub>8</sub>, or a salt or hydrate thereof.

Similarly, examples of compounds of the formula (I) include those of the formula (Ia) wherein R is COOR<sub>1</sub>, X<sub>1</sub> is phenylene or thiophenediyl, X<sub>2</sub> is a single bond, -N=H-, -CH=CH-, -CONH-, -NHCO- or ethynylene and X<sub>3</sub> is phenyl, thiazolinyliidenemethyl, thiazolidinyliidenemethyl or thienyl, or a salt or hydrate thereof.


More specifically, examples of the compound (I) of the present invention include those of the formula (Ib) wherein

5



is

10



15


;

20 or a salt or hydrate thereof. Examples of more preferred compounds include those of the formula (Ib) wherein R is COOR<sub>1</sub> (R<sub>1</sub> is as defined above) or a salt or hydrate thereof.

Similarly, examples of compound (I) include those of the formula (Ib) wherein X<sub>1</sub> is phenylene or thiophenediyl, X<sub>2</sub> is a single bond, -N=H-, -CH=CH-, ethynylene, -O-, -S-, -CO-, -CON(R<sub>55</sub>)- (R<sub>55</sub> is as defined above), -N(R<sub>51</sub>)CO- (R<sub>51</sub> is as defined above) and X<sub>3</sub> is phenyl, or a salt or hydrate thereof.


25 More specifically, examples of compound (I) include those of the formula (Ib) wherein

30



is

35



40

or a salt or hydrate thereof. Examples of more preferred embodiments include those wherein B is hydrogen, both X<sub>1</sub> and X<sub>2</sub> are a single bond, X<sub>3</sub> is thienyl, thiazolyl, thiadiazolyl, isothiazolyl, pyrrolyl, pyridyl, benzofuryl, benzimidazolyl, benzothienyl, dibenzofuryl, dibenzothienyl, quinolyl or indolyl or a salt or hydrate thereof. Similarly, examples include those wherein X<sub>1</sub> is phenylene, thiophenediyl, indolediyl or oxazolediyl, X<sub>2</sub> is a single bond, -N=H-, -CH=CH-, ethynylene, -S- or -O-, and X<sub>3</sub> is aryl or heterocyclic group, or a salt or hydrate thereof.

The compounds of the general formula (Ia) and (Ib) are novel compounds synthesized by the present inventors.

The terms used throughout the present specification are as defined below.

The term "alkylene" means C<sub>1</sub> - C<sub>9</sub> straight or branched chain alkylene, for example, methylene, methylmethylene, dimethylmethylene, methylethylmethylene, ethylene, trimethylene, tetramethylene, pentamethylene, hexamethylene, heptamethylene, octamethylene, nonamethylene, or the like. The alkylene above can be intervened by a hetero atom(s) (oxygen, sulfur, nitrogen atom, or the like) or phenylene (e.g., 1,4-phenylene, 1,3-phenylene, 1,2-phenylene, or the like), contain an oxo group, and/or have one or more double- or triple-bonds at any positions on the chain. Examples include

50 -(CH<sub>2</sub>)<sub>2</sub>-O-CH<sub>2</sub>-, -(CH<sub>2</sub>)<sub>2</sub>-O-(CH<sub>2</sub>)<sub>2</sub>-, -(CH<sub>2</sub>)<sub>2</sub>-O-(CH<sub>2</sub>)<sub>3</sub>-, -(CH<sub>2</sub>)<sub>2</sub>-O-(CH<sub>2</sub>)<sub>4</sub>-, -(CH<sub>2</sub>)<sub>2</sub>-O-(CH<sub>2</sub>)<sub>5</sub>-, -(CH<sub>2</sub>)<sub>2</sub>-O-(CH<sub>2</sub>)<sub>6</sub>-, -(CH<sub>2</sub>)<sub>2</sub>-S-(CH<sub>2</sub>)<sub>2</sub>-, -(CH<sub>2</sub>)<sub>3</sub>-S-(CH<sub>2</sub>)<sub>2</sub>-, -CH<sub>2</sub>-S-CH<sub>2</sub>-, -CH<sub>2</sub>-S-(CH<sub>2</sub>)<sub>4</sub>-, -CH<sub>2</sub>-N(CH<sub>3</sub>)-CH<sub>2</sub>-, -CH<sub>2</sub>-NH-(CH<sub>2</sub>)<sub>2</sub>-, -(CH<sub>2</sub>)<sub>2</sub>-N(CH<sub>2</sub>CH<sub>3</sub>)-(CH<sub>2</sub>)<sub>3</sub>-, -(CH<sub>2</sub>)<sub>2</sub>-1,4-phenylene-CH<sub>2</sub>-, -(CH<sub>2</sub>)<sub>2</sub>-O-1,3-phenylene-CH<sub>2</sub>-, -(CH<sub>2</sub>)<sub>2</sub>-O-1,2-phenylene-CH<sub>2</sub>-, -(CH<sub>2</sub>)<sub>2</sub>-O-1,4-phenylene-CH<sub>2</sub>-, -CH=CH-S-CH<sub>2</sub>-1,4-phenylene-CH<sub>2</sub>-, -CH=CH-S-1,3-phenylene-(CH<sub>2</sub>)<sub>2</sub>-, 2-oxopropylene, 3-oxopentylene, 5-oxohexylene, vinylene, 1-propenylene, 2-propenylene, 1-butenylene, 2-butenylene, 3-bute-

nylene, 1,2-butadienylen, 1,3-butadienylen, 1-pentenylene, 2-pentenylene, 3-pentenylene, 4-pentenylene, 1,2-pentadienylen, 1,3-pentadienylen, 1,4-pentadienylen, 2,3-pentadienylen, 2,4-pentadienylen, 1-hexenylen, 2-hexenylen, 3-hexenylen, 4-hexenylen, 5-hexenylen, 1,2-hexadienylen, 1,3-hexadienylen, 1,4-hexadienylen, 1,5-hexadienylen, 2,3-hexadienylen, 2,4-hexadienylen, 2,5-hexadienylen, 3,4-hexadienylen, 3,5-hexadienylen, 4,5-hexadienylen, 1,1-dimethyl-4-hexenylen, 1-heptenylen, 2-heptenylen, 3-heptenylen, 4-heptenylen, 5-heptenylen, 2,2-dimethyl-5-heptenylen, 6-heptenylen, 1,2-heptadienylen, 1,3-heptadienylen, 1,4-heptadienylen, 1,5-heptadienylen, 1,6-heptadienylen, 2,3-heptadienylen, 2,4-heptadienylen, 2,5-heptadienylen, 2,6-heptadienylen, 3,4-heptadienylen, 3,5-heptadienylen, 3,6-heptadienylen, 4,5-heptadienylen, 4,6-heptadienylen or 5,6-heptadienylen, 1-propynylene, 3-butyne, 2-pentyne, 5-hexyne, 6-heptyne,  $-(CH_2)-CH=CH-O-(CH_2)_2-$ ,  $-CH_2-S-(CH_2)_3-$ ,  $-CH_2-cis-CH=CH-$ , 1,2-phenylene- $CH_2-$ ,  $-CH=CH-$ , 1,4-phenylene- $(CH_2)_2-$ , -4-oxo-4,5-hexenylen-, and the like.

The term "alkyl" means  $C_1 - C_{20}$  straight or branched chain alkyl, for example, methyl, ethyl, n-propyl, i-propyl, n-butyl, i-butyl, s-butyl, t-butyl, n-pentyl, i-pentyl, neopentyl, t-pentyl, hexyl, heptyl, octyl, nonyl, decyl, undecyl, dodecyl, tridecyl, tetradecyl, pentadecyl, hexadecyl, heptadecyl, octadecyl, nonadecyl, icosyl, and the like.

The term "aryl" means  $C_6 - C_{14}$  monocyclic or condensed ring, for example, phenyl, naphthyl (e.g., 1-naphthyl, 2-naphthyl), anthryl (e.g., 1-anthryl, 2-anthryl, 9-anthryl), phenanthryl (e.g., 2-phenanthryl, 3-phenanthryl, 9-phenanthryl), fluorenyl (e.g., 2-fluorenyl), and the like. Phenyl is especially preferred.

The term "aralkyl" means a group formed by substituting an alkyl as defined above with an aryl above at any substitutable positions on the alkyl. Examples include benzyl, phenethyl, phenylpropyl (e.g., 3-phenylpropyl), naphthylmethyl (e.g.,  $\alpha$ -naphthylmethyl), anthrylmethyl (e.g., 9-anthrylmethyl), phenanthrylmethyl (e.g., 3-phenanthrylmethyl), and the like.

The term "acyl" means  $C_1 - C_9$  acyl derived from aliphatic carboxylic acid, for example, formyl, acetyl, propionyl, butyryl, valeryl, and the like.

The term "alkylsulfonyl" means a group formed by substituting a sulfonyl with an alkyl above, for example, methylsulfonyl, ethylsulfonyl, propylsulfonyl, and the like.

The term "alkenyl" is  $C_2 - C_{20}$  straight or branched chain alkenyl, which corresponds to an alkyl above containing one or more double bonds. Examples include vinyl, 1-propenyl, 2-propenyl, 1-butenyl, 2-butenyl, 3-butenyl, 1,2-butadienyl, 1-pentenyl, 1,2-pentadienyl, 2-hexenyl, 1,2-hexadienyl, 3-heptenyl, 1,5-heptadienyl, and the like.

The term "alkynyl" is  $C_2 - C_{20}$  straight or branched chain, alkynyl, which corresponds to an alkyl above containing one or more triple bonds. Examples include ethynyl, 1-propynyl, 2-propynyl, 1-butyne, 2-butyne, 3-butyne, and the like.

The term "heterocyclic group" means 5 - 7 membered cyclic group containing one or more hetero atoms selected independently from the group consisting of oxygen, sulfur and/or nitrogen atom on the ring, and is optionally condensed with a carbon ring or other heterocyclic group at any substitutable positions. Examples include pyrrolyl (e.g., 1-pyrrolyl, 3-pyrrolyl), indolyl (e.g., 2-indolyl, 3-indolyl, 6-indolyl), carbazolyl (e.g., 2-carbazolyl, 3-carbazolyl), imidazolyl (e.g., 1-imidazolyl, 4-imidazolyl), pyrazolyl (e.g., 1-pyrazolyl, 3-pyrazolyl), benzimidazolyl (e.g., 2-benzimidazolyl, 5-benzimidazolyl), indazolyl (e.g., 3-indazolyl), indolizynyl (e.g., 6-indolizynyl), pyridyl (e.g., 2-pyridyl, 3-pyridyl, 4-pyridyl), quinolyl (e.g., 8-quinolyl), isoquinolyl (e.g., 3-isoquinolyl), acridyl (e.g., 1-acridyl), phenanthrydyl (e.g., 2-phenanthrydyl, 3-phenanthrydyl), pyridazinyl (e.g., 3-pyridazinyl), pyrimidinyl (e.g., 4-pyrimidinyl), pyrazinyl (e.g., 2-pyrazinyl), cinnolinyl (e.g., 3-cinnolinyl), phthalidinyl (e.g., 5-phthalidinyl), quinazolinyl (e.g., 2-quinazolinyl), isoxazolyl (e.g., 3-isoxazolyl, 4-isoxazolyl), benzisoxazolyl (e.g., 1,2-benzisoxazol-4-yl, 2,1-benzisoxazol-3-yl), oxazolyl (e.g., 2-oxazolyl, 4-oxazolyl, 5-oxazolyl), benzoxazolyl (e.g., 2-benzoxazolyl), benzoxadiazolyl (e.g., 4-benzoxadiazolyl), isothiazolyl (e.g., 3-isothiazolyl, 4-isothiazolyl), benzisothiazolyl (e.g., 1,2-benzisothiazol-3-yl, 2,1-benzisothiazol-5-yl), thiazolyl (e.g., 2-thiazolyl), benzothiazolyl (e.g., 2-benzothiazolyl), thiadiazolyl (e.g., 1,2,3-thiadiazol-4-yl), oxadiazolyl (e.g., 1,3,4-oxadiazol-2-yl), dihydroxadiazolyl (e.g., 4,5-dihydro-1,2,4-oxadiazol-3-yl), furyl (e.g., 2-furyl, 3-furyl), benzofuryl (e.g., 3-benzofuryl), isobenzofuryl (e.g., 1-isobenzofuryl), thienyl (e.g., 2-thienyl, 3-thienyl), benzothiophenyl (1-benzothiophen-2-yl, 2-benzothiophen-1-yl), tetrazolyl (e.g., 5-tetrazolyl), benzodioxolyl (e.g., 1,3-benzodioxol-5-yl), dibenzofuryl (e.g., 2-dibenzofuryl, 3-dibenzofuryl), dibenzoxepinyl (e.g., dibenz[b,f]oxepin-2-yl), dihydrodibenzoxepinyl (e.g., dihydrodibenz[b,f]oxepin-2-yl, chromenyl (e.g., 2H-chromen-3-yl, 4H-chromen-2-yl), dibenzothiepinyl (e.g., dibenz[b,f]thiepin-3-yl, dihydrodibenz[b,f]thiepin-3-yl), morpholinyl (e.g., 1,4-morpholin-4-yl), phenothiadinyl (2-phenothiadinyl), cyclopentathieryl (e.g., cyclopenta[b]thiophen-3-yl), cyclohexathieryl (e.g., cyclohexa[b]thiophen-3-yl) and the like.

cyclic amino such as piperidino, piperadino or morpholino.

The term "acyloxy" means an acyloxy derived from the "acyl" above, for example, acetyloxy, propionyloxy, butyryloxy, valeryloxy, and the like.

The term "halogen" means fluorine, chlorine, bromine and iodine.

5 The term "alkoxycarbonyl" means an alkoxycarbonyl group derived from the "alkoxy" above, for example, methoxycarbonyl, ethoxycarbonyl, phenyloxycarbonyl, and the like.

The term "aralkyloxycarbonyl" means an aralkyloxycarbonyl group derived from the "aralkyl" above, for example, benzyloxycarbonyl, phenethyloxycarbonyl, and the like.

10 The term "aryloxycarbonyl" means an aryloxycarbonyl group derived from the "aryl" above, for example, phenyloxycarbonyl, naphthyloxycarbonyl, and the like.

The term "alkenyloxy" means an alkenyloxy group derived from the "alkenyl" above, for example, vinyloxy, 1-propenyloxy, 2-butenyloxy, and the like.

The term "hydroxyalkyl" means a hydroxyalkyl group derived from the "alkyl" above, for example, hydroxymethyl, hydroxyethyl, hydroxypropyl, and the like.

15 The term "alkylthio" means an alkylthio group derived from the "alkyl" above, for example, methylthio, ethylthio, propylthio, and the like.

The term "alkylenedioxy" means  $C_1 - C_3$  alkylenedioxy, for example, methylenedioxy, ethylenedioxy, propylenedioxy, and the like.

20 In the case of "phenylene", "naphthylene", "thiophenediyl", "indolediyl", "oxazolediyl", "oxadiazolediyl" and "tetrazolediyl", the said group can bind to the neighboring groups at any two substitutable sites.

In the definitions above, when a substituent(s) is cyclic, it may be substituted by one to three substituents selected from nitro, alkoxy, sulfamoyl, substituted- or un-substituted-amino, acyl, acyloxy, hydroxy, halogen, alkyl, alkynyl, carboxy, alkoxycarbonyl, aralkoxycarbonyl, aryloxycarbonyl, mesyloxy, cyano, alkenyloxy, hydroxyalkyl, trifluoromethyl, alkylthio,  $-N=PPh_3$ , oxo, thioxo, hydroxyimino, alkoxyimino, phenyl and alkylenedioxy. The substituent(s) may bind to


25 any substitutable positions on the ring.  
Examples of salts of the compound (I) include those formed with an alkali metal (e.g., lithium, sodium or potassium), an alkaline earth metal (e.g., calcium), an organic base (e.g., tromethamine, trimethylamine, triethylamine, 2-aminobutane, t-butylamine, diisopropylethylamine, n-butylmethylamine, cyclohexylamine, dicyclohexylamine, N-isopropylcyclohexylamine, furfurylamine, benzylamine, methylbenzylamine, diphenylbenzylamine, triphenylamine, 1-naphthylamine, 1-aminoanthracene, 2-aminoanthracene, dehydroabiethylamine, N-methylmorpholine or pyridine), an amino acid (e.g., lysine, or arginine), and the like.

The term "hydrate" means a hydrate of the compound of the formula (I) or its salt. Examples include mono- and dihydrates.

35 The present compounds are shown by the formula (I) and are inclusive of the form of any types of stereoisomers (e.g., diastereomer, epimer, enantiomer) and racemic compounds.

Among the compounds of the general formula (I), those wherein  $m=1$ , especially, those shown in Tables 3b and 3c below are known compounds described in Japanese Patent Publication (KOKAI) No. 180862/1990.

40 Among the compounds of the general formula (I), those wherein  $m=0$ , [i.e., those shown by the general formula (I')], can be prepared by reacting an amino compound of the general formula (II) with a reactive derivative of sulfonic acid or carboxylic acid corresponding to the partial structure:  $Z-X_1-X_2-X_3$  as shown below.



55 Wherein A, B, R,  $X_1$ ,  $X_2$ ,  $X_3$ , Y and Z are as defined above.

A sulfonic acid corresponding to the partial structure:  $Z-X_1-X_2-X_3$  is a compound of the general formula  $X_3-X_2-X_1-SO_2OH$  and a carboxylic acid corresponding to the said partial structure is a compound of the general formula  $X_3-X_2-X_1-COOH$ . Reactive derivative of these sulfonic or carboxylic acids means a corresponding halide (e.g., chloride, bro-

amide, iodide), acid anhydride (e.g., mixed acid anhydride with formic acid or acetic acid), active ester (e.g., succinimide ester), and examples thereof generally include acylating agents used for the acylation of amino group. The carboxylic acid  $X_3-X_2-X_1-COOH$  can be used in the reaction as it is without converting into a reactive derivative, in the presence of a condensing agent (e.g., dicyclohexylcarbodiimide (DCC), 1-ethyl-3-(3-dimethylaminopropyl)carbodiimide, N,N'-carbonyldiimidazole) which are used in the condensing reaction between amine and carboxylic acid.

The reaction can be conducted under the conditions generally used for the acylation of amino groups. For example, in the case of condensation using an acid halide, the reaction is carried out using a solvent such as an ether solvent (e.g., diethylether, tetrahydrofuran, dioxane), benzene solvent (e.g., benzene, toluene, xylene), halogenated hydrocarbon solvent (e.g., dichloromethane, dichloroethane, chloroform), ethyl acetate, dimethylformamide, dimethyl sulfoxide, acetonitrile, or the like, if necessary, in the presence of a base (e.g., organic base such as triethylamine, pyridine, N,N-dimethylaminopyridine, N-methylmorpholine; inorganic base such as sodium hydroxide, potassium hydroxide, potassium carbonate, or the like) under cooling, at room temperature or under heating, preferably at temperature ranging from -20°C to a temperature under cooling, or from room temperature to a refluxing temperature of the reaction system, for several min to several hr, preferably for 0.5 hr to 24 hr, more preferably, for 1 hr to 12 hr.


The reaction conditions for the reaction between other reactive derivative or a free acid and an amine (II) can be determined in a conventional manner depending on the characteristics of the respective reactive derivative or free acid.

The reaction product can be purified by conventional purification methods, for example, the extraction with a solvent, chromatography, recrystallization, or the like.

Specific examples of the compound (II) as a starting material for the present method are as follows. Examples of 3-amino[2.2.1]bicyclic compound include 7-(3-aminobicyclo[2.2.1]hept-2-yl)-5-heptenoic acid, 7-(3-aminobicyclo[2.2.1]hept-2-yl)-2,2-dimethyl-5-heptenoic acid, 7-(N-methyl-3-aminobicyclo[2.2.1]hept-2-yl)-5-heptenoic acid, 6-(3-aminobicyclo[2.2.1]hept-2-yl)-5-hexenoic acid. Specific examples of 2-amino-6,6-dimethyl[3.1.1]bicyclic compound include 7-(2-amino-6,6-dimethylbicyclo[3.1.1]hept-3-yl)-5-heptenoic acid. In these starting compounds, the heptenoic acid chain may be saturated to form heptanoic acid chain, intervened by a hetero atom(s) or a hetero group(s) such as -O-, -S-, -NH-, or a phenylene(s), or substituted with an oxo group. Examples of such compounds include 7-(3-aminobicyclo[2.2.1]hept-2-yl)heptanoic acid, 4-[2-(2-aminobicyclo[3.1.1]hept-3-yl)ethoxyphenyl]acetic acid, 7-(3-aminobicyclo[2.2.1]hept-2-yl)-6-oxo-heptanoic acid. These starting compounds are either described in the Japanese Patent Publication (KOKOKU) No. 79060/1993 or 23170/1991, or can be prepared according to the method described therein.

Sulfonic acid  $X_3-X_2-X_1-SO_2OH$  and carboxylic acid  $X_3-X_2-X_1-COOH$  corresponding to the partial structure  $Z-X_1-X_2-X_3$  mean a sulfonic acid or carboxylic acid having substituents corresponding to the  $X_s$  above. That is, examples include alkane-sulfonic acid or -carboxylic acid, alkene-sulfonic acid or -carboxylic acid, alkyne-sulfonic acid or -carboxylic acid, cycloalkane-sulfonic acid or -carboxylic acid, cycloalkene-sulfonic acid or -carboxylic acid, aryl-sulfonic acid or -carboxylic acid, aralkyloxy-sulfonic acid or -carboxylic acid, heterocyclic-substituted-sulfonic acid or -carboxylic acid, heteroaralkyl-sulfonic acid or -carboxylic acid, and substituted-amino-sulfonic acid or -carboxylic acid. Each of sulfonic and carboxylic acids may have a substituent(s) above. These sulfonic acids and carboxylic acids are commercially available or can be easily synthesized from a known compound(s) in accordance with a known method. Upon reaction, the sulfonic or carboxylic acid can be converted into the corresponding reactive derivative above, if necessary. For example, when an acid halide is needed, the compound is reacted with thionyl halide (e.g., thionyl chloride), phosphorous halide (e.g., phosphorous trichloride, phosphorous pentachloride) or oxalyl halide (e.g., oxalyl chloride) in accordance with a known method such as those described in the literature (e.g., Shin-Jikken-Kagaku-Koza, vol. 14, pp. 1787 (1978); Synthesis, 852-854 (1986); Shin-Jikken-Kagaku-Koza, vol. 22, pp. 115 (1992)). The other reactive derivatives can also be prepared in accordance with known methods.

Among the objective compounds (I), those wherein the side chain A contains an unsaturated bond, especially a double bond, can also be prepared by reacting an aldehyde derivative of the general formula (III) below with an ylide compound corresponding to the rest of the side chain A-R under the conditions of the Wittig reaction:



wherein A, B, R, X<sub>1</sub>, X<sub>2</sub>, X<sub>3</sub>, Y and Z are as defined above.

The starting compound (III) can be prepared in accordance with a method described in, for example, Japanese Patent Publication (KOKAI) No. 256650/1990. Further, an ylide compound corresponding to the rest of the side chain A-R can be synthesized by reacting triphenylphosphine with a corresponding halogenated alkanic acid, or an ester derivative, ether derivative or amide derivative thereof in the presence of a base according to a known method.

Among the objective compounds (I), those wherein R is COOH can be converted into a corresponding ester derivative, alcohol derivative, ether derivative, amide derivative, if desired. For example, ester derivatives can be prepared by esterifying a carboxylic acid in a conventional manner. An ester derivative, when reduced, gives an alcohol derivative, and amidated, gives an amide derivative. An ether derivative can be obtained by O-alkylating an alcohol derivative.

The compound (I) of the present invention shows antagonistic effect against PGD<sub>2</sub> in vitro through the binding to PGD<sub>2</sub> receptor, and is useful as a drug for treating diseases in which mast cell dysfunction due to excessive production of PGD<sub>2</sub> is involved. For example, the compound (I) is useful as a drug for treating diseases, such as systemic mastocytosis and disorder of systemic mast cell activation, and also tracheal contraction, asthma, allergic rhinitis, allergic conjunctivitis, urticaria, injury due to ischemic reperfusion, and inflammation. The compound (I) shows preventive effect on nasal occlusion in vivo, and therefore is especially useful as a drug for treating that.


When using a compound (I) of the present invention in treatment, it can be formulated into ordinary formulations for oral and parenteral administration. A pharmaceutical composition containing a compound (I) of the present invention can be in the form for oral and parenteral administration. Specifically, it can be formulated into formulations for oral administration such as tablets, capsules, granules, powders, syrup, and the like; those for parenteral administration such as injectable solutions or suspensions for intravenous, intramuscular or subcutaneous injection, inhalant, eye drops, nasal drops, suppositories, or percutaneous formulations such as ointments.

In preparing the formulations, carriers, excipients, solvents, and bases known to one ordinary skilled in the art may be used. In case of tablets, they are prepared by compressing or formulating an active ingredient together with auxiliary components. Examples of usable auxiliary components include pharmaceutically acceptable excipients such as binders (e.g., cornstarch), fillers (e.g., lactose, microcrystalline cellulose), disintegrants (e.g., starch sodium glycolate) or lubricants (e.g., magnesium stearate). Tablets may be coated appropriately. In the case of liquid formulations such as syrups, solutions, or suspensions, they may contain suspending agents (e.g., methyl cellulose), emulsifiers (e.g., lecithin), preservatives, and the like. In the case of injectable formulations, it may be in the form of solution or suspension, or oily or aqueous emulsion, which may contain suspension-stabilizing agent or dispensing agent, and the like. In the case of an inhalant, it is formulated into a liquid formulation applicable to an inhaler. In the case of eye drops, it is formulated into a solution or a suspension. Especially, in the case of nasal drug for treating nasal occlusion, it can be used as a solution or suspension prepared by a conventional formulating method, or as a powder formulated using a powdering agent (e.g., hydroxypropyl cellulose, carbopole), which are administered into the nasal cavity. Alternatively, it can be used as an aerosol after filling into a special container together with a solvent of low boiling point.

Although an appropriate dosage of the compound (I) varies depending on the administration route, age, body weight, sex, or condition of the patient, and the kind of drug(s) used together, if any, and should be determined by the physician in the end, in the case of oral administration, the daily dosage can generally be between about 0.01 - 100 mg, preferably about 0.01 - 10 mg, more preferably about 0.1 - 10 mg, per kg body weight. In the case of parenteral administration, the daily dosage can generally be between about 0.001 - 100 mg, preferably about 0.001 - 1 mg, more preferably about 0.01 - 1 mg, per kg body weight. The daily dosage can be administered in 1 - 4 divisions.

The following Examples are provided to further illustrate the present invention and are not to be construed as limiting the scope thereof.

## Example 1



Methyl (Z)-7-[(1S,2R,3R,4R)-3-aminobicyclo[2.2.1]hept-2-yl]-5-heptenoate (II-1) (251 mg, 1.00 mmol) was dissolved in methylene chloride (8 ml) and triethylamine (0.238 ml, 2.00 mmol) was added thereto under a nitrogen atmosphere. To the mixture was added 2-chlorosulfonyldibenzofuran (350 mg, 1.31 mmol) under ice-cooling, and the mixture was stirred for 30 min and allowed to warm up to room temperature. The reaction mixture was purified by column chromatography on silica gel (n-hexane/ethyl acetate (1:4)) and recrystallized from n-hexane (10 ml) to yield methyl (Z)-7-[(1S,2R,3R,4R)-3-(2-dibenzofuryl)sulfonylaminobicyclo[2.2.1]hept-2-yl]-5-heptenoate (1a-1) (342 mg, 0.710 mmol). Yield 71 %, mp 115-116 °C.

Elemental analysis (C <sub>27</sub> H <sub>31</sub> NO <sub>5</sub> S)				
Calcd. (%):	C, 67.34;	H, 6.49;	N, 2.91;	S, 6.66
Found (%):	C, 67.16;	H, 6.47 ;	N, 2.99;	S, 6.66

IR(CHCl<sub>3</sub>): 3382, 3024, 2952, 2874, 1726, 1583, 1465, 1442, 1319, 1245, 1154, 1121, 1104, 1071, 1019, 890, 840, 817 /cm.

<sup>1</sup>H NMR(CDCl<sub>3</sub>)δ: 0.94-1.92(14H,m), 2.15-2.24(3H,m), 2.99-3.07(1H,m), 3.66(3H,s), 4.98(1H,d,J=6.6Hz), 5.10-5.22(2H,m), 7.39-7.46(1H,m), 7.51-7.70(3H,m), 7.87-8.13(2H,m), 8.53(1H,d,J=2.1Hz)

[α]<sub>D</sub><sup>20</sup>=0.6° (CHCl<sub>3</sub>, c=1.01%, 23°C).

[α]<sub>365</sub><sup>20</sup>=+37.0° (CHCl<sub>3</sub>, c=1.01%, 23°C).

Methyl (Z)-7-[(1S,2R,3R,4R)-3-(2-dibenzofuryl)sulfonylaminobicyclo[2.2.1]hept-2-yl]-5-heptenoate (1a-1) (234 mg, 0.50 mmol) was dissolved in methanol (6 ml)/tetrahydrofuran (4 ml). To the solution was added 1 N potassium hydroxide (1.50 ml, 1.50 mmol) under ice-cooling. After the reaction mixture was warmed up to room temperature, it was allowed to react for 16 hr and concentrated to remove the solvent. To the residue were added ethyl acetate (50 ml) and water (10 ml), and then 1 N HCl (2.00 ml, 2.00 mmol), and the organic layer was separated. The organic layer was washed with saturated brine, dried over anhydrous sodium sulfate and concentrated. The residue was purified by column chromatography on silica gel (n-hexane/ethyl acetate (1:1) containing 0.2 % acetic acid) to yield (Z)-7-[(1S,2R,3R,4R)-3-(2-dibenzofuryl)sulfonylaminobicyclo[2.2.1]hept-2-yl]-5-heptenoic acid (1a-2) (203 mg, 0.434 mmol). Yield 87 %, oil.

IR (CHCl<sub>3</sub>): 3266, 3026, 2952, 2874, 1708, 1465, 1443, 1423, 1319, 1267, 1245, 1153, 1121, 1104, 1072, 906 /cm.

<sup>1</sup>H NMR(CDCl<sub>3</sub>)δ: 0.93-1.94(14H,m), 2.12-2.19(1H,m), 2.26(2H,t, J=7.2Hz), 3.00-3.08(1H,m), 5.12-5.25(2H,m), 5.26(1H,d,J=6.6Hz), 7.38-7.45(1H,m), 7.51-7.70(3H,m), 7.87-8.13(2H,m), 8.54(1H, d, J=2.1Hz).

[α]<sub>D</sub><sup>20</sup>=+6.8° (CHCl<sub>3</sub>, c=1.08 %, 23 °C).




EP 0 837 052 A1

(Z)-7-[(1S,2R,3R,4R)-3-(2-Dibenzofuryl)sulfonylaminobicyclo[2.2.1]hept-2-yl]-5-heptenoic acid (1a-2) (453 mg, 0.97 mmol) was dissolved in methanol (5 ml). After addition of 1 N sodium methoxide/methanol (1.034 N, 0.937 ml, 0.97 mmol), the mixture was allowed to warm up to room temperature and to react for 1 hr. The solvent was removed by distillation to yield the sodium salt (1a-3) (457 mg, 0.933 mmol). Yield 96 %. Amorphous powder.

Elemental analysis (C <sub>26</sub> H <sub>28</sub> NO <sub>5</sub> Na 0.6H <sub>2</sub> O)					
Calcd.(%) :	C,62.41;	H,5.88;	N,2.80;	S,6.41;	Na,4.59
Found (%) :	C,62.45;	H,5.92;	N,2.99;	S,6.49;	Na,4.46

IR (KBr) : 434, 3280, 3074, 3007, 2952, 2873, 1566, 1467, 1444, 1417, 1344, 1315, 1270, 1248, 1200, 1189, 1154, 1124, 1107, 1075, 1058, 895, 842, 818 /cm.  
<sup>1</sup>H NMR(CD<sub>3</sub>OD)δ: 1.02-2.05(16H, m), 2.16-2.23(1H, m), 2.94-3.00(1H, m), 4.98-5.05(2H, m), 7.41-7.48(1H, m), 7.53-7.62(1H, m), 7.66(1H, d, J=8.4Hz), 7.77(1H, d, J=8.4Hz), 8.57(1H, d, J=2.1Hz).  
 [α]<sub>D</sub><sup>20</sup> = -15.2° (CH<sub>3</sub>OH, c=1.07%, 22°C).

Example 2



Methyl (Z)-7-[(1S,2R,3R,4R)-3-aminobicyclo[2.2.1]hept-2-yl]-5-heptenoate trifluoroacetate (II-2) (232 mg, 0.636 mmol), which was prepared by the method described in Reference Example 4 of the Japanese Patent Publication (KOKOKU) No. 79060/1993, was dissolved in methylene chloride (5 ml). To the solution were added triethylamine (0.279 ml, 2.00 mmol) and 4-biphenylcarbonyl chloride under ice-cooling and stirred for 7 hr at the same temperature. The reaction mixture was purified by column chromatography on silica gel (ethyl acetate/n-hexane (1:4)) to yield methyl (Z)-7-[(1S,2R,3R,4R)-3-(4-biphenyl)carbonylaminobicyclo[2.2.1]hept-2-yl]-5-heptenoate (1k-11) (221 mg, 0.512 mmol). The compound (1k-11) (190 mg, 0.440 mmol) was dissolved in methanol (6 ml). To the solution was added 1 N KOH (1.10 ml, 1.10 mmol) under ice-cooling and stirred for 15 hr at room temperature. The reaction mixture was concentrated in vacuo. The residue, after the addition of water (20 ml) and 1 N HCl (2 ml), was extracted with ethyl acetate. The organic layer was washed with saturated brine, dried over anhydrous sodium sulfate and concentrated. The residue was purified by column chromatography on silica gel (ethyl acetate/hexane (1:1) containing 0.3 % acetic acid) to yield (Z)-7-[(1S,2R,3R,4R)-3-(4-biphenyl)carbonylaminobicyclo[2.2.1]hept-2-yl]-5-heptenoic acid (1k-12) (172 mg, 0.412 mmol). Yield 94 %.

The following compounds can also be prepared in the following manner.

## Example 3



10

To a suspension of 4-carboxybutyltriphenylphosphonium bromide (14.8 g, 33.3 mmol) and tetrahydrofuran (80 ml) was added potassium t-butyrate (7.55 g, 67.3 mmol) at room temperature under a nitrogen atmosphere. After stirring for 1 hr at room temperature, the mixture was cooled to -20°C and a solution of N-[(1S,2S,3S,4R)-3-formylmethylbicyclo[2.2.1]hept-2-yl]benzenesulfonamide (III-1) (Japanese Patent Publication (KOKAI) No. 256650/1990, Reference Example 2) (3.25 g, 11.1 mmol) in tetrahydrofuran (20 ml) was added slowly. After stirring for about 1 hr at -20 °C, the ice bath was removed and the mixture was further stirred for 1 hr. To the reaction solution was added 2 N HCl and the mixture was extracted with ethyl acetate, washed with water and brine, and concentrated. After the addition of toluene and 1 N sodium hydroxide to the resultant crude product, aqueous layer was separated. The organic layer was washed with water again and the washing was combined with the previously obtained aqueous layer. After the addition of 2 N HCl, the aqueous solution was extracted with ethyl acetate. The extract was washed with water and brine, dried over sodium sulfate, and concentrated. The residue was purified by column chromatography on silica gel to obtain calcium (Z)-7-[(1R,2S,3S,4S)-3-phenylsulfonylaminobicyclo[2.2.1]hept-2-yl]-5-heptenoate (1d-1) (3.29 g, yield 79 %, mp 62°C).

25

Elemental analysis (C <sub>20</sub> H <sub>27</sub> NO <sub>4</sub> S)				
Calcd.(%) :	C, 63.63;	H, 7.21;	N, 3.71;	S, 8.49
Found (%) :	C, 63.56;	H, 7.21;	N, 3.83;	S, 8.43

35

$[\alpha]_D^{25} = +5.3 \pm 0.5^\circ$  (CHCl<sub>3</sub>, c=1.003 %, 22°C)  
 $[\alpha]_D^{25} = +27.1 \pm 0.7^\circ$  (MeOH, c=1.015 % 24 °C)  
 IR(Nujol) 3282, 3260, 3300, 2400, 1708, 1268, 1248, 1202, 1162, 1153, 1095, 1076/cm.  
<sup>1</sup>H NMR  $\delta$  0.88-2.10(m,14H), 2.14(br s, 1H), 2.34(t, J=7.2Hz, 2H), 2.95-3.07(m, 1H), 5.13-5.35(m, 3H), 7.45-7.64(m, 3H), 7.85-7.94(m, 2H), 9.52(br s, 1H).

40


Compounds prepared in accordance with a method described in Examples above are shown in Tables below.

45

50

55

Table 1a



5

10

15

20

25

30

35


40

45

50

55

No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1a-1	CH <sub>3</sub>	
1a-2	H	
1a-3	Na	
1a-4	CH <sub>3</sub>	
1a-5	H	
1a-6	CH <sub>3</sub>	
1a-7	H	
1a-8	CH <sub>3</sub>	
1a-9	H	
1a-10	CH <sub>3</sub>	
1a-11	H	
1a-12	CH <sub>3</sub>	
1a-13	H	
1a-14	CH <sub>3</sub>	
1a-15	H	
1a-16	CH <sub>3</sub>	
1a-17	H	
1a-18	CH <sub>3</sub>	
1a-19	H	
1a-20	CH <sub>3</sub>	
1a-21	H	
1a-22	H	
1a-23	H	



5

10

15

20

25

30

35


40

45

50

55

No.	R <sub>1</sub>	X <sub>1</sub> --X <sub>2</sub> --X <sub>3</sub>
1a-24	CH <sub>3</sub>	
1a-25	H	
1a-26	Na	
1a-27	CH <sub>3</sub>	
1a-28	H	
1a-29	Na	
1a-30	CH <sub>3</sub>	
1a-31	H	
1a-32	CH <sub>3</sub>	
1a-33	H	
1a-34	CH <sub>3</sub>	
1a-35	CH <sub>3</sub>	
1a-36	H	
1a-37	CH <sub>3</sub>	
1a-38	H	
1a-39	CH <sub>3</sub>	
1a-40	H	
1a-41	H	
1a-42	CH <sub>3</sub>	
1a-43	H	
1a-44	CH <sub>3</sub>	
1a-45	H	



5

10

15

20

25

30

35


40

45

50

55

No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1a-46	CH <sub>3</sub>	
1a-47	H	
1a-48	Na	
1a-49	CH <sub>3</sub>	
1a-50	H	
1a-51	CH <sub>3</sub>	
1a-52	H	
1a-53	CH <sub>3</sub>	
1a-54	H	
1a-55	CH <sub>3</sub>	
1a-56	H	
1a-57	CH <sub>3</sub>	
1a-58	H	
1a-59	CH <sub>3</sub>	
1a-60	H	
1a-61	CH <sub>3</sub>	
1a-62	H	
1a-63	CH <sub>3</sub>	
1a-64	H	
1a-65	CH <sub>3</sub>	
1a-66	H	
1a-67	CH <sub>3</sub>	
1a-68	H	



5

10

15

20

25

30

35


40

45

50

55

No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1a-69	CH <sub>3</sub>	
1a-70	H	
1a-71	CH <sub>3</sub>	
1a-72	H	
1a-73	CH <sub>3</sub>	
1a-74	H	
1a-75	CH <sub>3</sub>	
1a-76	H	
1a-77	CH <sub>3</sub>	
1a-78	H	
1a-79	H	
1a-80	CH <sub>3</sub>	
1a-81	H	
1a-82	CH <sub>3</sub>	
1a-83	H	
1a-84	H	
1a-85	H	
1a-86	H	
1a-87	H	



5

10

15

20

25

30

35


40

45

50


55

No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1a-88	CH <sub>3</sub>	
1a-89	H	
1a-90	CH <sub>3</sub>	
1a-91	H	
1a-92	CH <sub>3</sub>	
1a-93	H	
1a-94	H	
1a-95	H	
1a-96	H	
1a-97	H	
1a-98	H	
1a-99	Na	



No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1a-100	CH <sub>3</sub>	
1a-101	H	
1a-102	CH <sub>3</sub>	
1a-103	CH <sub>3</sub>	
1a-104	H	
1a-105	CH <sub>3</sub>	
1a-106	H	
1a-107	CH <sub>3</sub>	
1a-108	H	
1a-109	CH <sub>3</sub>	
1a-110	H	
1a-111	CH <sub>3</sub>	
1a-112	H	
1a-113	CH <sub>3</sub>	
1a-114	H	





5

10

15

20

25

30

35


40

45

50

55

No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1a-115	CH <sub>3</sub>	
1a-116	H	
1a-117	Na	
1a-118	<i>t</i> -Pr	
1a-119	CH <sub>3</sub>	
1a-120	Na	
1a-121	H	
1a-122	CH <sub>3</sub>	
1a-123	H	
1a-124	CH <sub>3</sub>	
1a-125	CH <sub>3</sub>	
1a-126	H	
1a-127	CH <sub>3</sub>	
1a-128	H	
1a-129	CH <sub>3</sub>	
1a-130	CH <sub>3</sub>	
1a-131	H	
1a-132	CH <sub>3</sub>	
1a-133	H	
1a-134	H	
1a-135	CH <sub>3</sub>	
1a-136	H	
1a-137	CH <sub>3</sub>	
1a-138	H	
1a-139	CH <sub>3</sub>	
1a-140	H	



5

10

15

20

25

30

35


40

45

50

55

No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1a-141	CH <sub>3</sub>	
1a-142	H	
1a-143	H	
1a-144	H	
1a-145	H	
1a-146	H	
1a-147	H	
1a-148	H	
1a-149	H	
1a-150	H	
1a-151	H	



5

10

15

20

25

30

35










40


45

50


55

No.	$R_1$	$X_1\text{-}X_2\text{-}X_3$
1a-152	H	
1a-153	H	
1a-154	H	
1a-155	H	
1a-156	H	
1a-157	H	
1a-158	H	
1a-159	H	
1a-160	H	





No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1a-161	H	
1a-162	H	
1a-163	H	
1a-164	H	
1a-165	H	
1a-166	H	
1a-167	H	
1a-168	H	
1a-169	H	
1a-170	H	
1a-171	CH <sub>3</sub>	
1a-172	H	



5

10

15

20

25

30

35


40

45

50

55

No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1a-173	H	
1a-174	H	
1a-175	CH <sub>3</sub>	
1a-176	H	
1a-177	CH <sub>3</sub>	
1a-178	H	
1a-179	CH <sub>3</sub>	
1a-180	H	
1a-181	H	
1a-182	CH <sub>3</sub>	
1a-183	H	



5

10

15

20

25

30

35


40

45

50

55

No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1a-184	H	
1a-185	H	
1a-186	CH <sub>3</sub>	
1a-187	H	
1a-188	CH <sub>3</sub>	
1a-189	H	
1a-190	CH <sub>3</sub>	
1a-191	H	
1a-192	CH <sub>3</sub>	
1a-193	H	



10

15

20

25


30

35

40

45

No.	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1a-194	
1a-195	
1a-196	
1a-197	
1a-198	
1a-199	
1a-200	
1a-201	
1a-202	
1a-203	




10

No.	$X_1-X_2-X_3$
1a-204	
1a-205	
1a-206	
1a-207	
1a-208	
1a-209	
1a-210	
1a-211	
1a-212	
1a-213	

45





5

10

15

20

25

30

35

40

45


50

55


No.

 $\text{X}_1\text{--X}_2\text{--X}_3$ 


1a-214




1a-215




1a-216




1a-217




1a-218




1a-219




1a-220




1a-221




1a-222



1a-223







No.

 $X_1-X_2-X_3$ 


1a-224




1a-225




1a-226




1a-227




1a-228




1a-229




1a-230




1a-231




1a-232




1a-233




1a-234




1a-235






No.	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1a-236	
1a-237	
1a-238	
1a-239	
1a-240	
1a-241	
1a-242	
1a-243	
1a-244	
1a-245	
1a-246	




No.

 $\text{X}_1\text{-X}_2\text{-X}_3$ 


1a-247




1a-248




1a-249




1a-250




1a-251




1a-252




1a-253




1a-254




1a-255




1a-256




1a-257





No.	$\text{X}_1\text{-X}_2\text{-X}_3$
10 1a-258	
15 1a-259	
1a-260	
20 1a-261	
1a-262	
25 1a-263	
30 1a-264	
1a-265	
35 1a-266	
40 1a-267	
1a-268	
45 1a-269	
1a-270	
50 1a-271	

55



5

10

15

20

25

30

35

40

45


50

55


No.

 $X_1-X_2-X_3$ 


1a-272




1a-273




1a-274




1a-275




1a-276




1a-277




1a-278




1a-279




1a-280




1a-281




1a-282



1a-283






10

No.	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1a-284	
1a-285	
1a-286	
1a-287	
1a-288	
1a-289	
1a-290	
1a-291	
1a-292	
1a-293	
1a-294	

55



10

15

20

25

30

35

40


45

50

No.	$\text{X}_1\text{-X}_2\text{-X}_3$
1a-295	
1a-296	
1a-297	
1a-298	
1a-299	
1a-300	
1a-301	
1a-302	
1a-303	
1a-304	
1a-305	



Table 1b



5

10

15

20

25

30

35


40

45

50

55

No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1b-1	CH <sub>3</sub>	
1b-2	CH <sub>3</sub>	
1b-3	H	
1b-4	H	
1b-5	H	
1b-6	H	
1b-7	H	
1b-8	H	
1b-9	H	
1b-10	H	



5

10

15

20

25

30

35

40


45

50

55

No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1b-11	H	
1b-12	H	
1b-13	H	
1b-14	H	
1b-15	H	

Table 1c



5

10

15

20

25

30

35

40


45

50

55

No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1c-1	CH <sub>3</sub>	
1c-2	CH <sub>3</sub>	
1c-3	K	
1c-4	H	
1c-5	H	
1c-6	H	
1c-7	H	
1c-8	H	
1c-9	H	
1c-10	H	
1c-11	H	
1c-12	H	

Table 1d



5

10

15

20

25

30

35


40

45

50

55

No.	R <sub>3</sub>	R <sub>4</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1d-1	H	SO <sub>2</sub> CH <sub>3</sub>	
1d-2	H	H	
1d-3	H	OH	
1d-4	H	SO <sub>2</sub> CH <sub>3</sub>	
1d-5	H	SO <sub>2</sub> CH <sub>3</sub>	
1d-6	H	SO <sub>2</sub> CH <sub>3</sub>	
1d-7	H	SO <sub>2</sub> CH <sub>3</sub>	
1d-8	H	SO <sub>2</sub> CH <sub>3</sub>	
1d-9	H	SO <sub>2</sub> CH <sub>3</sub>	
1d-10	H	SO <sub>2</sub> CH <sub>3</sub>	



5

10

15

20

25

30

35

40


45

50

55


No.	R <sub>3</sub>	R <sub>4</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1d-11	H	SO <sub>2</sub> CH <sub>3</sub>	
1d-12	H	SO <sub>2</sub> CH <sub>3</sub>	
1d-13	H	SO <sub>2</sub> CH <sub>3</sub>	
1d-14	H	SO <sub>2</sub> CH <sub>3</sub>	
1d-15	H	SO <sub>2</sub> CH <sub>3</sub>	

Table 1e




No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1e-1	H	
1e-2	H	
1e-3	H	
1e-4	H	
1e-5	H	
1e-6	H	
1e-7	H	
1e-8	H	
1e-9	H	
1e-10	H	

Table 1f



No.	R <sub>2</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1f-1	H	
1f-2	H	
1f-3	H	
1f-4	H	
1f-5	H	
1f-6	H	
1f-7	H	
1f-8	H	
1f-9	H	
1f-10	H	


Table 1g



No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1g-1	H	
1g-2	H	
1g-3	H	
1g-4	H	
1g-5	H	
1g-6	H	
1g-7	H	
1g-8	H	
1g-9	H	
1g-10	H	
1g-11	H	




Table 1h




No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1h-1	H	
1h-2	H	
1h-3	H	
1h-4	H	
1h-5	H	
1h-6	H	
1h-7	H	
1h-8	H	
1h-9	H	
1h-10	H	

Table 1i




No.	R <sub>2</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
11-1	H	
11-2	H	
11-3	H	
11-4	H	
11-5	H	
11-6	H	
11-7	H	
11-8	H	
11-9	H	
11-10	H	
11-11	H	
11-12	H	


Table 1j



No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1j-1	CH <sub>3</sub>	
1j-2	H	
1j-3	Na	
1j-4	H	
1j-5	CH <sub>3</sub>	
1j-6	CH <sub>3</sub>	
1j-7	H	
1j-8	CH <sub>3</sub>	
1j-9	CH <sub>3</sub>	
1j-10	H	
1j-11	CH <sub>3</sub>	
1j-12	H	
1j-13	CH <sub>3</sub>	
1j-14	H	
1j-15	CH <sub>3</sub>	
1j-16	H	



No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1j-17	H	
1j-18	CH <sub>3</sub>	
1j-19	H	
1j-20	CH <sub>3</sub>	
1j-21	H	
1j-22	H	
1j-23	CH <sub>3</sub>	
1j-24	H	
1j-25	CH <sub>3</sub>	
1j-26	H	
1j-27	H	
1j-28	CH <sub>3</sub>	
1j-29	H	



5

10

15

20

25

30

35

40


45

50


55

No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1j-30	H	
1j-31	H	
1j-32	H	
1j-33	H	
1j-34	H	
1j-35	H	
1j-36	H	
1j-37	H	
1j-38	H	

Table 1k



No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1k-1	H	$-\text{O}-\text{CH}_2-\text{C}_6\text{H}_5$
1k-2	CH <sub>3</sub>	$-\text{C}_6\text{H}_4-\text{N}=\text{N}-\text{C}_6\text{H}_5$
1k-3	H	$-\text{C}_6\text{H}_4-\text{N}=\text{N}-\text{C}_6\text{H}_5$
1k-4	H	$-\text{C}_6\text{H}_4-\text{C}\equiv\text{C}-\text{C}_6\text{H}_5$
1k-5	H	$-\text{C}_6\text{H}_4-\text{C}\equiv\text{C}-\text{C}_6\text{H}_5$
1k-6	H	$-\text{C}_6\text{H}_5$
1k-7	H	$-\text{C}_6\text{H}_4-\text{O}-\text{C}_6\text{H}_5$
1k-8	H	$-\text{C}_6\text{H}_4-\text{O}-\text{C}_6\text{H}_4-\text{OH}$
1k-9	H	$-\text{C}_6\text{H}_4-\text{O}-\text{C}_6\text{H}_4-\text{OAc}$
1k-10	H	$-\text{C}_6\text{H}_4-\text{O}-\text{C}_6\text{H}_4-\text{OCH}_3$
1k-11	CH <sub>3</sub>	$-\text{C}_6\text{H}_4-\text{C}_6\text{H}_5$
1k-12	H	$-\text{C}_6\text{H}_4-\text{C}_6\text{H}_5$



5

10

15

20

25

30

35

40


45

50

55


No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1k-13	H	
1k-14	H	
1k-15	H	
1k-16	H	
1k-17	H	
1k-18	H	
1k-19	H	
1k-20	H	

Table 1a



No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1m-1	CH <sub>3</sub>	
1m-2	H	
1m-3	CH <sub>3</sub>	
1m-4	H	
1m-5	CH <sub>3</sub>	
1m-6	H	
1m-7	CH <sub>3</sub>	
1m-8	H	
1m-9	CH <sub>3</sub>	
1m-10	H	
1m-11	CH <sub>3</sub>	
1m-12	H	
1m-13	CH <sub>3</sub>	
1m-14	H	
1m-15	CH <sub>3</sub>	
1m-16	H	
1m-17	CH <sub>3</sub>	
1m-18	H	





5

10

15

20

25

30

35


40

45

50

55

No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1m-19	CH <sub>3</sub>	
1m-20	H	
1m-21	H	
1m-22	H	
1m-23	CH <sub>3</sub>	
1m-24	H	
1m-25	CH <sub>3</sub>	
1m-26	H	
1m-27	CH <sub>3</sub>	
1m-28	H	
1m-29	CH <sub>3</sub>	
1m-30	H	
1m-31	H	
1m-32	H	
1m-33	H	



5

10

15

20

25

30

35

40


45

50


55

No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
1m-34	H	
1m-35	H	
1m-36	H	
1m-37	H	
1m-38	H	
1m-39	H	
1m-40	H	

Table 2a



No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
2a-1	CH <sub>3</sub>	
2a-2	H	
2a-3	CH <sub>3</sub>	
2a-4	H	
2a-5	Na	
2a-6	CH <sub>3</sub>	
2a-7	H	
2a-8	CH <sub>3</sub>	
2a-9	H	
2a-10	CH <sub>3</sub>	
2a-11	H	
2a-12	CH <sub>3</sub>	
2a-13	H	
2a-14	CH <sub>3</sub>	
2a-15	H	
2a-16	CH <sub>3</sub>	
2a-17	H	
2a-18	CH <sub>3</sub>	
2a-19	H	
2a-20	CH <sub>3</sub>	
2a-21	H	
2a-22	Na	
2a-23	CH <sub>3</sub>	
2a-24	H	



5

10

15

20

25

30

35


40

45

50

55

No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
2a-25	CH <sub>3</sub>	
2a-26	H	
2a-27	CH <sub>3</sub>	
2a-28	H	
2a-29	CH <sub>3</sub>	
2a-30	H	
2a-31	CH <sub>3</sub>	
2a-32	CH <sub>3</sub>	
2a-33	H	
2a-34	CH <sub>3</sub>	
2a-35	H	
2a-36	CH <sub>3</sub>	
2a-37	H	
2a-38	CH <sub>3</sub>	
2a-39	H	
2a-40	CH <sub>3</sub>	
2a-41	H	
2a-42	CH <sub>3</sub>	
2a-43	H	
2a-44	CH <sub>3</sub>	
2a-45	H	
2a-46	CH <sub>3</sub>	
2a-47	H	



5

10

15

20

25

30

35


40

45

50

55

No.	$R_1$	$X_1\text{-}X_2\text{-}X_3$
2a-48	$\text{CH}_3$	
2a-49	H	
2a-50	$\text{CH}_3$	
2a-51	H	
2a-52	$\text{CH}_3$	
2a-53	H	
2a-54	$\text{CH}_3$	
2a-55	H	
2a-56	$\text{CH}_3$	
2a-57	H	
2a-58	$\text{CH}_3$	
2a-59	H	
2a-60	$\text{CH}_3$	
2a-61	H	
2a-62	$\text{CH}_3$	
2a-63	H	
2a-64	$\text{CH}_3$	
2a-65	H	
2a-66	$\text{CH}_3$	
2a-67	H	



5

10

15

20

25

30

35


40

45

50

55


No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
2a-68	CH <sub>3</sub>	
2a-69	H	
2a-70	CH <sub>3</sub>	
2a-71	H	
2a-72	CH <sub>3</sub>	
2a-73	H	
2a-74	CH <sub>3</sub>	
2a-75	H	
2a-76	CH <sub>3</sub>	
2a-77	H	
2a-78	CH <sub>3</sub>	
2a-79	H	
2a-80	CH <sub>3</sub>	
2a-81	H	
2a-82	CH <sub>3</sub>	
2a-83	H	
2a-84	CH <sub>3</sub>	
2a-85	H	
2a-86	CH <sub>3</sub>	
2a-87	H	



10

No.	$R_1$	$X_1-X_2-X_3$
2a-88	$\text{CH}_3$	
2a-89	H	
15 2a-90	$\text{CH}_3$	
2a-91	H	
2a-92	$\text{CH}_3$	
2a-93	H	
20 2a-94	$\text{CH}_3$	
2a-95	H	
2a-96	Na	
25 2a-97	$\text{Ca}^{1/2}$	
2a-98	$\text{CH}_3$	
2a-99	H	
30 2a-100	$\text{CH}_3$	
2a-101	H	
2a-102	$\text{CH}_3$	
35 2a-103	H	
2a-104	$\text{CH}_3$	
40 2a-105	H	
2a-106	$\text{CH}_3$	
2a-107	H	
45 2a-108	$\text{CH}_3$	
2a-109	H	
2a-110	Na	
50 2a-111	$\text{CH}_3$	
2a-112	H	

55



5

10

15

20

25

30

35

40

45


50

55

No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
2a-113	CH <sub>3</sub>	
2a-114	H	
2a-115	CH <sub>3</sub>	
2a-116	H	
2a-117	CH <sub>3</sub>	
2a-118	H	
2a-119	H	
2a-120	H	
2a-121	H	
2a-122	H	
2a-123	H	
2a-124	H	
2a-125	H	



5



10

15

20

25

30

35


40

45

50

55

No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
2a-126	H	
2a-127	H	
2a-128	H	
2a-129	H	
2a-130	H	
2a-131	H	
2a-132	H	
2a-133	H	
2a-134	H	
2a-135	H	
2a-136	H	



5

10

15

20

25

30

35


40

45

50

55

No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
2a-137	H	
2a-138	H	
2a-139	H	
2a-140	H	
2a-141	H	
2a-142	H	
2a-143	H	
2a-144	H	
2a-145	H	
2a-146	H	
2a-147	H	



5

10

15

20

25

30

35


40

45

50

55


No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
2a-148	H	
2a-149	H	
2a-150	H	
2a-151	H	
2a-152	H	
2a-153	H	
2a-154	H	
2a-155	H	
2a-156	H	
2a-157	H	
2a-158	H	
2a-159	H	



10

No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
2a-160	H	
2a-161	H	
2a-162	H	
2a-163	H	
2a-164	H	
2a-165	H	
2a-166	H	
2a-167	H	
2a-168	H	
2a-169	H	
2a-170	H	

50



5

10

15

20

25

30

35


40

45

50

55

No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
2a-171	H	
2a-172	H	
2a-173	H	
2a-174	H	
2a-175	H	
2a-176	H	
2a-177	H	
2a-178	H	
2a-179	H	
2a-180	H	
2a-181	H	
2a-182	H	



5

10

15

20

25

30

35

40


45

50

55

No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
2a-183	H	
2a-184	H	
2a-185	H	
2a-186	H	
2a-187	H	
2a-188	H	
2a-189	H	
2a-190	H	
2a-191	H	
2a-192	H	
2a-193	H	

5



10

No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
2a-194	H	
2a-195	H	
2a-196	H	
2a-197	H	
2a-198	H	
2a-199	H	
2a-200	H	
2a-201	H	
2a-202	H	
2a-203	H	

15

20

25

30


35

40

45

50

55



5

10

15

20

25

30

35

40

45


50

55


No.

 $\text{X}_1\text{-X}_2\text{-X}_3$ 


2a-204




2a-205




2a-206




2a-207




2a-208




2a-209




2a-210




2a-211




2a-212




2a-213








No.	$X_1-X_2-X_3$
10 2a-214	
15 2a-215	
20 2a-216	
25 2a-217	
2a-218	
30 2a-219	
35 2a-220	
40 2a-221	
45 2a-222	
2a-223	



10

No.	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
2a-224	
2a-225	
2a-226	
2a-227	
2a-228	
2a-229	
2a-230	
2a-231	
2a-232	
2a-233	


50



10

No.	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
2a-234	
2a-235	
2a-236	
2a-237	
2a-238	
2a-239	
2a-240	
2a-241	
2a-242	
2a-243	

50



5

10

15

20

25

30

35

40

45


50

55


No.

 $\text{X}_1\text{-X}_2\text{-X}_3$ 


2a-244




2a-245




2a-246




2a-247




2a-248




2a-249




2a-250




2a-251






No.	$X_1-X_2-X_3$
10 <b>2a-252</b>	
15 <b>2a-253</b>	
20 <b>2a-254</b>	
25 <b>2a-255</b>	
30 <b>2a-256</b>	
35 <b>2a-257</b>	



5

No.	$X_1-X_2-X_3$
10 2a-258	
15 2a-259	
20 2a-260	
25 2a-261	
30 2a-262	
35 2a-263	
40 2a-264	
45 2a-265	
50 2a-266	
55 2a-267	

55



10

15

20

25

30


35

40

45


50

No.	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
2a-268	
2a-269	
2a-270	
2a-271	
2a-272	
2a-273	
2a-274	
2a-275	
2a-276	
2a-277	




No.	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
10 2a-278	
15 2a-279	
20 2a-280	
25 2a-281	
30 2a-282	
35 2a-283	
40 2a-284	
45 2a-285	
50 2a-286	
55 2a-287	






No.	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
10 2a-288	
15 2a-289	
20 2a-290	
25 2a-291	
30 2a-292	
35 2a-293	
40 2a-294	
45 2a-295	
50 2a-296	



No.	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
10 2a-297	
15 2a-298	
20 2a-299	
25 2a-300	
30 2a-301	
35 2a-302	
40 2a-303	
45 2a-304	
50 2a-305	
55 2a-306	



5

10

15

20

25

30

35

40

45


50

55


No.

X<sub>1</sub>-X<sub>2</sub>-X<sub>3</sub>


2a-307




2a-308




2a-309




2a-310




2a-311




2a-312



2a-313



2a-314



2a-315





Table 2b



No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
-----	----------------	--

2b-1

H




2b-2

H



Table 2c



No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
-----	----------------	--

2c-1

H



2c-2

H



2c-3

H






Table 2d



No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
-----	----------------	--

2d-1

H



2d-2

H




2d-3

H




Table 2e




No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
2e-1	H	
2e-2	H	
2e-3	H	

Table 2f




No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
2f-1	H	
2f-2	H	
2f-3	H	

Table 2g



No.	R <sub>3</sub>	R <sub>4</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
2g-1	H	SO <sub>2</sub> CH <sub>3</sub>	

Table 2h



5

No.	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
2h-1	
2h-2	
2h-3	
2h-4	
2h-5	
2h-6	


10

15

20

25

Table 2i



30

No.	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
2i-1	
2i-2	
2i-3	
2i-4	
2i-5	
2i-6	

35


40

45

50

55

Table 2j




5

No.	$\text{X}_1\text{-X}_2\text{-X}_3$
2j-1	<chem>c1ccsc1</chem>
2j-2	<chem>Cc1ccsc1</chem>
2j-3	<chem>c1ccc2sc(c2)c1</chem>
2j-4	<chem>c1ccc(cc1)S</chem>
2j-5	<chem>c1ccc(cc1)Oc2ccccc2</chem>
2j-6	<chem>c1ccc(cc1)/C=C/c2ccccc2</chem>

20

25

Table 2k



30

No.	$\text{X}_1\text{-X}_2\text{-X}_3$
2k-1	<chem>c1ccsc1</chem>
2k-2	<chem>Cc1ccsc1</chem>
2k-3	<chem>c1ccc2sc(c2)c1</chem>
2k-4	<chem>c1ccc(cc1)S</chem>
2k-5	<chem>c1ccc(cc1)Oc2ccccc2</chem>
2k-6	<chem>c1ccc(cc1)/C=C/c2ccccc2</chem>

35


40

45

50


55

Table 3a




No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
3a-1	CH <sub>3</sub>	
3a-2	H	
3a-3	CH <sub>3</sub>	
3a-4	H	
3a-5	H <sub>3</sub> N <sup>+</sup> C(CH <sub>2</sub> OH) <sub>3</sub>	
3a-6	Na	
3a-7	1/2 Ca	
3a-8	H	
3a-9	H	
3a-10	CH <sub>3</sub>	
3a-11	H	
3a-12	CH <sub>3</sub>	
3a-13	H	
3a-14	CH <sub>3</sub>	
3a-15	CH <sub>3</sub>	
3a-16	H	
3a-17	CH <sub>3</sub>	
3a-18	H	






No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
3a-19	CH <sub>3</sub>	
3a-20	H	
3a-21	CH <sub>3</sub>	
3a-22	H	
3a-23	CH <sub>3</sub>	
3a-24	H	
3a-25	H	$\text{---(CH}_2\text{)}_3\text{CH}_3$
3a-26	CH <sub>3</sub>	$\text{---(CH}_2\text{)}_7\text{CH}_3$
3a-27	H	
3a-28	CH <sub>3</sub>	
3a-29	H	
3a-30	CH <sub>3</sub>	
3a-31	CH <sub>3</sub>	
3a-32	H	
3a-33	Na	
3a-34	H	
3a-35	Na	

Table 3b




No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
3b-1	CH <sub>3</sub>	
3b-2	H	
3b-3	H	
3b-4	H	

Table 3c




No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
3c-1	H	

Table 3d




No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
3d-1	1/2 Ca	
3d-2	Na	
3d-3	Na	
3d-4	Na	
3d-5	CH <sub>3</sub>	
3d-6	H	
3d-7	CH <sub>3</sub>	
3d-8	H	
3d-9	Na	
3d-10	CH <sub>3</sub>	
3d-11	H	
3d-12	Na	
3d-13	1/2 Ca	
3d-14	H	
3d-15	Na	



No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>	
3d-16	H		
3d-17	H		
3d-18	H	$-(CH_2)_3CH_3$	
3d-19	CH <sub>3</sub>	$-NHCH_3$	
3d-20	H		
3d-21	CH <sub>3</sub>		
3d-22	H		
3d-23	H		
3d-24	H		
3d-25	H Na		racemic compound
3d-26			
3d-27	H Na		racemic compound
3d-28			
3d-29 3d-30	H Na		racemic compound

Table 3e



No.	R <sub>1</sub>	X <sub>1</sub> -X <sub>2</sub> -X <sub>3</sub>
3e-1	1/2Ca	

Physicochemical properties of compounds above are shown below. The compound number below corresponds to that described in Tables above.

# EP 0 837 052 A1

## No.1a — 4

$[\alpha]_D = -11.5^\circ$  ( $\text{CHCl}_3$ ,  $c=1.01$ ,  $23.5^\circ\text{C}$ ).

## 5 No.1a — 5

$[\alpha]_D = -10.0^\circ$  ( $\text{CHCl}_3$ ,  $c=1.01$ ,  $25.0^\circ\text{C}$ ).

## No.1a — 6

10

$\text{CDCl}_3$  300MHz

0.93-1.96(14H,m), 2.20-2.26(3H,m), 3.03(1H,m), 3.67(3H,s), 4.99(1H,d,  $J=6.6\text{Hz}$ ) z), 5.10-5.24(2H,m), 7.37-7.51(3H,m), 7.54-7.64(3H,m), 7.76-7.88(2H,m), 8.11(1H,m).

IR ( $\text{CHCl}_3$ ): 3384, 3278, 3026, 2952, 2874, 1727, 1436, 1411, 1324, 1155, 1097 /cm.

15

$[\alpha]_D = -9.0^\circ$  ( $\text{CHCl}_3$ ,  $c=1.04$ ,  $22.0^\circ\text{C}$ ).

## No.1a — 7

20

$\text{CDCl}_3$  300MHz

0.93-2.00(14H,m), 2.18(1H,m), 2.28(2H,t,  $J=7.2\text{Hz}$ ), 3.04(1H,m), 5.15-5.25(2H,m), 5.28(1H,d,  $J=6.9\text{Hz}$ ), 7.36-7.50(3H,m), 7.54-7.63(3H,m), 7.76-7.89(2H,m), 8.12(1H,m).

IR ( $\text{CHCl}_3$ ): 3268, 3028, 2952, 2872, 1708, 1452, 1410, 1324, 1155, 1097 /cm.

$[\alpha]_D = -9.1^\circ$  ( $\text{CHCl}_3$ ,  $c=1.01$ ,  $24.0^\circ\text{C}$ ).

## 25 No.1a — 8

$\text{CDCl}_3$  300MHz

0.94-1.99(14H,m), 2.21-2.29(3H,m), 3.05(1H,m), 3.67(3H,s), 4.92(1H,d,  $J=6.3\text{Hz}$ ), 5.14-5.30(2H,m), 7.70-7.78(6H,m), 7.96-8.01(2H,m).

30

IR ( $\text{CHCl}_3$ ): 3376, 3272, 3018, 2946, 2868, 1727, 1616, 1435, 1388, 1324, 1162, 1130, 1069 /cm.

$[\alpha]_D = +1.6^\circ$  ( $\text{CHCl}_3$ ,  $c=1.01$ ,  $24.0^\circ\text{C}$ ). mp. 117-119°C.

## No.1a — 9

35

$\text{CDCl}_3$  300MHz

0.95-2.08(14H,m), 2.19(1H,m), 2.32(2H,t,  $J=7.2\text{Hz}$ ), 3.06(1H,m), 5.20-5.30(2H,m), 5.34(1H,d,  $J=6.6\text{Hz}$ ), 7.69-7.78(6H,m), 7.96-8.03(2H,m).

IR ( $\text{CHCl}_3$ ): 3260, 3020, 2950, 2868, 1708, 1389, 1324, 1162, 1130, 1069 /cm.

$[\alpha]_D = +13.3^\circ$  ( $\text{CHCl}_3$ ,  $c=1.05$ ,  $24.0^\circ\text{C}$ ).

40

mp. 118-120°C

## No.1a — 10

45

$\text{CDCl}_3$  300MHz

0.96-1.98(14H,m), 2.15-2.32(3H,m), 3.04(1H,m), 3.66(3H,s), 5.12-5.26(5H,m), 7.67-7.78(4H,m), 7.93-8.07(4H,m).

IR ( $\text{CHCl}_3$ ): 3276, 3018, 2946, 2868, 1726, 1595, 1435, 1341, 1162, 1095 /cm.

$[\alpha]_D = -1.5^\circ$  ( $\text{CHCl}_3$ ,  $c=1.01$ ,  $25.0^\circ\text{C}$ ).

mp. 133-139°C.

## 50 No.1a — 11

$\text{CD}_3\text{OD}$  300MHz

1.05-1.98(14H,m), 2.13-2.22(3H,m), 2.97(1H,m), 5.09-5.22(2H,m), 7.85-7.92(4H,m), 7.95-8.05(4H,m).

IR (KBr): 3385, 3261, 3069, 3003, 2954, 2872, 1708, 1596, 1428, 1413, 1378, 1343, 1326, 1236, 1186, 1160, 1096 /cm.

55

mp. 144-146°C.

EP 0 837 052 A1

No.1a — 12

CDCl<sub>3</sub> 300MHz

0.96-1.96(14H,m),2.22-2.27(3H,m),3.03(1H,m),3.66(3H,s),3.87(3H,s),4.86(1 H,d,J=6.9Hz),5.18-5.24(2H,m),6.99-7.02(2H,m),7.55-7.66(2H,m),7.66-7.69(2 H,m),7.89-7.92(2H,m).

IR(CHCl<sub>3</sub>):3374,3270,3016,2948,2870,1726,1608,1518,1487,1458,1437,1248, 1157,1037.

[α]<sub>D</sub>=+4.2° (CHCl<sub>3</sub>,c=1.01,24°C).

mp.85-87°C.

No.1a — 13

CDCl<sub>3</sub> 300MHz

0.97-1.99(14H,m),2.18(1H,m),2.30(2H,t,J=7.2Hz),3.04(1H,m),3.86(3H,s),5.1 8(1H,d,J=5.7Hz),5.23-5.26(2H,m),6.99-7.02(2H,m),7.55-7.58(2H,m),7.66-7.6 8(2H,m),7.89-7.92(2H,m).

IR(CHCl<sub>3</sub>):3380,3260,3020,2948,2868,1708,1608,1519,1487,1458,1306,1293, 1248,1156 /cm.

[α]<sub>D</sub>=+18.3° (CHCl<sub>3</sub>,c=1.00,25.5°C) .

No.1a — 14

CDCl<sub>3</sub> 300MHz

0.98-2.00(14H,m),2.20(1H,m),2.25(2H,t,J=7.2Hz),3.02(1H,m),3.67(3H,s),4.8 5(1H,d,J=6.3Hz),5.19-5.25(2H,m),7.13(1H,dd,J=4.8,3.6Hz),7.39(1H,d,J=4.8 Hz),7.40(1H,d,J=3.6Hz),7.71-7.74(2H,m),7.86-7.89(2H,m).

IR(CHCl<sub>3</sub>):3374,3270,3018,2946,2868,1727,1593,1434,1322/cm.

[α]<sub>D</sub>= +5.6° (CHCl<sub>3</sub>,c=1.01,24°C).

mp.69-71°C.

No.1a — 15

CDCl<sub>3</sub> 300MHz

0.95-2.00(14H,m),2.17(1H,m),2.32(2H,t,J=7.2Hz),3.03(1H,m),5.20(1H,d,J=6. 9Hz),5.24-5.28(2H,m),7.13(1H,dd,J=4.8,3.3Hz),7.38(1H,d,J=4.8Hz),7.43(1H, d,J=3.3Hz),7.73(2H,d,J=8.4Hz),7.87(2H,d,J=8.4Hz).

IR(CHCl<sub>3</sub>):3260,3022,2948,2868,1709,1593,1404,1321,1154/cm.

[α]<sub>D</sub>= +20.8° (CHCl<sub>3</sub>,c= 1.07,23°C).

mp.71-73°C.

No.1a — 16

CDCl<sub>3</sub> 300MHz

0.98-2.00(14H,m),2.27(2H,t,J=7.5Hz),2.28(1H,m),3.13(1H,m),3.66(3H,s),4.9 0(1H,d,J=6.9Hz),5.25-5.29(2H,m),7.40-7.65(6H,m),7.76(1H,d,J=8.4Hz),7.90-8.02(4H,m).

IR(CHCl<sub>3</sub>):3376,3276,3018,2946,2868,1726,1593,1435,1394,1322,1159/cm.

[α]<sub>D</sub>= +7.0° (CHCl<sub>3</sub>,c=1.07,24°C).

No.1a — 17

CDCl<sub>3</sub> 300MHz

1.02-2.07(14H,m),2.25(1H,m),2.34(2H,t,J=6.6Hz),3.14(1H,m),5.28-5.33(3H, m),7.39-7.57(4H,m),7.62-7.65(2H,m),7.76(1H,d,J=8.1Hz),7.89-8.02(4H,m).

IR(CHCl<sub>3</sub>):3260,2948,2868,1709,1593,1394,1324,1157/cm.

[α]<sub>D</sub>=+20.2° (CHCl<sub>3</sub>,c=1.02,24°C).

No.1a — 18

CDCl<sub>3</sub> 300MHz

1.05-1.97(14H,m),2.25(2H,t,J=7.2Hz),2.33(1H,m),3.12(1H,m),3.67(3H,s),4.9 1(1H,d,J=6.6Hz),5.24-5.29(2H,m),7.24(1H,d,J=3.9Hz),7.39-7.45(3H,m),7.56( 1H,d,J=3.9Hz),7.59-7.62(2H,m).

IR(CHCl<sub>3</sub>):3372,3272,,3018,2946,2868,1727,1433,1331,1152/cm.

EP 0 837 052 A1

$[\alpha]_D = -5.7^\circ$  ( $\text{CHCl}_3$ ,  $c=1.01$ ,  $23^\circ\text{C}$ ).

No. 1a — 19

5  $\text{CDCl}_3$  300MHz  
1.05-2.05(14H,m), 2.28-2.33(3H,m), 3.13(1H,m), 5.18(1H,d,J=6.3Hz), 5.27-5.31 (2H,m), 7.24(1H,d,J=4.2Hz), 7.39-7.42(3H,m), 7.56(1H,d,J=4.2Hz), 7.58-7.62(2 H,m).  
IR( $\text{CHCl}_3$ ): 3372, 3254, 3018, 2948, 2868, 1707, 1431, 1328, 1151/cm.  
10  $[\alpha]_D = +4.5^\circ$  ( $\text{CHCl}_3$ ,  $c=1.01$ ,  $21.5^\circ\text{C}$ ).

No. 1a — 20

$\text{CDCl}_3$  300MHz  
1.05-2.00(14H,m), 2.26(2H,t,J=7.5Hz), 2.33(1H,m), 3.11(1H,m), 3.68(3H,s), 4.9  
15 2(1H,d,J=6.0Hz), 5.27(2H,m), 7.05(1H,m), 7.10(1H,d,J=3.6Hz), 7.25(1H,m), 7.3 2(1H,m), 7.49(1H,d,J=3.6Hz).  
IR( $\text{CHCl}_3$ ): 3372, 3272, 3018, 2946, 2686, 1727, 1438, 1417, 1333, 1151/cm.  
 $[\alpha]_D = -9.2^\circ$  ( $\text{CHCl}_3$ ,  $c=1.01$ ,  $25^\circ\text{C}$ ).

No. 1a — 21

20  $\text{CDCl}_3$  300MHz  
1.02-2.01(14H,m), 2.28-2.34(3H,m), 3.13(1H,m), 5.12(1H,d,J=6.9Hz), 5.28-5.32  
(2H,m), 7.06(1H,m), 7.10(1H,d,J=3.9Hz), 7.25(1H,m), 7.32(1H,m), 7.50(1H,d,J=3.9Hz).  
IR( $\text{CHCl}_3$ ): 3350, 3250, 2948, 1709, 1440, 1420, 1330, 1151.  
25  $[\alpha]_D = +2.5^\circ$  ( $\text{CHCl}_3$ ,  $c=1.00$ ,  $25^\circ\text{C}$ ).

No. 1a — 22

$\text{CDCl}_3$  300MHz  
30 0.96-2.05(14H,m), 2.25(1H,m), 2.35(2H,t,J=7.0Hz), 3.11(1H,m), 5.20-5.34(2H, m), 5.41(1H,d,J=6.6Hz), 7.31-7.49(5H,m), 7.62(1H,d,J=7.8Hz), 8.11(1H,d,d,J= 1.8 and 7.8Hz), 8.35(1H,d,J=1.8Hz).  
IR( $\text{CHCl}_3$ ): 3384, 3271, 3025, 2958, 1708, 1608, 1559, 1537, 1357, 1168/cm.  
 $[\alpha]_D = +18.3^\circ$  ( $\text{CHCl}_3$ ,  $c=0.31$ ,  $22^\circ\text{C}$ ).

35 No. 1a — 23

$\text{CDCl}_3$  300MHz  
0.97-2.07(14H,m), 2.24(1H,m), 2.35(2H,t,J=6.9Hz), 3.09(1H,m), 3.86(3H,s), 5.2  
4- 5.35(2H,m), 5.44(1H,d,J=6.3Hz), 6.97-7.00(2H,m), 7.26-7.28(2H,m), 7.59(1H, d,J=8.1Hz), 8.06(1H,d,d,J=2.1 and  
40 8.1Hz), 8.29(1H,d,J=2.1Hz).  
IR( $\text{CHCl}_3$ ): 3384, 3270, 2959, 1709, 1609, 1535, 1519, 1357, 1302, 1255, 1226, 1169/cm.  
 $[\alpha]_D = +17.0^\circ$  ( $\text{CHCl}_3$ ,  $c=1.00$ ,  $21^\circ\text{C}$ ).

No. 1a — 24

45  $\text{CDCl}_3$  300MHz  
0.95-2.00(14H,m), 2.20-2.25(1H,m), 2.26(2H,t,J=7.2Hz), 3.02-3.10(1H,m), 3.66(3H,s), 4.92(1H,d,J=6.6Hz), 5.16-5.31(2H,m), 7.52-7.60(3H,m), 7.94-8.06(6H,m).  
IR( $\text{CHCl}_3$ ): 3376, 3020, 2946, 2868, 1726, 1436, 1366, 1298, 1164, 1090, 890/cm.  
50  $[\alpha]_D = +11.2 \pm 0.5^\circ$  ( $\text{CHCl}_3$ ,  $c=1.04$ ,  $23.5^\circ\text{C}$ )  
mp. 101-103°C

No. 1a — 25

55  $\text{CDCl}_3$  300MHz  
0.95-2.08(14H,m), 2.15-2.22(1H,m), 2.33(2H,t,J=6.9Hz), 3.02-3.10(1H,m), 3.66(3H,s), 4.92(1H,d,J=6.6Hz), 5.16-5.31(2H,m), 5.34(1H,d,J=6.3Hz), 7.51-7.59(3H,m), 7.92-8.07(6H,m).  
IR( $\text{CHCl}_3$ ): 3258, 3022, 2948, 2868, 1707, 1399, 1328, 1298, 1163, 1089, 1051, 892/cm.

EP 0 837 052 A1

$[\alpha]_D^{25} = +29.8 \pm 0.7^\circ$  ( $\text{CHCl}_3$ ,  $c = 1.05$ ,  $25^\circ\text{C}$ )  
mp.  $158-160^\circ\text{C}$

No. 1a — 26

5      Anal. Calcd for  $\text{C}_{26}\text{H}_{30}\text{N}_3\text{O}_4\text{SNa} \cdot 0.8\text{H}_2\text{O}$ : C, 60.29; H, 6.15; N, 8.11; S, 6.19; Na, 4.44; Found: C, 60.15; H, 6.19; N, 8.15; S, 6.03; Na, 4.98.  
[ $\alpha$ ]<sub>D</sub><sup>25</sup> =  $-16.6^\circ$  ( $\text{CHCl}_3$ ,  $c = 1.04$ ,  $25.0^\circ\text{C}$ ).

10    No. 1a — 27

CDCl<sub>3</sub> 300MHz  
0.92-1.98(14H,m), 2.20(1H,m), 2.26(2H,t,J=7.5Hz), 3.03(1H,m), 3.12(6H,s), 3.6 6(3H,s), 4.87(1H,d,J=6.6Hz), 5.16-5.32(2H,m), 6.73-6.80(2H,m), 7.88-8.00(6H, m).  
15    IR(CHCl<sub>3</sub>): 3376, 3020, 2946, 1726, 1601, 1518, 1442, 1419, 1362, 1312, 1163, 1133, 1088 /cm.  
[ $\alpha$ ]<sub>D</sub><sup>25</sup> =  $+55.3^\circ$  ( $\text{CHCl}_3$ ,  $c = 0.53$ ,  $24.0^\circ\text{C}$ ).  
mp.  $158-168^\circ\text{C}$

20    No. 1a — 28

CDCl<sub>3</sub>+CD<sub>3</sub>OD 300MHz  
0.99-2.14(14H,m), 2.21(1H,m), 2.31(2H,t,J=7.2Hz), 2.94(1H,m), 3.12(6H,s), 5.22-5.38(2H,m), 6.73-6.81(2H,m), 7.87-8.00(6H,m).  
25    IR(KBr): 3434, 3309, 2946, 1708, 1604, 1520, 1442, 1416, 1366, 1312, 1252, 1164, 1155, 1134, 1091 /cm.  
[ $\alpha$ ]<sub>D</sub><sup>25</sup> = not measurable (colored, insufficient energy)  
mp.  $193-196^\circ\text{C}$

No. 1a — 29

30    CD<sub>3</sub>OD 300MHz  
1.02-1.96(14H,m), 2.10(2H,t,J=7.8Hz), 2.16(1H,m), 2.98(1H,m), 3.11(6H,s), 5.07-5.27(2H,m), 6.80-6.87(2H,m), 7.84-8.00(6H,m).  
IR(KBr): 3433, 3087, 3004, 2949, 2871, 1604, 1565, 1520, 1444, 1420, 1364, 1312, 1253, 11638, 1136, 1090 /cm.  
35    [ $\alpha$ ]<sub>D</sub><sup>25</sup> = not measurable

No. 1a — 30

40    CDCl<sub>3</sub> 300MHz  
0.95-1.99(14H,m), 2.22(1H,m), 2.26(2H,t,J=7.2Hz), 2.35(3H,s), 3.06(1H,m), 3.6 6(3H,s), 4.95(1H,d,J=6.9Hz), 5.15-5.30(2H,m), 7.26-7.32(2H,m), 7.97-8.06(6H, m).  
IR(CHCl<sub>3</sub>): 3374, 2996, 2946, 2868, 1763, 1728, 1591, 1495, 1435, 1368, 1299, 1228, 1192, 1163, 1139 /cm.  
[ $\alpha$ ]<sub>D</sub><sup>25</sup> =  $+12.9^\circ$  ( $\text{CHCl}_3$ ,  $c = 1.04$ ,  $26.0^\circ\text{C}$ ).

45    No. 1a — 31

CDCl<sub>3</sub> 300MHz  
0.93-2.01(14H,m), 2.19(1H,m), 2.31(2H,t,J=7.2Hz), 2.35(3H,s), 3.06(1H,m), 5.17-5.32(2H,m), 7.25-7.32(2H,m), 7.96-8.07(6H,m).  
50    IR(CHCl<sub>3</sub>): 3267, 3028, 2952, 2874, 1759, 1708, 1592, 1495, 1368, 1328, 1299, 1163, 1138, 1088, 1050, 1008 /cm.  
[ $\alpha$ ]<sub>D</sub><sup>25</sup> =  $+21.7^\circ$  ( $\text{CHCl}_3$ ,  $c = 0.51$ ,  $22^\circ\text{C}$ ).

No. 1a — 32

55    CDCl<sub>3</sub> 300MHz  
0.93-1.99(14H,m), 2.21(1H,m), 2.27(2H,t,J=7.2Hz), 3.05(1H,m), 3.67(3H,s), 4.9 2(1H,d,J=6.6Hz) 5.15-5.30(2H,m), 6.72(1H,s), 6.96-7.00(2H,m), 7.86-8.04(6H, m).  
IR(CHCl<sub>3</sub>): 3374, 3276, 3018, 2946, 2686, 1725, 1605, 1589, 1502, 1433, 1396, 1330, 1271, 1164, 1135, 1089 /cm. [ $\alpha$ ]<sub>D</sub><sup>25</sup> =  $+18.6^\circ$  ( $\text{CHCl}_3$ ,  $c = 1.00$ ,  $26.0^\circ\text{C}$ ).



EP 0 837 052 A1

No.1a — 33

CDCl<sub>3</sub>+CD<sub>3</sub>OD 300MHz  
 0.98-2.08(14H,m), 2.20(1H,m), 2.28(2H,t,J=7.2Hz), 2.98(1H,m), 5.18-5.32(2H, m), 6.92-6.99(2H,m), 7.85-  
 5 8.02(6H,m).  
 IR(KBr): 3385, 3248, 2948, 2876, 1717, 1601, 1505, 1430, 1399, 1296, 1280, 1219, 1165, 1136, 1092 /cm.  
 [α]<sub>D</sub>= -16.0° (CH<sub>3</sub>OH, c=1.08, 26.0°C).  
 mp. 208-210°C

10 No.1a — 34

mp. 82-83°C [α]<sub>D</sub>= +10.6° (CHCl<sub>3</sub>, c=1.01, 23.5°C).

No.1a — 35

15 mp. 80-82°C [α]<sub>D</sub>= -1.8° (CHCl<sub>3</sub>, c=1.07, 22.0°C).

No.1a — 36

20 TLC Rf=0.25 (ethyl acetate/n-hexane = 1:1 (0.3% acetic acid))

No.1a — 37

CDCl<sub>3</sub> 300MHz  
 25 0.92-1.96(14H,m), 2.21(1H,m), 2.27(2H,t,J=7.4Hz), 3.01(1H,m), 3.66(3H,s), 4.7 1(1H,d,J=6.6Hz), 5.14-  
 5.29(2H,m), 7.12(1H,d,J=16.2Hz), 7.24(1H,d,J=16.2Hz), 7.28-7.42(3H,m), 7.52-  
 7.56(2H,m), 7.62(2H,d,J=8.7Hz), 7.85(2H,d,J=8.7Hz).  
 IR(CHCl<sub>3</sub>): 3384, 3283, 3023, 2954, 2876, 1730, 1595, 1494, 1317, 1163, 1147 /cm.  
 [α]<sub>D</sub>= +10.5° (CHCl<sub>3</sub>, c=1.01, 24°C).  
 30 mp 116-117 °C.

No.1a — 38

CDCl<sub>3</sub> 300MHz  
 35 0.92-1.99(14H,m), 2.17(1H,m), 2.32(2H,t,J=7.2Hz), 3.02(1H,m), 5.23-5.29(3H, m), 7.11(1H,d,J=16.2Hz), 7.23(1H,d,J=16.2Hz), 7.28-7.41(3H,m), 7.52-7.55(2H, m), 7.61(2H,d,J=8.7Hz), 7.86(2H,d,J=8.7Hz).  
 IR(CHCl<sub>3</sub>): 3515, 3384, 3270, 3022, 3015, 2957, 2876, 2669, 1708, 1595, 1496, 1320, 1157 /cm.  
 [α]<sub>D</sub>= +27.1° (CHCl<sub>3</sub>, c=1.02, 24°C).  
 40

No.1a — 39

CDCl<sub>3</sub> 300MHz  
 45 0.92-1.99(14H,m), 2.15(1H,m), 2.28(2H,t,J=7.4Hz), 3.01(1H,m), 3.68(3H,s), 4.9 6(1H,d,J=6.6Hz), 5.16-  
 5.32(2H,m), 6.60(1H,d,J=12.0Hz), 6.74(1H,d,J=12.0Hz), 7.16-7.23(5H,m), 7.35(2H,d,J=8.4Hz), 7.72(2H,d,J=8.4Hz).  
 IR(CHCl<sub>3</sub>): 3384, 3283, 3023, 3015, 2954, 2876, 1730, 1595, 1493, 1324, 1163, 1147 /cm.  
 [α]<sub>D</sub>= +13.7° (CHCl<sub>3</sub>, c=1.00, 24°C).

No.1a — 40

50 CDCl<sub>3</sub> 300MHz  
 0.90-2.16(14H,m), 2.12(1H,m), 2.34(2H,t,J=7.2Hz), 3.02(1H,m), 5.16(1H,d,J=6.9Hz), 5.23-  
 5.34(2H,m), 6.60(1H,d,J=12.3Hz), 6.74(1H,d,J=12.3Hz), 7.14-7.24(5H,m), 7.35(2H,d,J=8.1Hz), 7.72(2H,d,J=8.1Hz).  
 IR(CHCl<sub>3</sub>): 3515, 3384, 3269, 3025, 3021, 3014, 2957, 2876, 2668, 1709, 1595, 1322, 1162, 1147 /cm.  
 55 [α]<sub>D</sub>= +26.4° (CHCl<sub>3</sub>, c=1.00, 24°C).

EP 0 837 052 A1

No.1a — 41

CDCl<sub>3</sub> 300MHz  
 0.98-1.99(14H,m), 2.17(1H,m), 2.32(2H,t,J=7.2Hz), 3.00(1H,m), 3.84(3H,s), 5.20-5.26(3H,m), 6.90-6.95(2H,m), 6.98(1H,d,J=16.2Hz), 7.17(1H,d,J=16.2Hz), 7.46-7.49(2H,m), 7.58(2H,d,J=8.4Hz), 7.83(2H,d,J=8.4Hz).  
 IR(CHCl<sub>3</sub>): 3258, 3018, 3002, 2950, 1709, 1590, 1509, 1457, 1404, 1302, 1250, 1153 /cm.  
 [α]<sub>D</sub> = +30.2° (CHCl<sub>3</sub>, c=1.00, 23°C).  
 mp. 99-100 °C

10 No.1a — 42

CDCl<sub>3</sub> 300MHz  
 1.01-1.99(14H,m), 2.28(2H,t,J=7.2Hz), 2.30(1H,m), 3.10(1H,m), 3.66(3H,s), 5.07(1H,br), 5.25-5.30(2H,m), 6.98-7.04(2H,m), 7.16(1H,d,J=16.2Hz), 7.28-7.37(3H,m), 7.47-7.50(3H,m).  
 IR(CHCl<sub>3</sub>): 3372, 3276, 3020, 2946, 2870, 1727, 1491, 1433, 1331, 1152 /cm.  
 [α]<sub>D</sub> = -11.5° (CHCl<sub>3</sub>, c=1.07, 21.5°C).

No.1a — 43

CDCl<sub>3</sub> 300MHz  
 0.98-2.00(14H,m), 2.11-2.36(3H,m), 3.12(1H,m), 5.10(1H,d,J=6.6Hz), 5.29-5.32(2H,m), 6.99-7.04(2H,m), 7.23(1H,d,J=21.6Hz), 7.32-7.49(6H,m).  
 IR(CHCl<sub>3</sub>): 3380, 3248, 3020, 2948, 2868, 1709, 1491, 1430, 1329, 1151 /cm.  
 [α]<sub>D</sub> = +3.4° (CHCl<sub>3</sub>, c=1.03, 25°C).

No.1a — 44

CDCl<sub>3</sub> 300MHz  
 1.00-2.00(14H,m), 2.13(1H,m), 2.29(2H,t,J=7.4Hz), 2.90-3.13(5H,m), 3.68(3H,s), 4.74(1H,d,J=6.6Hz), 5.15-5.30(2H,m), 7.18-7.29(7H,m), 7.76(2H,d,J=8.1Hz).  
 IR(CHCl<sub>3</sub>): 3384, 3282, 3063, 3028, 3023, 3016, 2953, 2876, 1730, 1599, 1496, 1319, 1157 /cm.  
 [α]<sub>D</sub> = +2.3° (CHCl<sub>3</sub>, c=1.00, 25°C).  
 mp. 85.0-86.0°C

35 No.1a — 45

CDCl<sub>3</sub> 300MHz  
 0.90-2.05(14H,m), 2.09(1H,m), 2.35(2H,t,J=6.9Hz), 2.90-3.13(5H,m), 5.18(1H,d,J=6.6Hz), 5.24-5.34(2H,m), 7.10-7.27(7H,m), 7.76(2H,d,J=8.4Hz).  
 IR(CHCl<sub>3</sub>): 3510, 3384, 3270, 3087, 3063, 3026, 3018, 3014, 2955, 2876, 2670, 1708, 1599, 1496, 1318, 1157 /cm.  
 [α]<sub>D</sub> = +8.5° (CHCl<sub>3</sub>, c=1.01, 25°C).

No.1a — 46

45 [α]<sub>D</sub> = +6.8° (CHCl<sub>3</sub>, c=1.05, 25°C). mp. 99-100°C.

No.1a — 47

CDCl<sub>3</sub> 300MHz  
 0.97-2.01(14H,m), 2.14(1H,m), 2.36(2H,t,J=7.2Hz), 3.02(1H,m), 5.23(1H,d,J=5.4Hz), 5.26-5.30(2H,m), 7.37-7.39(3H,m), 7.54-7.58(2H,m), 7.63-7.66(2H,m), 7.85-7.88(2H,m).  
 IR(CHCl<sub>3</sub>): 3375, 3260, 3022, 2948, 2212, 1707, 1596, 1497, 1396, 1322, 1160 /cm.  
 [α]<sub>D</sub> = +25.0° (CHCl<sub>3</sub>, c=1.02, 24°C). mp. 117-118°C.

55 No.1a — 48

CD<sub>3</sub>OD 300MHz  
 1.05-1.93(14H,m), 2.10-2.15(3H,m), 2.96(1H,m), 5.08-5.28(2H,m), 7.38-7.40(3H,m), 7.554-

EP 0 837 052 A1

7.56(2H,m), 7.69(1H,d,J=8.4Hz), 7.87(1H,d,J=8.4Hz).

No.1a — 49

5 CDCl<sub>3</sub> 300MHz  
0.96-1.97(14H,m), 2.24(1H,m), 2.31(2H,t,J=6.9Hz), 3.05(1H,m), 3.69(3H,s), 5.1 5(1H,d,J=6.6Hz), 5.25-  
5.27(2H,m), 7.40-7.43(3H,m), 7.61-7.64(2H,m), 7.85(1H, d,J=8.1Hz), 8.07(1H,dd,J=8.1, 1.8Hz), 8.58(1H,d,J=1.8Hz).  
IR(CHCl<sub>3</sub>): 3374, 3020, 2948, 2870, 2212, 1726, 1606, 1530, 1493, 1437, 1345, 1167/cm.  
10 [α]<sub>D</sub>=+2.4° (CHCl<sub>3</sub>, c=1.03, 25°C). mp. 77-79°C.

No.1a — 50

CDCl<sub>3</sub> 300MHz  
1.00-2.02(14H,m), 2.20(1H,m), 2.34(2H,t,J=6.6Hz), 3.08(1H,m), 5.26-5.29(2H, m), 5.41(1H,d,J=6.9Hz), 7.40-  
15 7.43(3H,m), 7.61-7.64(2H,m), 7.84(1H,d,J=8.1Hz), 8.07(1H,dd,J=8.4, 1.8Hz), 8.57(1H,dd,J=1.8Hz).  
IR(CHCl<sub>3</sub>): 3380, 3254, 2952, 2880, 2212, 1707, 1606, 1531, 1493, 1409, 1344, 1166.  
[α]<sub>D</sub>=+23.4° (CHCl<sub>3</sub>, c=1.00, 25°C).

No.1a — 51

20 CDCl<sub>3</sub> 300MHz  
0.95-1.98(14H,m), 2.23(1H,m), 2.30(2H,t,J=7.2Hz), 3.00(1H,m), 3.66(3H,s), 4.5 6(2H,br), 4.70(1H,d,J=6.9Hz), 5.20-  
5.29(2H,m), 7.15(1H,dd,J=7.8, 1.8Hz), 7.23 (1H,d,J=1.8Hz), 7.36-7.39(3H,m), 7.46(1H,d,J=7.8Hz), 7.53-7.56(2H,m).  
25 IR(CHCl<sub>3</sub>): 3494, 3386, 3028, 2952, 2874, 1725, 1611, 1559, 1497, 1422, 1317, 1162/cm.

No.1a — 52

CDCl<sub>3</sub> 300MHz  
0.96-2.04(16H,m), 2.20(1H,m), 2.36(2H,t,J=6.9Hz), 2.99(1H,m), 5.17(1H,d,J=6. 3Hz), 5.28-  
30 5.31(2H,m), 7.18(1H,dd,J=9.6, 1.8Hz), 7.25(1H,m), 7.36-7.39(3H,m), 7.46(1H,d,J=7.8Hz), 7.52-7.56(2H,m).  
IR(CHCl<sub>3</sub>): 3482, 3378, 3260, 3022, 2948, 2868, 1708, 161 2, 1495, 1422, 1317/cm.  
[α]<sub>D</sub>=+15.0° (CHCl<sub>3</sub>, c=1.00, 24°C).

No.1a — 53

35 CDCl<sub>3</sub> 300MHz  
1.01-2.05(15H,m), 2.31(2H,t,J=7.2Hz), 3.10(1H,m), 3.67(3H,s), 5.02(1H,br), 5.2 6-  
5.33(2H,m), 7.18(1H,d,J=4.2Hz), 7.36-7.39(3H,m), 7.48(1H,d,J=4.2Hz), 7.51-7.55(2H,m).  
40 IR(CHCl<sub>3</sub>): 3372, 3270, 3018, 3004, 2946, 2868, 2202, 1726, 1486, 1433, 1336, 115 4/cm.  
[α]<sub>D</sub>=+0.6° (CHCl<sub>3</sub>, c=1.11, 25°C), [α]<sub>436</sub> +17.8° (CHCl<sub>3</sub>, c=1.11, 25°C).

No.1a — 54

CDCl<sub>3</sub> 300MHz  
45 0.99-2.11(14H,m), 2.27(1H,m), 2.37(2H,t,J=7.5Hz), 3.13(1H,m), 5.16(1H,d,J=6. 6Hz), 5.31-  
5.35(2H,m), 7.18(1H,d,J=3.6Hz), 7.37-7.39(3H,m), 7.50(1H,d,J=3.6 Hz), 7.52-7.55(2H,m).  
IR(CHCl<sub>3</sub>): 3484, 3370, 3246, 2948, 2868, 2202, 1708, 1486, 1429, 1335, 1153/cm.  
[α]<sub>D</sub>=+17.8° (CHCl<sub>3</sub>, c=1.00, 24°C). mp. 95-96°C

50 No.1a — 55

CDCl<sub>3</sub> 300MHz  
0.95-1.92(14H,m), 2.15(1H,m), 2.24(2H,t,J=7.5Hz), 3.00(1H,m), 3.66(3H,s), 5.1 0-5.30(3H,m), 7.40-  
7.60(7H,m), 7.70(1H,d,J=7.8Hz), 8.08(1H,d,J=8.1Hz). IR  
55 (CHCl<sub>3</sub>): 3356, 3020, 2948, 2868, 2210, 1727, 1490, 1458, 1437, 1341, 1165/cm. [α]<sub>D</sub>=-58.4° (CHCl<sub>3</sub>, c=1.00, 26°C).  
mp. 84-85°C.

EP 0 837 052 A1

No.1a — 56

CDCl<sub>3</sub> 300MHz  
 0.95-1.95(14H,m), 2.10(1H,m), 2.27(2H,t, J=6.9Hz), 3.00(1H,m), 5.17-5.21(2H, m), 5.38(1H,d, J=6.9Hz), 7.39-  
 5 7.60(7H,m), 7.70(1H,dd, J=7.8, 1.5Hz), 8.07(1H, J =6.6, 1.5Hz).  
 IR(CHCl<sub>3</sub>): 3364, 3026, 2952, 2874, 2212, 1707, 1597, 1491, 1458, 1411, 1341, 1164/cm.  
 [α]<sub>D</sub> = -43.1° (CHCl<sub>3</sub>, c=1.00, 25°C).

No.1a — 57

CDCl<sub>3</sub> 300MHz  
 0.99-1.97(14H,m), 2.23-2.30(3H,m), 3.01(1H,m), 3.67(3H,s), 5.17-5.26(3H,m), 7.36-7.38(3H,m), 7.50-  
 10 7.56(3H,m), 7.60(1H,m), 7.83(1H,m), 8.05(1H,m).  
 IR(CHCl<sub>3</sub>): 3376, 3020, 2946, 2870, 1727, 1598, 1491, 1437, 1412, 1330, 1245, 116 3/cm.  
 15 [α]<sub>D</sub> = -12.7° (CHCl<sub>3</sub>, c=1.00, 24°C).

No.1a — 58

CDCl<sub>3</sub> 300MHz  
 0.97-1.98(14H,m), 2.20(1H,m), 2.33(2H,t, J=6.9Hz), 3.02(1H,m), 5.19-5.28(3H, m), 7.36-7.38(3H,m), 7.47-  
 20 7.55(3H,m), 7.69(1H,m), 7.83(1H,m), 8.04(1H,m).  
 IR(CHCl<sub>3</sub>): 3376, 3260, 3022, 3002, 2948, 2868, 2220, 1708, 1598, 1490, 1455, 1412, 1327, 1162/cm.  
 [α]<sub>D</sub> = -8.6° (CHCl<sub>3</sub>, c=1.01, 24°C).

No.1a — 59

CDCl<sub>3</sub> 300MHz  
 0.95-1.99(24H,m), 2.20(1H,m), 2.28(2H,t, J=7.8Hz), 2.53(1H,s), 2.96(1H,m), 3.6 9(3H,s), 4.99(1H,d, J=6.6Hz), 5.18-  
 30 5.20(2H,m), 7.53(2H,d, J=8.4Hz), 7.82(2H,d, J=8.4Hz).  
 IR(CHCl<sub>3</sub>): 3583, 3376, 3002, 2936, 2852, 1725, 1591, 1490, 1437, 1393, 1325, 116 0/cm.  
 [α]<sub>D</sub> = -8.8° (CHCl<sub>3</sub>, c=1.00, 24°C).

No.1a — 60

CDCl<sub>3</sub> 300MHz  
 0.96-2.05(24H,m), 2.22(1H,m), 2.33(2H,m), 2.88(1H,m), 5.22-5.26(2H,m), 5.30(  
 1H,d, J=5.7Hz), 7.50(2H,d, J=8.7Hz), 7.80(2H,d, J=8.7Hz).  
 IR(CHCl<sub>3</sub>): 3376, 3260, 3022, 2936, 2852, 1710, 1592, 1491, 1452, 1395, 1325, 1159/cm.  
 40 [α]<sub>D</sub> = -8.9° (CHCl<sub>3</sub>, c=1.06, 24°C),  
 mp. 88-91°C

No.1a — 61

CDCl<sub>3</sub> 300MHz  
 0.95-2.24(23H,m), 2.29(2H,m), 2.99(1H,m), 3.69(3H,s), 4.76(1H,d, J=6.3Hz), 5.2 1-5.24(2H,m), 6.28(1H,m), 7.50-  
 45 7.53(2H,m), 7.77-7.80(2H,m).  
 IR(CHCl<sub>3</sub>): 3374, 3270, 3018, 2942, 2868, 2196, 1726, 1589, 1490, 1435, 1324, 1158/cm.  
 [α]<sub>D</sub> = +7.7° (CHCl<sub>3</sub>, c=1.02, 24°C), mp. 93-95°C

No.1a — 62

CDCl<sub>3</sub> 300MHz  
 0.96-2.45(23H,m), 2.36(2H,d, J=6.9Hz), 2.99(1H,m), 5.24(1H,d, J=6.3Hz), 5.24-5.32(2H,m), 6.28(1H,m), 7.50-  
 55 7.53(2H,m), 7.78-7.81(2H,m).  
 IR(CHCl<sub>3</sub>): 3468, 3374, 3260, 3020, 2942, 2868, 2196, 1598, 1490, 1455, 1398, 1322, 1157/cm.  
 [α]<sub>D</sub> = +19.4° (CHCl<sub>3</sub>, c=1.03, 24°C).

EP 0 837 052 A1

No.1a — 63

CDCl<sub>3</sub> 300MHz  
 0.93-1.95(25H,m), 2.16(1H,m), 2.29(2H,t,J=7.2Hz), 2.43(2H,t,J=6.9Hz), 2.94(1  
 5 H,m), 3.69(3H,s), 4.95(1H,d,J=6.9Hz), 5.21-5.24(2H,m), 7.49(2H,d,J=8.7Hz), 7.79(2H,J=8.7Hz).  
 IR(CHCl<sub>3</sub>): 3376, 3018, 2946, 2866, 2222, 1727, 1592, 1456, 1435, 1325, 1158/cm.  
 [α]<sub>D</sub>=+3.7° (CHCl<sub>3</sub>, c=1.00, 25°C).

No.1a — 64

CDCl<sub>3</sub> 300MHz  
 0.93-1.97(26H,m), 2.35(2H,t,J=7.2Hz), 2.43(2H,t,J=7.2Hz), 3.00(1H,m), 5.08(1  
 10 H,d,J=6.6Hz), 5.26-  
 5.27(2H,m), 7.49(2H,d,J=8.7Hz), 7.78(2H,d,J=8.7Hz).  
 IR(CHCl<sub>3</sub>): 3260, 3020, 2948, 2864, 2222, 1708, 1592, 1489, 1456, 1397, 1324, 1156/cm.  
 15 [α]<sub>D</sub>=+14.4° (CHCl<sub>3</sub>, c=1.00, 25°C) mp. 70-71°C.

No.1a — 65

CDCl<sub>3</sub> 300MHz  
 0.95-1.98(14H,m), 2.18(1H,m), 2.30(2H,t,J=7.2Hz), 3.00(1H,m), 3.67(3H,s), 4.8  
 20 3(1H,d,J=6.9Hz), 5.22-  
 5.25(2H,m), 5.54(1H,br), 6.82-6.85(2H,m), 7.42-7.45(2H,m), 7.59-7.62(2H,m), 7.82-7.85(2H,m).  
 IR(CHCl<sub>3</sub>): 3576, 3374, 3018, 2946, 2868, 2208, 1725, 1607, 1587, 1514, 1435, 1325, 1270, 1162, 1133/cm.  
 [α]<sub>D</sub>=+9.1° (CHCl<sub>3</sub>, c=1.03, 24°C), mp. 111-112°C

No.1a — 66

CDCl<sub>3</sub> 300MHz  
 0.97-2.03(14H,m), 2.15(1H,m), 2.35(2H,t,J=7.5Hz), 3.00(1H,m), 5.17(1H,d,J=6.  
 6Hz), 5.26-5.30(2H,m), 6.82-  
 6.85(2H,m), 7.42-7.45(2H,m), 7.59-7.62(2H,m), 7.8 2-7.85(2H,m).  
 30 IR(CHCl<sub>3</sub>): 3260, 2948, 2870, 2208, 1709, 1607, 1587, 1514, 1396, 1325, 1270, 1162, 1133/cm.  
 [α]<sub>D</sub>=-21.0° (CHCl<sub>3</sub>, c=1.00, 23°C), mp. 161-162°C

No.1a — 67

CDCl<sub>3</sub> 300MHz  
 0.95-1.98(14H,m), 2.20(1H,m), 2.29(2H,t,J=7.2Hz), 3.01(1H,m), 3.67(3H,s), 4.8  
 35 2(1H,d,J=6.6Hz), 5.19-  
 5.27(2H,m), 7.05-7.10(2H,m), 7.51-7.56(2H,m), 7.61-7.6 4(2H,m), 7.84-7.87(2H,m).  
 IR(CHCl<sub>3</sub>): 3374, 3280, 3020, 2946, 2868, 2214, 1727, 1589, 1509, 1435, 1327, 1233, 1161, 1134/cm.  
 40 [α]<sub>D</sub>=+6.7° (CHCl<sub>3</sub>, c=1.01, 24°C), mp. 84-85°C

No.1a — 68

CDCl<sub>3</sub> 300MHz  
 0.96-2.01(14H,m), 2.15(1H,m), 2.34(2H,t,J=6.9Hz), 3.02(1H,m), 5.23-5.27(3H,  
 45 m), 7.04-7.10(2H,m), 7.51-  
 7.56(2H,m), 7.61-7.64(2H,m), 7.85-7.88(2H,m).  
 IR(CHCl<sub>3</sub>): 3374, 3258, 3020, 2948, 2868, 2214, 1708, 1589, 1509, 1455, 1398, 1322, 1156/cm.  
 [α]<sub>D</sub>=+22.6° (CHCl<sub>3</sub>, c=1.02, 24°C), mp. 135-136°C

No.1a — 69

CDCl<sub>3</sub> 300MHz  
 0.95-1.98(14H,m), 2.19(1H,m), 2.29(2H,t,J=7.2Hz), 2.39(3H,s), 3.01(1H,m), 3.6  
 50 9(3H,s), 4.80(1H,d,J=6.6Hz), 5.20-  
 5.29(2H,m), 7.18(2H,d,J=8.1Hz), 7.44(2H,d,J=8.1Hz), 7.62(2H,d,J=8.4Hz), 7.84(2H,d,J=8.4Hz).  
 IR(CHCl<sub>3</sub>): 3374, 3022, 2946, 2868, 2210, 1727, 1589, 1511, 1436, 1323, 1161, 1133/cm.  
 55 [α]<sub>D</sub>=+9.2° (CHCl<sub>3</sub>, c=1.02, 24°C).  
 mp. 116-118°C

EP 0 837 052 A1

No.1a — 70

CDCl<sub>3</sub> 300MHz  
 1.15-2.00(14H,m), 2.13(1H,m), 2.33-2.38(5H,m), 3.04(1H,m), 5.14(1H,d,J=6.6 Hz), 5.25-  
 5.30(2H,m), 7.17(2H,d,J=7.8Hz), 7.44(2H,d,J=7.8Hz), 7.62(2H,d,J=8.4Hz), 7.85(2H,d,J=8.4Hz).  
 IR(CHCl<sub>3</sub>): 3380, 3260, 3020, 2948, 2868, 2210, 1708, 1590, 1511, 1396, 1324, 1160, 1133/cm.  
 [α]<sub>D</sub>=+24.6° (CHCl<sub>3</sub>, c=1.00, 24°C).

No.1a — 71

CDCl<sub>3</sub> 300MHz  
 0.95-1.96(14H,m), 2.19(1H,m), 2.29(2H,t,J=7.2Hz), 3.00(1H,m), 3.20(1H,s), 3.6 5(3H,s), 4.81(1H,d,J=6.6Hz), 5.20-  
 5.29(2H,m), 7.46-7.54(4H,m), 7.62-7.65(2H, m), 7.85-7.88(2H,m).  
 IR(CHCl<sub>3</sub>): 3374, 3290, 3018, 3002, 2946, 2868, 2212, 2110, 1726, 1591, 1507, 1435, 1401, 1324, 1161/cm.  
 [α]<sub>D</sub>=+9.6° (CHCl<sub>3</sub>, c=1.01, 24°C), mp. 136-138°C,

No.1a — 72

CDCl<sub>3</sub> 300MHz  
 0.96-2.01(14H,m), 2.14(1H,m), 2.35(2H,t,J=7.2Hz), 3.05(1H,m), 3.20(1H,s), 5.1 6(1H,d,J=7.2Hz), 5.26-  
 5.29(2H,m), 7.45-7.53(4H,m), 7.63(2H,d,J=8.4Hz), 7.87( 2H,d,J=8.4Hz).  
 IR(CHCl<sub>3</sub>): 3462, 3374, 3290, 3024, 2948, 2868, 2212, 2110, 1708, 1591, 1508, 1455, 1401, 1321, 1274, 1160, 1132/cm.  
 [α]<sub>D</sub>=+24.3° (CHCl<sub>3</sub>, c=1.03, 24°C), mp. 96-99°C

No.1a — 73

CDCl<sub>3</sub> 300MHz  
 0.95-1.98(14H,m), 2.19(1H,m), 2.27-2.32(5H,m), 3.01(1H,m), 3.67(3H,s), 4.80(1 H,d,J=6.6Hz), 5.20-  
 5.27(2H,m), 7.12(2H,m), 7.56(2H,m), 7.63(2H,m), 7.84(2H, m).  
 IR(CHCl<sub>3</sub>): 3374, 3276, 3018, 2946, 2868, 2214, 1762, 1730, 1589, 1506, 1435, 1368, 1161/cm.  
 [α]<sub>D</sub>=+7.8° (CHCl<sub>3</sub>, c=1.02, 24°C), mp. 102-104°C

No.1a — 74

CDCl<sub>3</sub> 300MHz  
 0.95-2.05(14H,m), 2.15(1H,m), 2.32-2.37(5H,m), 3.02(1H,m), 5.14(1H,d,J=6.6 Hz), 5.26-5.30(2H,m), 7.10-  
 7.13(2H,m), 7.54-7.57(2H,m), 7.62-7.64(2H,m), 7.84 -7.87(2H,m).  
 IR(CHCl<sub>3</sub>): 3482, 3250, 3022, 2946, 2868, 2214, 1716, 1709, 1589, 1507, 1454, 1396, 1368, 1322, 1195, 1161/cm.  
 [α]<sub>D</sub>=+15.0° (CHCl<sub>3</sub>, c=1.00, 24°C) mp. 129-131°C

No.1a — 75

CDCl<sub>3</sub> 300MHz  
 0.95-1.99(14H,m), 2.20(1H,m), 2.30(2H,t,J=7.2Hz), 3.02(1H,m), 3.67(3H,s), 3.9 4(3H,s), 4.79(1H,d,J=6.6Hz), 5.19-  
 5.29(2H,m), 7.60-7.63(2H,m), 7.65-7.67(2H, m), 7.86-7.89(2H,m), 8.04-8.06(2H,m).  
 IR(CHCl<sub>3</sub>): 3378, 3018, 2946, 2880, 1720, 1604, 1435, 1307, 1276, 1161, 1106 /cm.  
 [α]<sub>D</sub>=+7.3° (CHCl<sub>3</sub>, c=1.01, 25°C), mp. 132-133°C

No.1a — 76

CDCl<sub>3</sub>+CD<sub>3</sub>OD 300MHz  
 1.04-2.05(14H,m), 2.19(1H,m), 2.32(2H,t,J=6.9Hz), 2.93(1H,m), 5.27-5.31(2H, m), 7.60-7.63(2H,m), 7.65-  
 7.68(2H,m), 7.86-7.89(2H,m), 8.05-8.07(2H,m).  
 IR(CHCl<sub>3</sub>): 3402, 3299, 2955, 2876, 2665, 2549, 1455, 1422, 1313, 1281, 1164 /cm.  
 [α]<sub>D</sub>=-21.1° (CH<sub>3</sub>OH, c=1.03, 23°C), mp. 227-229(dec.)

# EP 0 837 052 A1

## No. 1a — 77

CDCl<sub>3</sub> 300MHz  
 0.96-1.99(14H,m), 2.20(1H,m), 2.30(2H,t,J=7.2Hz), 3.02(1H,m), 3.68(3H,s), 4.8  
 5.29(2H,m), 7.67-7.72(4H,m), 7.89-7.91(2H,m), 8.24-8.27(2H,m). 8(1H,d,J=6.3Hz), 5.19-  
 IR(CHCl<sub>3</sub>): 3376, 3276, 3020, 2946, 2870, 2214, 1726, 1594, 1519, 1455, 1435, 1389, 1344, 1161/cm.  
 [α]<sub>D</sub>=+7.7° (CHCl<sub>3</sub>, c=1.02), mp. 87-89°C

## No. 1a — 78

CDCl<sub>3</sub> 300MHz  
 0.98-2.00(14H,m), 2.18(1H,m), 2.34(2H,t,J=7.2Hz), 3.02(1H,m), 5.24-5.28(2H,m), 5.32(1H,d,J=5.7Hz), 7.67-  
 7.72(4H,m), 7.89-7.92(2H,m), 8.23-8.26(2H,m).  
 IR(CHCl<sub>3</sub>): 3374, 3260, 2948, 2214, 1708, 1595, 1344, 1160/cm.  
 [α]<sub>D</sub>=+23.3° (CHCl<sub>3</sub>, c=1.00), mp. 102-103°C

## No. 1a — 79 CDCl<sub>3</sub> 300MHz

0.93-2.02(14H,m), 2.13(1H,m), 2.36(2H,t,J=7.1Hz), 3.05(1H,m), 3.84(3H,s), 5.1  
 6.91(2H,m), 7.48-7.50(2H,m), 7.60-7.63(2H,m), 7.83-7.85(2H,m). 8(1H,br), 5.27-5.31(2H,m), 6.88-  
 IR(CHCl<sub>3</sub>): 3380, 3252, 3020, 2950, 2868, 2208, 1708, 1589, 1511, 1457, 1396, 1321, 1286, 1160/cm.  
 [α]<sub>D</sub>=+26.7° (CHCl<sub>3</sub>, c=1.00), mp. 75-77°C

## No. 1a — 80

CDCl<sub>3</sub> 300MHz  
 0.96-1.99(14H,m), 2.21(1H,m), 2.30(2H,t,J=7.8Hz), 3.02(1H,m), 3.68(3H,s), 4.8  
 5.28(2H,m), 7.51-7.77(5H,m), 7.87-7.90(2H,m), 8.13(1H,m). 0(1H,d,J=6.6Hz), 5.19-  
 IR(CHCl<sub>3</sub>): 3374, 3270, 3018, 2946, 2868, 2216, 1726, 1607, 1567, 1527, 1495, 1456, 1436, 1344, 1296, 1161/cm.  
 [α]<sub>D</sub>=+7.4° (CHCl<sub>3</sub>, c=1.00, 22°C), mp. 68-70°C

## No. 1a — 81

CDCl<sub>3</sub> 300MHz  
 0.97-2.01(14H,m), 2.16(1H,m), 2.34(2H,t,J=7.2Hz), 3.01(1H,m), 5.22-5.28(3H,m), 7.51(1H,m), 7.65(1H,m), 7.70-  
 7.76(3H,m), 7.88-7.91(2H,m), 8.12(1H,dd,J=6.9Hz, 1.5Hz).  
 IR(CHCl<sub>3</sub>): 3480, 3382, 3262, 3026, 2952, 2872, 2218, 1708, 1607, 1567, 1526, 1396, 1343, 1225, 1160/cm.  
 [α]<sub>D</sub>=+22.0° (CHCl<sub>3</sub>, c=1.00), mp. 92-94°C

## No. 1a — 82

CDCl<sub>3</sub> 300MHz  
 0.95-1.98(14H,m), 2.20(1H,m), 2.29(2H,t,J=7.2Hz), 3.01(1H,m), 3.67(3H,s), 4.3  
 5.29(2H,m), 6.71-6.76(2H,m), 7.18(1H,m), 7.37(1H,dd,J=7.8, 1.2Hz), 7.61-7.65(2H,m), 7.83-7.87(2H,m). 0(2H,br), 4.79(1H,d,J=6.9Hz), 5.20-  
 IR(CHCl<sub>3</sub>): 3376, 3020, 2946, 2868, 2202, 1725, 1613, 1589, 1484, 1454, 1315, 1253, 1161/cm.  
 [α]<sub>D</sub>=+8.9° (CHCl<sub>3</sub>, c=1.00, 22°C), mp. 68-70°C

## No. 1a — 83

CDCl<sub>3</sub> 300MHz  
 0.97-1.99(14H,m), 2.17(1H,m), 2.33(2H,t,J=6.9Hz), 2.99(1H,m), 5.20-5.28(2H,m), 5.37(1H,d,J=6.9Hz), 6.45(2H,br), 6.71-6.76(2H,m), 7.19(1H,dd,J=7.8, 6.6Hz), 7.37(1H,m), 7.62(2H,d,J=8.4Hz), 7.85(2H,d,J=8.4Hz).  
 IR(CHCl<sub>3</sub>): 3478, 3378, 3260, 3022, 2950, 2868, 2204, 1708, 1613, 1589, 1484, 1454, 1396, 1316, 1160/cm.  
 [α]<sub>D</sub>=+17.1° (CHCl<sub>3</sub>, c=1.01).

## No. 1a — 84

CDCl<sub>3</sub> 300MHz

# EP 0 837 052 A1

1.00-2.08(14H,m),2.21(1H,m),2.37(2H,t,J=6.9Hz),3.06(1H,m),3.86(3H,s),5.2  
5.33(2H,m),5.45(1H,d,J=6.6Hz),6.91-6.94(2H,m),7.56-7.59(2H,m),7.81(1H,  
d,t,J=8.1Hz),8.04(1H,d,d,J=8.1&1.8Hz),8.57(1H,d,J=2.1Hz).  
IR(CHCl<sub>3</sub>):3492,3254,3028,2954,2202,1708,1597,1512,1344,1291,1250/cm.  
5 [α]<sub>D</sub>=+27.4° (CHCl<sub>3</sub>,c=0.53,23°C).

## No.1a — 85

CDCl<sub>3</sub> 300MHz  
10 0.96-2.05(14H,m),2.20(1H,m),2.35(2H,t,J=6.9Hz),2.99(1H,m),3.84(3H,s),5.2  
5.31(3H,m),6.89(2H,d,J=8.7Hz),7.19(1H,brs),7.29(1H,brs),7.45-7.50(3H,m  
IR(CHCl<sub>3</sub>):3478,3378,3020,2950,2868,2202,1708,1606,1511,1421,1311,1287,1248,1155/cm.  
[α]<sub>D</sub>=+17.1° (CHCl<sub>3</sub>,c=1.00,23°C).

## 15 No.1a — 86

CDCl<sub>3</sub> 300MHz  
1.03-2.05(14H,m),2.21(1H,m),2.37(2H,t,J=6.9Hz),3.04(1H,m),5.29-5.33(2H,  
m),5.57(1H,d,J=6.3Hz),6.84-  
6.87(2H,m),7.50-7.53(2H,m),7.79(1H,d,J=8.1Hz),8.03(1H,d,d,J=1.5and8.1Hz),8.57(1H,d,J=1.5Hz).  
20 IR(CHCl<sub>3</sub>):3250,3024,2950,2868,2200,1707,1515,1344,1271,1166,1143/cm.  
[α]<sub>D</sub>=+21.2° (CHCl<sub>3</sub>,c=0.26,22°C).

## No.1a — 87

CD<sub>3</sub>OD 300MHz  
25 1.04-2.00(14H,m),2.18(1H,m),2.26(2H,t,J=5.4Hz),2.93(1H,m),5.19-5.24(2H,  
m),6.77-  
6.80(2H,m),7.05(1H,d,d,J=2.1and8.1Hz),7.22(1H,d,J=2.1Hz),7.38-7.42(3H,m).  
IR(CHCl<sub>3</sub>):3377,2952,2873,2204,1705,1607,1515,1425,1312,1267,1222,1153/cm.  
[α]<sub>D</sub>=-15.6° (CH<sub>3</sub>OH,c=1.02,22°C).

## 30 No.1a — 88

CDCl<sub>3</sub> 300MHz  
0.90-1.96(14H,m),2.22-2.31(3H,m),2.95(1H,m),3.65(3H,s),4.87(1H,d,J=6.6H  
z),5.13-5.28(2H,m),7.46-  
7.62(3H,m),7.82-7.89(4H,m),7.90-7.96(2H,m),8.42(1H,brs).  
35 IR(CHCl<sub>3</sub>):3376,3016,2946,2868,1720,1677,1592,1514,1498,1429,1376,1314,1241,1156,1094/cm.  
[α]<sub>D</sub>=-10.7° (CHCl<sub>3</sub>,c=1.04,22.0°C) mp.134-136°C

## No.1a — 89

CDCl<sub>3</sub>+CD<sub>3</sub>OD 300MHz  
40 0.96-2.08(14H,m),2.23(1H,m),2.28(2H,t,J=7.2Hz),2.89(1H,m),5.20-5.32(2H,  
m),7.46-7.62(3H,m),7.82-  
7.97(6H,m).  
IR(KBr):3272,3007,2952,2874,1708,1660,1592,1527,1498,1433,1400,1317,1260,1152,1094/cm.  
45 [α]<sub>D</sub>=-24.4° (CH<sub>3</sub>OH,c=1.02,25.0°C).

## No.1a — 90

CDCl<sub>3</sub> 300MHz  
50 0.89-1.96(14H,m),2.23-2.33(3H,m),2.92(1H,m),3.67(3H,s),4.85(1H,d,J=6.3H  
z),5.10-5.25(2H,m),7.81-  
7.90(4H,m),8.10-8.18(2H,m),8.31-8.40(2H,m),8.77(1H,s).  
IR(CHCl<sub>3</sub>):3372,3018,2946,2868,1718,1685,1592,1527,1436,1397,1346,1318,1256,1154,1099/cm.  
[α]<sub>D</sub>=-16.1° (CHCl<sub>3</sub>,c=1.00,23.0°C).

## 55 No.1a — 91

CDCl<sub>3</sub>+CD<sub>3</sub>OD 300MHz  
0.94-2.02(14H,m),2.18-2.36(3H,m),2.87(1H,m),5.15-5.30(2H,m),7.82-7.92(4  
H,m),8.09-8.16(2H,m),8.30-



# EP 0 837 052 A1

8.37(2H,m).

IR(KBr):3284,3112,3006,2952,2874,1707,1593,1528,1498,1399,1348,1320,1 259,1153,1093 /cm.

$[\alpha]_D = -26.3^\circ$  (CH<sub>3</sub>OH,c=1.01,22°C).

## 5 No.1a — 92

CDCl<sub>3</sub> 300MHz

0.93-1.95(14H,m),2.22-2.31(3H,m),2.98(1H,m),3.68(3H,s),5.07(1H,d,J=6.9H z),5.10-

5.24(2H,m),7.18(1H,m),7.35-7.43(2H,m),7.70(2H,d,J=7.8Hz),7.88-8.05(4H,m),8.50(1H,brs),

10 IR(CHCl<sub>3</sub>):3382,3008,2952,1720,1675,1599,1525,1499,1438,1321,1253,1161, 1087 /cm.

$[\alpha]_D = -16.6^\circ$  (CHCl<sub>3</sub>,c=1.03,24.0°C) mp.100-101°C

## No.1a — 93

15 CDCl<sub>3</sub>+CD<sub>3</sub>OD 300MHz

0.96-2.00(14H,m),2.18-2.35(3H,m),2.90(1H,m),5.15-5.30(2H,m),7.18(1H,m), 7.33-7.42(2H,m),7.65-

7.74(2H,m),7.90-8.08(4H,m).

IR(KBr):3347,3194,3011,2955,2875,1706,1650,1602,1544,1499,1443,1325, 1265,1165,1091 /cm.

$[\alpha]_D = -19.4^\circ$  (CH<sub>3</sub>OH,c=1.00,24.0°C) mp.158-159°C

20

## No.1a — 94

CD<sub>3</sub>OD 300MHz

1.05-2.00(14H,m),2.14(1H,m),2.23(2H,t,J=7.2Hz),2.98(1H,m),3.80(3H,s),5.1 3-5.27(2H,m),6.88-6.98(2H,m),7.54-

25 7.64(2H,m),7.94-8.12(4H,m).

IR(KBr):3370,3006,2953,1708,1649,1604,1541,1512,1460,1441,1414,1328,1

302,1248,1162,1107,1090,1032/cm.

$[\alpha]_D = -19.1^\circ$  (CH<sub>3</sub>OH,c=1.01,24°C).

## 30 No.1a — 95

CD<sub>3</sub>OD 300MHz

1.04-2.02(14H,m),2.14(1H,m),2.23(2H,t,J=7.2Hz),2.93-3.02(7H,m),5.13-5.27 (2H,m),6.82-6.92(2H,m),7.51-

7.59(2H,m),7.95-8.02(2H,m),8.04-8.11(2H,m).

35 IR(KBr):3370,3006,2953,1708,1649,1604,1541,1512,1460,1441,1414,1328,1

302,1248,1162,1107,1090,1032/cm.

$[\alpha]_D = -17.6^\circ$  (CH<sub>3</sub>OH,c=1.01,24°C).

## No.1a — 96

40

CD<sub>3</sub>OD 300MHz

1.05-2.02(14H,m),2.14(1H,m),2.23(2H,t,J=7.2Hz),2.98(1H,m),5.13-5.27(2H, m),6.75-6.84(2H,m),7.43-

7.52(2H,m),7.94-8.12(4H,m).

IR(KBr):3339,3197,2953,2875,1707,1644,1606,1541,1514,1446,1325,1293,1 259,1240,1225,1161,1091/cm.

45

$[\alpha]_D = -18.7^\circ$  (CH<sub>3</sub>OH,c=1.00,24°C) mp.193-196°C

## No.1a — 97

d<sub>6</sub>-DMSO 300MHz

50

1.05-2.08(15H,m),2.15(2H,t,J=7.5Hz),2.89(1H,m),5.18-5.28(2H,m),6.78-7.12

(3H,m),7.73(1H,d,d,J=1.4and7.8Hz),7.91-7.95(3H,m),8.14(2H,d,J=8.4Hz),9.71(1H,s).

IR(KBr):3407,3191,2953,1711,1646,1614,1603,1537,1457,1326,1162,1151/cm.

$[\alpha]_D = -20.7^\circ$  (CH<sub>3</sub>OH,c=1.01,21°C).

## 55 No.1a — 98

CDCl<sub>3</sub> 300MHz

0.93-2.00(14H,m),2.21(1H,m),2.31(2H,t,J=7.2Hz),2.93(1H,m),3.84(3H,s),3.8 5(6H,s),5.15-

EP 0 837 052 A1

5.30(2H,m), 5.45(1H,d,J=6.3Hz), 7.04(2H,s), 7.78-7.86(2H,m), 7.90-7.98(2H,m), 8.58(1H,s).  
IR(CHCl<sub>3</sub>): 3264, 3008, 2954, 2874, 1707, 1670, 1607, 1537, 1506, 1451, 1421, 1308, 1158, 1129, 1086/cm.  
[α]<sub>D</sub> = -7.2° (CHCl<sub>3</sub>, c=1.01, 23.5°C). mp. 147-149°C.

5 No. 1a — 99

CD<sub>3</sub>OD 300MHz  
1.04-1.98(14H,m), 2.21(1H,m), 2.10(2H,t,J=7.2Hz), 2.95(1H,m), 3.76(3H,s), 3.8 6(6H,s), 5.07-  
5.24(2H,m), 7.19(2H,s), 7.99(2H,d,J=8.7Hz), 8.13(1H,d,J=8.7Hz).  
10 IR(KBr): 3354, 3002, 2950, 2874, 1656, 1607, 1570, 1508, 1452, 1413, 1314, 1233, 1185, 1157, 1127, 1092/cm.  
[α]<sub>D</sub> = -20.3° (CH<sub>3</sub>OH, c=1.00, 23.5°C).

No. 1a — 100

15 CDCl<sub>3</sub> 300MHz  
1.14-1.97(14H,m), 2.19(1H,m), 2.28(2H,t,J=7.4Hz), 3.04(1H,m), 3.69(3H,s), 5.0 3(1H,d,J=6.9Hz), 5.15-  
5.29(2H,m), 7.65(2H,d,J=8.4Hz), 7.87(1H,s), 7.98(2H,d,J=8.4Hz).  
IR(CHCl<sub>3</sub>): 3386, 3271, 3025, 3015, 2955, 2877, 1755, 1712, 1608, 1331, 1162/cm.  
[α]<sub>D</sub> = -29.4° (CH<sub>3</sub>OH, c=1.01, 25°C).

20 No. 1a — 101

d<sub>6</sub>-DMSO  
1.00-2.20(17H,m), 2.84(1H,m), 5.00-5.20(2H,m), 7.78(2H,d,J=8.2Hz), 7.84(1H,s), 7.89-7.95(3H,m).  
25 IR(KBr): 3269, 3065, 3008, 2952, 2874, 2763, 1746, 1707, 1607, 1322, 1157/cm.  
[α]<sub>D</sub> = -26.2° (CH<sub>3</sub>OH, c=1.01, 25°C).

No. 1a — 102

30 CD<sub>3</sub>OD  
1.00-2.25(17H,m), 2.92(1H,s), 3.64(3H,s), 5.07-5.21(2H,m), 7.53(1H,s), 7.77(2H,d,J=8.6Hz), 7.90(2H,d,J=8.6).  
IR(KBr): 3430, 3277, 3006, 2952, 2873, 1720, 1687, 1620, 1571, 1438, 1312, 1156/cm.  
[α]<sub>D</sub> = -27.3° (CH<sub>3</sub>OH, c=0.51, 26°C), mp 230-232°C.

35 No. 1a — 103

CDCl<sub>3</sub> 300MHz  
0.94-1.96(14H,m), 2.19(1H,m), 2.28(2H,t,J=7.2Hz), 3.04(1H,m), 3.69(3H,s), 5.1 1(1H,d,J=6.6Hz), 5.15-  
5.28(2H,m), 7.60(2H,d,J=8.4Hz), 7.67(1H,s), 7.98(2H,d,J=8.4Hz).  
40 IR(CHCl<sub>3</sub>): 3381, 3021, 2955, 2876, 1735, 1605, 1437, 1411, 1325, 1231, 1177/cm.  
[α]<sub>D</sub> = +8.6° (CHCl<sub>3</sub>, c=1.00, 23°C).

No. 1a — 104

45 CDCl<sub>3</sub> 300MHz  
0.94-1.96(14H,m), 2.21(1H,m), 2.31(2H,t,J=6.8Hz), 2.99(1H,m), 5.18-5.28(2H,m), 5.45(1H,d,J=6.6Hz), 7.61(2H,d,J=8.7Hz), 7.67(1H,s), 7.99(2H,d,J=8.7Hz).  
IR(CHCl<sub>3</sub>): 3382, 3222, 3028, 3019, 2957, 2876, 1736, 1709, 1604, 1412, 1322, 1301, 1286, 1179, 1162/cm.  
[α]<sub>D</sub> = +10.4° (CHCl<sub>3</sub>, c=1.00, 23°C).

50 No. 1a — 105

CDCl<sub>3</sub> 300MHz  
0.92-1.98(14H,m), 2.17(1H,m), 2.26(2H,d,J=7.5Hz), 3.01(1H,m), 3.69(3H,s), 4.0 1(3H,s), 4.84(1H,d,J=6.3Hz), 5.14-  
5.30(2H,m), 7.71(2H,d,J=8.7Hz), 7.87(2H,d,J=8.7Hz), 8.09(1H,s).  
55 IR(CHCl<sub>3</sub>): 3385, 3284, 3025, 3015, 2954, 2877, 2821, 1730, 1598, 1459, 1438, 1403, 1341, 1160, 1052/cm.  
[α]<sub>D</sub> = +3.6° (CHCl<sub>3</sub>, c=1.00, 26°C).

# EP 0 837 052 A1

## No.1a — 106

CDCl<sub>3</sub> 300MHz  
 0.92-2.08(14H,m), 2.14(1H,m), 2.34(2H,d,J=7.2Hz), 3.02(1H,m), 4.01(3H,s), 5.1  
 5.32(2H,m), 7.71(2H,d,J=8.4Hz), 7.88(2H,d,J=8.4Hz), 8.09(1H,s). 9(1H,d,J=6.9Hz), 5.23-  
 IR(CHCl<sub>3</sub>): 3510, 3384, 3268, 3028, 3021, 3014, 2957, 2877, 2821, 2667, 2821, 2666,  
 1707, 1598, 1459, 1404, 1341, 1324, 1160, 1052 /cm.  
 [α]<sub>D</sub> = +11.8° (CHCl<sub>3</sub>, c=1.01, 25°C). mp 95-96°C

## No.1a — 107

CDCl<sub>3</sub> 300MHz  
 0.92-1.97(14H,m), 1.34(3H,t,J=7.2Hz), 2.18(1H,m), 2.28(2H,d,J=7.4Hz), 3.01(1  
 H,m), 3.68(3H,s), 4.26(2H,q,J=7.2Hz), 4.86(1H,d,J=6.6Hz), 5.15-5.29(2H,m), 7.  
 71(2H,d,J=8.7Hz), 7.87(2H,d,J=8.7Hz), 8.09(1H,s).  
 IR(CHCl<sub>3</sub>): 3385, 3282, 3025, 3026, 3015, 2954, 2877, 1729, 1599, 1480, 1458, 1438, 1403, 1338, 1161 /cm.  
 [α]<sub>D</sub> = +4.4° (CHCl<sub>3</sub>, c=1.00, 25°C).

## No.1a — 108

CDCl<sub>3</sub> 300MHz  
 0.90-2.04(14H,m), 1.34(3H,t,J=7.2Hz), 2.14(1H,m), 2.34(2H,d,J=7.1Hz), 3.01(1  
 H,m), 4.27(2H,q,J=7.2Hz), 5.20(1H,d,J=6.6Hz), 5.21-5.35(2H,m), 7.71(2H,d,J=  
 8.4Hz), 7.88(2H,d,J=8.4Hz), 8.10(1H,s).  
 IR(CHCl<sub>3</sub>): 3514, 3384, 3270, 3025, 3015, 3015, 2957, 2877, 1708, 1599, 1458, 1403, 1324, 1324, 1160, 1050 /cm.  
 [α]<sub>D</sub> = +12.7° (CHCl<sub>3</sub>, c=1.00, 25°C).

## No.1a — 109

[α]<sub>D</sub> = +8.5° (CHCl<sub>3</sub>, c=1.00, 25°C). mp 109.0-111.0°C

## No.1a — 110

CDCl<sub>3</sub>:CD<sub>3</sub>OD(95:5)  
 0.92-2.06(14H,m), 2.20(1H,m), 2.30(2H,d,J=7.2Hz), 2.99(1H,m), 5.22-5.33(2H,  
 7.66(3H,m), 8.07(2H,d,J=9.0Hz), 8.12-8.20(2H,m), 8.29(2H,d,J=9.0Hz) m), 7.54-  
 IR(Nujol): 3270, 2956, 2924, 2854, 1716, 1548, 1485, 1319, 1167/cm.  
 [α]<sub>D</sub> = +17.0° (CHCl<sub>3</sub>, c=1.00, 25°C). mp 166.5-168°C

## No.1a — 111

[α]<sub>D</sub> = +2.6° (CHCl<sub>3</sub>, c=1.00, 24°C). mp 120.0-121.0°C

## No.1a — 112

CDCl<sub>3</sub> 300MHz  
 0.96-2.04(14H,m), 2.19(1H,m), 2.33(2H,d,J=7.1Hz), 3.07(1H,m), 5.28-5.31(2H,  
 7.63(3H,m), 8.05(2H,d,J=8.4Hz), 8.18-8.23(2H,m), 8.41(2H,d,J=8.4Hz) m), 5.33(1H,d,J=6.6Hz), 7.54-  
 IR(CHCl<sub>3</sub>): 3384, 3269, 3025, 3015, 2957, 2877, 1708, 1598, 1496, 1457, 1417, 1326, 1164 /cm.  
 [α]<sub>D</sub> = +12.2° (CHCl<sub>3</sub>, c=1.00, 24°C). mp 163-164°C

## No.1a — 113

[α]<sub>D</sub> = +22.1° (CHCl<sub>3</sub>, c=1.05, 25°C). mp 90-92°C

## No.1a — 114

[α]<sub>D</sub> = +2.2° (CHCl<sub>3</sub>, c=1.02, 25°C).

EP 0 837 052 A1

No.1a — 115

CDCl<sub>3</sub> 300MHz  
 0.90-1.98(14H,m), 2.15-2.22(1H,m), 2.27(2H,t,J=7.2Hz), 2.95-3.04(1H,m),  
 3.68(3H,s), 4.04(2H,s), 4.85(1H,d,J=6.6Hz), 5.10-5.27(2H,m), 7.12-7.34(7H,m), 7.76-7.82(2H,m).  
 IR(CHCl<sub>3</sub>): 3384, 3026, 2952, 1727, 1595, 1493, 1436, 1318, 1155, 1091, 890/cm.  
 [α]<sub>D</sub><sup>20</sup> = 0°  
 [α]<sub>436</sub> = +4.9 ± 0.4 ° (CHCl<sub>3</sub>, c=1.05, 23°C)

No.1a — 116

CDCl<sub>3</sub> 300MHz  
 0.90-2.10(14H,m), 2.10-2.18(1H,m), 2.32(2H,t,J=7.2Hz), 2.96-3.04(1H,m), 4.04(2H,s), 5.14(1H,d,J=6.6Hz), 5.16-  
 5.28(2H,m), 7.12-7.34(7H,m), 7.76-7.82(2H,m).  
 IR(CHCl<sub>3</sub>): 3260, 3020, 2950, 1709, 1407, 1318, 1154, 1091, 892/cm.  
 [α]<sub>D</sub><sup>20</sup> = +9.1 ± 0.5 ° (CHCl<sub>3</sub>, c=1.04, 23°C)

No.1a — 117

CD<sub>3</sub>OD 300MHz  
 0.96-2.18(17H,m), 2.89-2.92(1H,m), 4.05(2H,s), 4.95-5.22(2H,m), 7.15-7.42(7H,m), 7.75-7.81(2H,m).  
 IR(KBr): 3429, 3279, 2951, 2872, 1563, 1494, 1453, 1408, 1313, 1155, 1093, 1057/cm.  
 [α]<sub>D</sub><sup>20</sup> = -16.3 ± 0.5 ° (CH<sub>3</sub>OH, c=1.06, 25°C)

No.1a — 118

CDCl<sub>3</sub> 300MHz  
 0.98-1.70(15H,m), 1.80-2.00(5H,m), 2.20-2.40(3H,m), 2.98(1H,m), 4.06(2H,s), 4.72(1H,d,J=6.3Hz), 5.00-  
 5.23(3H,m), 7.16(2H,d,J=8.4Hz), 7.26-7.33(5H,m), 7.79(2H,d,J=8.1Hz).  
 IR(CHCl<sub>3</sub>): 3376, 3020, 2948, 2868, 1716, 1596, 1492, 1453, 1407, 1318, 1155, 1105/cm.  
 [α]<sub>D</sub><sup>20</sup> = +2.4° (CHCl<sub>3</sub>, c=1.08, 24°C)

No.1a — 119

CDCl<sub>3</sub> 300MHz  
 0.90-2.02(14H,m), 2.20(1H,m), 2.29(2H,t,J=7.2Hz), 3.00(1H,m), 3.68(3H,s), 4.86(1H,d,J=6.9Hz), 5.13-  
 5.34(2H,m), 7.00-7.09(4H,m), 7.22(1H,m), 7.37-7.45(2H,m), 7.79-7.86(2H,m).  
 IR(CHCl<sub>3</sub>): 3376, 3018, 2946, 2868, 1727, 1582, 1486, 1321, 1243, 1151, 1093 /cm.  
 [α]<sub>D</sub><sup>20</sup> = +4.5° (CHCl<sub>3</sub>, c=1.05, 23.5°C)

No.1a — 120

CD<sub>3</sub>OD 300MHz  
 1.00-2.00(14H,m), 2.13(2H,t,J=7.5Hz), 2.16(1H,m), 2.91(1H,m), 5.05-5.33(2H,m), 7.04-7.11(4H,m), 7.18-  
 7.25(1H,m), 7.38-7.48(2H,m), 7.80-7.87(2H,m).  
 IR(KBr): 3430, 3278, 3006, 2952, 2873, 1583, 1487, 1410, 1322, 1298, 1245, 1152, 1095 /cm.  
 [α]<sub>D</sub><sup>20</sup> = -8.8° (CH<sub>3</sub>OH, c=1.05, 25.0°C)

No.1a — 121

CDCl<sub>3</sub> 300MHz  
 0.90-2.10(14H,m), 2.15(1H,m), 2.35(2H,t,J=7.2Hz), 3.01(1H,m), 5.20(1H,d,J=6.9Hz), 5.22-5.35(2H,m), 7.00-  
 7.09(4H,m), 7.18-7.25(1H,m), 7.37-7.45(2H,m), 7.79-7.86(2H,m).  
 IR(CHCl<sub>3</sub>): 3260, 3020, 2948, 2868, 1708, 1582, 1486, 1409, 1321, 1296, 1243, 1151, 1093 /cm.  
 [α]<sub>D</sub><sup>20</sup> = +13.1° (CHCl<sub>3</sub>, c=1.04, 24.0°C)

# EP 0 837 052 A1

## No.1a — 122

CDCl<sub>3</sub> 300MHz  
 0.90-2.00(14H,m), 2.23(1H,m), 2.28(2H,t, J=7.5Hz), 2.96(1H,m), 3.67(3H,s), 4.6 9(1H,d, J=6.6Hz), 5.15-  
 5.32(2H,m), 6.22(1H,s), 6.98-7.40(5H,m), 7.30-7.38(2H, m), 7.68-7.74(2H,m).  
 IR(CHCl<sub>3</sub>): 3416, 3370, 3018, 2946, 2868, 1725, 1587, 1508, 1437, 1400, 1320, 1149, 1094 /cm.  
 [α]<sub>D</sub> = +6.2° (CHCl<sub>3</sub>, c=1.04, 25.0°C).

## No.1a — 123

CDCl<sub>3</sub> 300MHz  
 0.90-2.04(14H,m), 2.18(1H,m), 2.33(2H,t, J=7.2Hz), 2.96(1H,m), 5.04-5.35(3H, m), 6.98-7.12(3H,m), 7.12-  
 7.20(2H,m), 7.28-7.38(2H,m), 7.66-7.74(2H,m).  
 IR(CHCl<sub>3</sub>): 3424, 3270, 3028, 2952, 2872, 1708, 1587, 1508, 1445, 1399, 1320, 1148, 1092 /cm.  
 [α]<sub>D</sub> = +20.9° (CHCl<sub>3</sub>, c=1.06, 23.0°C).

## No.1a — 124

CDCl<sub>3</sub> 300MHz  
 0.90-2.00(14H,m), 2.18(1H,m), 2.28(2H,t, J=7.2Hz), 3.00(1H,m), 3.14(3H,s), 3.6  
 8(3H,s), 4.56(2H,s), 4.84(1H,d, J=6.3Hz), 5.10-5.29(2H,m), 7.16-7.26(4H,m), 7.2 6-7.34(2H,m), 7.78-7.84(2H,m).  
 IR(CHCl<sub>3</sub>): 3384, 3028, 2952, 2874, 1727, 1598, 1501, 1435, 1410, 1370, 1329, 1172, 1148, 1091 /cm.  
 [α]<sub>D</sub> = +2.7° (CHCl<sub>3</sub>, c=1.09, 23.0°C).

## No.1a — 125

CDCl<sub>3</sub> 300MHz  
 0.90-2.00(14H,m), 2.18(1H,m), 2.28(2H,t, J=7.2Hz), 2.29(3H,s), 3.00(1H,m), 3.6  
 8(3H,s), 4.04(2H,s), 4.80(1H,d, J=6.6Hz), 5.11-5.29(2H,m), 6.99-7.06(2H,m), 7.1 2-  
 7.19(2H,m), 7.31(2H,d, J=8.1Hz), 7.79(2H,d, J=8.1Hz).  
 IR(CHCl<sub>3</sub>): 3382, 3280, 3024, 2950, 2874, 1730, 1596, 1504, 1435, 1407, 1367, 1318 1196, 1155, 1091 /cm.  
 [α]<sub>D</sub> = +2.9° (CHCl<sub>3</sub>, c=1.06, 23.0°C).

## No.1a — 126

CDCl<sub>3</sub> 300MHz  
 0.90-2.02(14H,m), 2.14(1H,m), 2.29(3H,s), 2.32(2H,t, J=7.2Hz), 3.01(1H,m), 4.0 3(2H,s), 5.10(1H,d, J=6.6Hz), 5.15-  
 5.30(2H,m), 6.98-7.06(2H,m), 7.11-7.18(2H, m), 7.30(2H,d, J=8.1Hz), 7.79(2H,d, J=8.1Hz).  
 IR(CHCl<sub>3</sub>): 3374, 3260, 3020, 2948, 2868, 1749, 1708, 1596, 1504, 1407, 1369, 1317, 1195, 1155, 1091 /cm.  
 [α]<sub>D</sub> = +10.0° (CHCl<sub>3</sub>, c=1.09, 23.0°C).

## No.1a — 127

CDCl<sub>3</sub> 300MHz  
 0.87-1.95(14H,m), 2.18-2.32(3H,m), 2.95(1H,m), 3.69(3H,s), 3.96(2H,s), 4.79(1 H,d, J=6.6Hz), 4.97-  
 5.17(2H,m), 5.54(1H,s), 6.75-6.82(2H,m), 6.97-7.05(2H,m), 7.25-7.33(2H,m), 7.75-7.81(2H,m).  
 IR(CHCl<sub>3</sub>): 3382, 3026, 2950, 2874, 1722, 1595, 1511, 1436, 1407, 1317, 1257, 1154, 1090 /cm.  
 [α]<sub>D</sub> = -2.1° (CHCl<sub>3</sub>, c=1.00, 21.5°C).

## No.1a — 128

CDCl<sub>3</sub> 300MHz  
 0.85-2.02(14H,m), 2.18(1H,m), 2.31(2H,t, J=7.2Hz), 2.96(1H,m), 3.95(2H,s), 5.0 5-5.27(3H,m), 6.73-6.82(2H,m), 6.96-  
 7.04(2H,m), 7.25-7.32(2H,m), 7.74-7.81(2 H,m).  
 IR(CHCl<sub>3</sub>): 3262, 3020, 2948, 2868, 1708, 1596, 1511, 1407, 1315, 1242, 1154, 1091 /cm.  
 [α]<sub>D</sub> = +4.8° (CHCl<sub>3</sub>, c=1.04, 22°C).

EP 0 837 052 A1

No.1a — 129

CDCl<sub>3</sub> 300MHz

0.89-1.98(14H,m),2.18(1H,m),2.27(2H,t,J=7.2Hz),2.99(1H,m),3.68(3H,s),3.7  
 5 9(3H,s),3.98(2H,s),4.81(1H,d,J=6.6Hz),5.10-5.27(2H,m),6.81-6.87(2H,m),7.0 3-7.10(2H,m),7.25-  
 7.32(2H,m),7.75-7.82(2H,m).  
 IR(CHCl<sub>3</sub>):3382,3276,3006,2950,2874,1726,1609,1509,1457,1436,1407,1315, 1244,1154,1091,1033/cm.  
 [α]<sub>D</sub>=+19.3° (CHCl<sub>3</sub>,c=1.05,23°C).

10 No.1a — 130

CDCl<sub>3</sub> 300MHz

0.90-2.00(14H,m),2.20(1H,m),2.30(2H,t,J=7.2Hz),2.98(1H,m),3.69(3H,s),4.8 1(1H,d,J=6.6Hz),5.12-  
 5.32(2H,m),5.46(1H,brs),6.84-7.01(6H,m),7.76-7.83(2 H,m)  
 15 IR(CHCl<sub>3</sub>):3380,3284,3024,2952,2874,1724,1588,1504,1488,1436,1321,1296, 1149,1091/cm.  
 [α]<sub>D</sub>=+28.9° (CHCl<sub>3</sub>,c=1.01,23°C).

No.1a — 131

CDCl<sub>3</sub> 300MHz

0.92-2.10(14H,m),2.18(1H,m),2.34(2H,t,J=6.9Hz),2.96(1H,m),5.18-5.35(3H, m),6.84-7.01(6H,m),7.75-  
 7.83(2H,m).  
 IR(CHCl<sub>3</sub>):3270,3028,2952,2874,1708,1589,1505,1489,1456,1322,1297,1238, 1148,1091/cm.  
 [α]<sub>D</sub>=+7.7° (CHCl<sub>3</sub>,c=1.09,24°C).

25 No.1a — 132

CDCl<sub>3</sub> 300MHz

0.91-2.02(14H,m),2.19(1H,m),2.29(2H,t,J=7.2Hz),2.99(1H,m),3.68(3H,s),3.8 3(3H,s),4.82(1H,d,J=6.6Hz),5.14-  
 30 5.33(2H,m),6.90-7.04(6H,m),7.76-7.83(2H, m).  
 IR(CHCl<sub>3</sub>):3384,3006,2952,2874,1727,1589,1502,1488,1459,1438,1321,1295, 1231,1150,1092,1033/cm.  
 [α]<sub>D</sub>=+3.1° (CHCl<sub>3</sub>,c=1.01,23°C).

No.1a — 133

35 TLC Rf=0.21 (ethyl acetate/n-hexane = 1:1 (0.3% acetic acid))

No.1a — 134

CDCl<sub>3</sub> 300MHz

0.97-2.10(14H,m),2.20(1H,m),2.36(2H,t,J=6.9Hz),3.04(1H,m),5.22-5.33(2H, m),5.41(1H,d,J=6.6Hz),7.02(1H,d,J=9.0Hz),7.09-7.13(2H,m),7.26-7.32(1H,m ),7.43-  
 40 7.49(2H,m),7.93(1H,d,d,J=2.4and9.0Hz),8.46(1H,d,J=2.4Hz).  
 IR(CHCl<sub>3</sub>):3384,3270,3020,2958,1709,1610,1587,1537,1479,1352,1271,1252, 1167/cm.  
 45 [α]<sub>D</sub>=+20.9° (CHCl<sub>3</sub>,c=0.51,22°C).

No.1a — 135

CDCl<sub>3</sub> 300MHz

0.96-2.02(14H,m),2.21(1H,m),2.29(2H,t,J=7.2Hz),3.07(1H,m),3.68(3H,s),5.0 4(1H,d,J=6.9Hz),5.16-  
 50 5.33(2H,m),7.48-7.55(2H,m),7.64(1H,m),7.76-7.82(2H, m),7.88-7.94(2H,m),7.98-8.04(2H,m).  
 IR(CHCl<sub>3</sub>):3384,3282,3026,2952,2874,1727,1663,1596,1446,1396,1316,1274, 1163,1090 /cm.  
 [α]<sub>D</sub>= +3.1° (CHCl<sub>3</sub>,c=1.03,22.0°C).

55 No.1a — 136

CDCl<sub>3</sub> 300MHz

0.95-2.05(14H,m),2.19(1H,m),2.34(2H,t,J=7.2Hz),3.08(1H,m),5.10-5.40(2H, m),5.35(1H,d,J=6.8Hz),7.45-

EP 0 837 052 A1

7.58(2H,m), 7.64(1H,m), 7.74-7.84(2H,m), 7.84-7.95(2H,m), 7.95-8.06(2H,m).  
 IR(CHCl<sub>3</sub>): 3260, 3018, 2950, 2870, 1708, 1662, 1595, 1446, 1395, 1316, 1274, 1162, 1090 /cm.  
 [α]<sub>D</sub> = +12.9° (CHCl<sub>3</sub>, c=1.05, 21.5°C).

5 No.1a — 137

CDCl<sub>3</sub> 300MHz  
 0.97-2.04(14H,m), 2.27(1H,m), 2.31(2H,t,J=7.2Hz), 3.07(1H,m), 3.70(3H,s), 5.1 5-5.30(3H,m), 7.48-7.68(5H,m), 7.96-8.02(2H,m).  
 10 IR(CHCl<sub>3</sub>): 3382, 3030, 2952, 2878, 1725, 1446, 1329, 1154, 1098 /cm.  
 [α]<sub>D</sub> = -12.1° (CHCl<sub>3</sub>, c=1.03, 22.0°C).

No.1a — 138

15 CDCl<sub>3</sub> 300MHz  
 0.95-2.04(14H,m), 2.25(1H,m), 2.35(2H,t,J=7.2Hz), 3.08(1H,m), 5.15-5.34(2H, m), 5.41(1H,d,J=6.6Hz), 7.48-7.68(5H,m), 7.98-8.03(2H,m).  
 IR(CHCl<sub>3</sub>): 3370, 3242, 3022, 2950, 2870, 1707, 1445, 1408, 1329, 1154, 1099 /cm.  
 [α]<sub>D</sub> = -0.6° (CHCl<sub>3</sub>, c=1.06, 21.5°C) [α]<sub>365</sub> = +30.7° (CHCl<sub>3</sub>, c=1.06, 21.5°C).

20 No.1a — 139

CDCl<sub>3</sub> 300MHz  
 0.92-2.19(14H,m), 2.27-2.34(3H,m), 3.26(1H,m), 3.65(3H,s), 4.28(2H,s), 4.37(1 H,d,J=7.4Hz), 5.34-5.50(2H,m), 7.37-7.62(9H,m).  
 25 IR(CHCl<sub>3</sub>): 3389, 3294, 3028, 3015, 2954, 2877, 1730, 1600, 1488, 1325, 1151, 1129 /cm.  
 [α]<sub>D</sub> = -24.8° (CHCl<sub>3</sub>, c=1.01, 24°C).

No.1a — 140

30 CDCl<sub>3</sub> 300MHz  
 0.92-2.22(15H,m), 2.34(2H,t,J=7.1Hz), 3.24(1H,m), 4.29(2H,s), 4.81(1H,d,J=7. 4Hz), 5.32-5.52(2H,m), 7.36-7.62(9H,m).  
 IR(CHCl<sub>3</sub>): 3510, 3388, 3251, 3031, 3015, 2956, 2877, 2668, 1708, 1601, 1488, 1318, 1151, 1129 /cm.  
 35 [α]<sub>D</sub> = -24.6° (CHCl<sub>3</sub>, c=1.02, 25°C).

No.1a — 141

CDCl<sub>3</sub> 300MHz  
 40 0.92-2.19(15H,m), 2.32(2H,t,J=7.2Hz), 3.26(1H,m), 3.65(3H,s), 4.31(2H,s) 4.48 (1H,d,J=7.4Hz), 5.33-5.49(2H,m), 7.42-7.80(8H,m).  
 IR(CHCl<sub>3</sub>): 3388, 3285, 3018, 2955, 2877, 2225, 1730, 1597, 1479, 1320, 1152, 1129 /cm.  
 [α]<sub>D</sub> = -20.1° (CHCl<sub>3</sub>, c=0.96, 25°C).

45 No.1a — 142

CDCl<sub>3</sub> 300MHz  
 0.92-2.22(15H,m), 2.35(2H,t,J=6.8Hz), 3.25(1H,m), 4.32(2H,s), 4.86(1H,d,J=7. 4Hz), 5.33-5.53(2H,m), 7.43-7.80(8H,m).  
 50 IR(CHCl<sub>3</sub>): 3512, 3388, 3258, 3031, 3023, 3014, 2956, 2877, 2225, 1708, 1597, 147 9, 1319, 1151, 1128 /cm.  
 [α]<sub>D</sub> = -19.3° (CHCl<sub>3</sub>, c=1.09, 23°C).

No.1a — 143

55 CDCl<sub>3</sub> 300MHz  
 1.00-1.93(14H,m), 2.17(1H,m), 2.27(2H,t,J=7.2Hz), 3.07(1H,m), 5.17-5.22(2H, m), 5.36(1H,d,J=6.9Hz), 7.77(1H,d,J=9.0Hz), 8.11-8.17(2H,m) 8.36(1H,d,d,J= 2.1 and 9.0Hz), 8.51(1H,d,J=1.8Hz), 8.65(1H,d,J=2.1Hz).

# EP 0 837 052 A1

IR(CHCl<sub>3</sub>):3382,3266,3026,2954,2874,1708,1632,1585,1528,1458,1419,1345, 1153/cm.  
[α]<sub>D</sub>=+7.6° (CHCl<sub>3</sub>,c=1.04,22°C).

## No.1a — 144

5 CDCl<sub>3</sub> 300MHz  
0.95-1.90(14H,m),2.17(1H,m),2.25(2H,t,J=7.5Hz),3.02(1H,m),5.09(1H,d,J=6.6Hz),5.15-  
5.21(2H,m),6.72(1H,d,J=8.4Hz),6.85(1H,s),7.54(1H,d,J=8.4Hz),7.  
72(1H,d,J=9.0Hz),7.83(1H,d,d,J=1.8and9.0Hz),8.32(1H,d,J=1.8Hz).  
10 IR(CHCl<sub>3</sub>):3380,3260,3022,2948,2868,2352,1709,1636,1460,1425,1313,1291, 1265,1148,1130/cm.  
[α]<sub>D</sub>=+12.9° (CHCl<sub>3</sub>,c=1.02,22.5°C).

## No.1a — 145

15 CDCl<sub>3</sub> 300MHz  
0.97-1.90(14H,m),2.15(1H,m),2.27(2H,t,J=6.9Hz),3.02(1H,m),3.08(6H,s),5.1 2(1H,d,J=6.3Hz),5.19-  
5.25(2H,m),6.78-6.84(2H,m),7.53(1H,d,J=8.7Hz),7.76-7.83(2H,m),8.30(1H,d,J=1.8Hz).  
IR(CHCl<sub>3</sub>):3272,3030,2950,2874,1708,1635,1601,1511,1457,1425,1357,1328, 1151,1124/cm.  
[α]<sub>D</sub>=+6.3° (CHCl<sub>3</sub>,c=1.04,23°C).

## No.1a — 146

20 CDCl<sub>3</sub> 300MHz  
0.95-2.00(14H,m),2.16(1H,m),2.29(2H,t,J=7.2Hz),3.05(1H,m),4.10(3H,s),5.1 3-  
5.28(2H,m),5.38(1H,d,J=6.9Hz),7.67-7.74(2H,m),8.08(1H,d,d,J=1.8and9.0 Hz),8.11(1H,s),8.61(1H,d,J=1.8Hz).  
25 IR(CHCl<sub>3</sub>):3260,3020,2948,2868,1708,1639,1606,1528,1470,1455,1424,1349,  
1311,1238,1174,1149,1120,1079,1060,1022/cm.  
[α]<sub>D</sub>=+7.8° (CHCl<sub>3</sub>,c=1.00,23°C).

## No.1a — 147

30 CDCl<sub>3</sub> 300MHz  
0.92-1.92(14H,m),2.17(1H,m),2.25(2H,t,J=7.2Hz),3.01(1H,m),3.97(3H,s),5.1 0-  
5.27(5H,m),6.92(1H,s),7.29(1H,s),7.52(1H,d,J=8.7Hz),7.82(1H,d,d,J=2.1and8.7Hz),8.33(1H,d,J=2.1Hz).  
35 IR(CHCl<sub>3</sub>):3380,3264,3002,2950,2868,1708,1634,1476,1452,1426,1317,1264,  
1218,1169,1147,1115,1068,1031/cm.  
[α]<sub>D</sub>=+5.6° (CHCl<sub>3</sub>,c=1.02,23°C).

## No.1a — 148

40 CDCl<sub>3</sub> 300MHz  
0.90-1.98(14H,m),2.15(1H,m),2.28(2H,t,J=6.9Hz),2.91(6Hs),3.03(1H,m),4.01 (3H,s),5.15-  
5.26(3H,m),7.18(1H,s),7.38(1H,s),7.59(1H,d,J=8.7Hz),7.87(1H,d, d,J=2.1and8.7Hz),8.40(1H,d,J=2.1Hz).  
45 IR(CHCl<sub>3</sub>):3384,3266,2956,1709,1632,1602,1495,1473,1458,1430,1317,1231, 1148,1121/cm.  
[α]<sub>D</sub>=+11.2° (CHCl<sub>3</sub>,c=1.01,23°C).

## No.1a — 149

50 CDCl<sub>3</sub> 300MHz  
0.99-1.90(14H,m),2.17(1H,m),2.28(2H,t,J=7.2Hz),3.00(1H,m),5.13-5.19(2H,  
m),5.43(1H,d,J=6.0Hz),7.02(1H,d,d,J=2.4and9.0Hz),7.38-7.41(2H,m),7.58(1  
H,d,J=8.7Hz),7.96(1H,d,d,J=1.8and8.7Hz),8.45(1H,d,J=1.8Hz).  
IR(CHCl<sub>3</sub>):3270,3020,2948,2868,1709,1601,1478,1448,1419,1315,1147,1120/cm.  
[α]<sub>D</sub>=-11.4° (CHCl<sub>3</sub>,c=1.01,23°C).

## No.1a — 150

CDCl<sub>3</sub> 300MHz



# EP 0 837 052 A1

- 0.97-1.88(14H,m),2.12-2.31(3H,m),2.38(3H,s),3.01(1H,m),5.14-5.19(2H,m),5.36(1H,d,J=6.6Hz),7.24(1H,d,d,J=2.4and9.0Hz),7.59(1H,d,J=6.3Hz),7.66(1H,d,J=8.7Hz),7.72(1H,d,J=2.4Hz),8.01(1H,d,d,J=1.8and8.7Hz),8.49(1H,d,J=1.8Hz).  
IR(CHCl<sub>3</sub>):3470,3374,3260,3018,2950,2868,1709,1474,1444,1412,1370,1319,1266,1162,1145,1118/cm.  
[α]<sub>D</sub>=+4.9° (CHCl<sub>3</sub>,c=1.00,24°C).
- 5 No.1a — 151
- CDCl<sub>3</sub> 300MHz  
10 0.97-1.89(14H,m),2.17(1H,m),2.25(2H,t,J=7.2Hz),3.03(1H,m),3.92(3H,s),5.1 5-  
5.20(2H,m),5.32(1H,d,J=6.6Hz),7.11(1H,d,d,J=2.4and9.3Hz),7.45(1H,d,J=2.4Hz),7.50(1H,d,J=9.3Hz),7.62(1H,d,J=8.7Hz),7.97(1H,d,d,J=2.1and8.7Hz),8.50(1H,d,J=2.1Hz).  
IR(CHCl<sub>3</sub>):3260,3018,2948,1708,1483,1454,1432,1314,1287,1268,1188,1169,1147/cm.  
[α]<sub>D</sub>=+4.9° (CHCl<sub>3</sub>,c=1.01,23.5°C).
- 15 No.1a — 152
- CDCl<sub>3</sub> 300MHz  
20 0.98-2.04(14H,m),2.15(1H,m),2.30(2H,t,J=6.6Hz),3.04(1H,m),5.17-5.29(3H,m),7.41(1H,d,d,J=1.5and8.1Hz),7.64-7.68(2H,m),7.92(1H,d,J=8.4Hz),8.00(1H,d,d,J=1.8and8.4Hz),8.49(1H,d,J=1.8Hz).  
IR(CHCl<sub>3</sub>):3266,3028,2952,2872,1707,1629,1591,1456,1416,1318,1275,1150/cm.  
[α]<sub>D</sub>=+3.2° (CHCl<sub>3</sub>,c=1.04,23°C).
- 25 No.1a — 153
- CDCl<sub>3</sub> 300MHz  
30 0.97-1.88(14H,m),2.16(1H,m),2.26(2H,t,J=7.2Hz),3.03(1H,m),4.64-4.65(2H,m),5.16-  
5.50(5H,m),6.13(1H,m),7.14(1H,d,d,J=2.7and9.0Hz),7.46-7.52(2H,m),7.63(1H,d,J=8.7Hz),7.97(1H,d,d,J=1.8and8.7Hz),8.49(1H,d,J=1.8Hz).  
IR(CHCl<sub>3</sub>):3374,3260,3020,2948,2868,1708,1599,1478,1446,1414,1314,1284,1268,1184,1148,1120/cm.  
[α]<sub>D</sub>=+5.3° (CHCl<sub>3</sub>,c=1.00,23°C).
- 35 No.1a — 154
- CDCl<sub>3</sub> 300MHz  
40 0.99-2.00(15H,m),2.26(2H,t,J=7.2Hz),3.03(1H,m),4.07(3H,s),5.23-5.27(2H,m),5.36(1H,d,J=7.2Hz),7.20(1H,s),7.36-7.48(2H,m),7.55-7.58(1H,m),7.91-7.93(1H,m),8.52(1H,s).  
IR(CHCl<sub>3</sub>):3362,3257,3020,2948,2868,1708,1637,1602,1579,1488,1457,1437,1413,1345,1318,1301,1276,1182,1104/cm.  
[α]<sub>D</sub>=+19.4° (CHCl<sub>3</sub>,c=1.01,25°C).  
mp.88-90°C
- 45 No.1a — 155
- CDCl<sub>3</sub> 300MHz  
50 0.92-2.02(14H,m),2.15(1H,m),2.31(2H,t,J=7.2Hz),3.01(1H,m),4.10(2H,s),5.1 0(1H,d,J=6.6Hz),5.18-  
5.35(2H,m),7.04-7.26(5H,m),7.67-7.76(2H,m).  
IR(CHCl<sub>3</sub>):3266,3028,2952,2952,2872,1708,1599,1574,1478,1457,1418,1301,1258,1147,1124,1101,1080/cm.  
[α]<sub>365</sub>=+33.4° (CHCl<sub>3</sub>,c=1.00,23°C).
- No.1a — 156
- CDCl<sub>3</sub> 300MHz  
55 0.91-2.21(15H,m),2.33(2H,t,J=6.9Hz),3.01(1H,m),5.11(1H,d,J=6.6Hz),5.27-5.35(2H,m),6.85-  
6.96(5H,m),7.35(1H,d,J=2.1Hz),7.42(1H,d,d,J=2.1and8.7Hz).  
IR(CHCl<sub>3</sub>):3384,3263,2957,1708,1587,1489,1462,1416,1290,1222,1151,1123/cm.  
[α]<sub>D</sub>=+6.4° (CHCl<sub>3</sub>,c=1.00,23°C).

# EP 0 837 052 A1

## No.1a — 157

CDCl<sub>3</sub> 300MHz  
 0.97-1.91(14H,m),2.18(1H,m),2.26(2H,t,J=6.9Hz),3.04(1H,m),5.18-5.26(3H, m),7.52-7.56(2H,m),7.88-  
 5 8.00(3H,m),8.25(1H,m),8.69(1H,m).  
 IR(CHCl<sub>3</sub>):3382,3268,2952,2874,1707,1457,1425,1409,1318,1152/cm.  
 [α]<sub>D</sub>=+4.4° (CHCl<sub>3</sub>,c=1.02,22°C).

## No.1a — 158

CDCl<sub>3</sub> 300MHz  
 1.02-1.97(14H,m),2.20(1H,m),2.29(2H,t,J=7.2Hz),3.06(1H,m),5.19-5.24(2H, m),5.58(1H,d,J=6.6Hz),7.62(1H,m),7.72(1H,m),7.86-7.91(2H,m),7.96(1H,d,J  
 15 =7.8Hz),8.04(1H,d,d,J=1.5and8.1Hz),8.34(1H,d,J=1.2Hz).  
 IR(CHCl<sub>3</sub>):3490,3260,3020,2950,2870,1707,1456,1399,1312,1165/cm.  
 [α]<sub>D</sub>=-8.3° (CHCl<sub>3</sub>,c=1.00,23°C).

## No.1a — 159

CDCl<sub>3</sub> 300MHz  
 0.92-1.88(14H,m),2.13(1H,m),2.24(2H,m),3.02(1H,m),3.90(3H,s),5.12-5.26(3 H,m),7.29-  
 20 7.58(4H,m),7.97(1H,d,d,J=1.8and7.5Hz),8.13(1H,d,J=7.5Hz),8.64 (1H,d,J=1.8Hz).  
 IR(CHCl<sub>3</sub>):3382,3266,3018,2956,1708,1629,1594,1476,1467,1325,1245,1227, 1158,1146/cm.  
 25 [α]<sub>D</sub>=+14.6° (CHCl<sub>3</sub>,c=1.00,22°C).

## No.1a — 160

CDCl<sub>3</sub> 300MHz  
 0.93-1.88(14H,m),2.18-2.24(3H,m),3.00(1H,m),5.08-5.21(3H,m),7.28-7.33(1 H,m),7.47-  
 30 7.51(3H,m),7.90(1H,d,d,J=1.5and7.8Hz),8.10(1H,d,J=7.8Hz),8.63 -8.64(2H,m).  
 IR(CHCl<sub>3</sub>):3465,3380,3275,3020,2957,2876,1708,1627,1604,1495,1473,1457, 1328,1240,1222,1156,1149/cm.  
 [α]<sub>D</sub>=+8.2° (CHCl<sub>3</sub>,c=1.01,22°C).

## No.1a — 161

CDCl<sub>3</sub> 300MHz  
 0.98-1.88(14H,m),2.17(1H,m),2.24(2H,t,J=7.2Hz),3.05(1H,m),5.16-5.20(2H, m),5.35(1H,d,J=6.6Hz),7.40(1H,m),7.55(1H,m),7.63(1H,d,J=8.1Hz),7.89(1H,  
 40 d,d,J=1.5and8.1Hz),8.01(1H,m),8.06(1H,d,J=8.1Hz),8.12(1H,d,J=1.5Hz).  
 IR(CHCl<sub>3</sub>):3478,3266,3028,2952,2874,1708,1454,1417,1323,1196,1148/cm.  
 [α]<sub>D</sub>=+21.9° (CHCl<sub>3</sub>,c=1.01,23°C).

## No.1a — 162

CDCl<sub>3</sub> 300MHz  
 0.96-1.98(14H,m),2.02(1H,m),2.25(2H,t,J=7.2Hz),3.05(1H,m),4.10(3H,s),5.1 4-  
 45 5.25(2H,m),5.41(1H,d,J=7.2Hz),7.35-7.42(1H,m),7.51-7.64(3H,m),7.94-8.0 0(1H,m),8.16(1H,s).  
 IR(CHCl<sub>3</sub>):3368,3274,3028,2952,2874,1708,1633,1583,1465,1452,1438,1413, 1315,1151,1103,1053,1024/cm.  
 50 [α]<sub>D</sub>= +15.1° (CHCl<sub>3</sub>,c=1.01,23°C). mp.108-110°C

## No.1a — 163

d<sub>6</sub>-DMSO 300MHz  
 0.97-1.84(14H,m),1.92(1H,m),2.04(2H,t,J=7.5Hz),2.90(1H,m),5.08-5.23(2H, m),7.32(1H,s),7.38-  
 55 7.61(2H,m),7.62(1H,s),7.68-7.71(1H,m),7.92(1H,s),8.14-8. 17(1H,m),10.7(1H,s),11.9(1H,s).  
 IR(KBr):3350,3295,2952,2874,1707,1636,1601,1466,1431,1389,1315,1251,1 174,1146,1106/cm.  
 [α]<sub>D</sub>= -25.3° (CH<sub>3</sub>OH,c=1.01,25°C). mp.159-162°C

# EP 0 837 052 A1

## No.1a — 164

CDCl<sub>3</sub> 300MHz  
 0.98-1.96(17H,m),2.05(1H,m),2.25(2H,t,J=7.2Hz)3.07(1H,m)4.32(2H,q,J=7.2Hz),5.19-5.23(2H,m),5.31(1H,d,J=7.8Hz),7.38(1H,m)7.41-7.62(3H,m),7.95(1H,m),8.15(1H,s).  
 IR(CHCl<sub>3</sub>):3360,3018,2946,2870,1709,1633,1457,1445,1425,1394,1314,1176,1152,1105/cm.  
 [α]<sub>D</sub>= +12.7° (CHCl<sub>3</sub>,c=1.02,25°C). mp.108-109°C

## No.1a — 165

CDCl<sub>3</sub> 300MHz  
 0.95-1.98(15H,m),2.26(2H,t,J=7.5Hz),3.04(1H,m),4.15(3H,s)5.20-5.26(2H,m),5.34(1H,d,J=6.9Hz),7.41-7.47(1H,m),7.65-7.68(2H,m)7.89-7.92(1H,m),8.32(1H,s).  
 IR(CHCl<sub>3</sub>):3366,3087,3022,2957,1708,1632,1538,1463,1408,1364,1346,1308,1227,1212,1205,1167/cm.  
 [α]<sub>D</sub>= +19.6° (CHCl<sub>3</sub>,c=1.01,25°C).

## No.1a — 166

CDCl<sub>3</sub> 300MHz  
 0.97-2.02(15H,m),2.27(2H,t,J=6.9Hz),3.07(1H,m),4.14(3H,s)5.21-5.27(2H,m),5.47(1H,d,J=6.9Hz),7.64(1H,s),7.72(1H,d,d,J=0.6and9.0Hz)8.25(1H,s)8.47(1H,d,d,J=2.4and9.0Hz),8.94(1H,d,d,J=0.6and2.4Hz).  
 IR(CHCl<sub>3</sub>):3373,2957,1708,1639,1587,1528,1467,1428,1415,1345,1221,1184,1155/cm.  
 [α]<sub>D</sub>= +14.4° (CHCl<sub>3</sub>,c=0.50,25°C)

## No.1a — 167

CDCl<sub>3</sub> 300MHz  
 0.92-2.00(14H,m),2.15(1H,m),2.27(2H,t,J=7.2Hz),3.04(1H,m),3.97(2H,s),5.15-5.30(3H,m),7.35-7.47(2H,m),7.55-7.63(1H,m),7.80-7.96(3H,m),8.05(1H,d,J=0.3Hz).  
 IR(CHCl<sub>3</sub>):3260,3020,2948,2868,1707,1451,1413,1319,1172,1144,1101,1071/cm.  
 [α]<sub>D</sub>=+18.2° (CHCl<sub>3</sub>,c=1.04,22°C).

## No.1a — 168

CDCl<sub>3</sub> 300MHz  
 0.90-1.88(14H,m),2.16(1H,m),2.25(2H,t,J=6.9Hz),3.00(1H,m),5.00-5.19(2H,m),5.35(1H,d,J=6.6Hz),7.25-7.30(1H,m),7.48-7.50(2H,m),7.73(1H,d,d,J=1.5 and8.1Hz),8.08-8.14(3H,m),8.93(1H,s).  
 IR(CHCl<sub>3</sub>):3466,3380,3276,3016,2957,1708,1630,1495,1458,1324,1241,1150/cm.  
 [α]<sub>D</sub>=+18.0° (CHCl<sub>3</sub>,c=1.00,22°C).

## No.1a — 169

CDCl<sub>3</sub> 300MHz  
 0.87-1.86(14H,m),2.15(1H,m),2.25(2H,t,J=6.9Hz),2.98(1H,m),3.89(3H,s),5.05-5.22(2H,m),5.27(1H,d,J=6.9Hz),6.88(1H,d,d,J=2.1and8.4Hz),6.94(1H,d,J=2.1Hz),7.69(1H,d,d,J=1.5and7.8Hz),7.92-8.01(3H,m),8.83(1H,s).  
 IR(CHCl<sub>3</sub>):3465,3378,3276,3022,2957,1708,1630,1609,1569,1459,1433,1314,1281,1229,1151/cm.  
 [α]<sub>D</sub>=+19.3° (CHCl<sub>3</sub>,c=1.01,21°C).

## No.1a — 170

CDCl<sub>3</sub> 300MHz  
 0.88-2.25(17H,m),3.04(1H,m),3.84(3H,s),3.95(3H,s),5.06-5.26(3H,m),6.87-6.93(2H,m),7.69(1H,d,d,J=1.6and8.2Hz),7.93-9.05(3H,m).  
 IR(CHCl<sub>3</sub>):3026,2957,1708,1630,1601,1460,1331,1243,1224,1152/cm.  
 [α]<sub>D</sub>=+17.2° (CHCl<sub>3</sub>,c=1.00,22°C).

EP 0 837 052 A1

No.1a — 171

CDCl<sub>3</sub> 300MHz

0.95-2.00(14H,m),2.16-2.32(3H,m),2.66(3H,s),3.14(1H,m),3.68(3H,s),5.09(1H,d,J=6.8Hz),5.10-5.28(2H,m),7.45(1H,d,d,J=1.8&8.6Hz),7.75-7.84(2H,m).

IR(CHCl<sub>3</sub>):3374,3018,2946,2868,1725,1585,1513,1436,1340,1278,1153,1112 /cm.

[α]<sub>D</sub>= -14.7° (CHCl<sub>3</sub>,c=1.07,25.0°C).

No.1a — 172

CDCl<sub>3</sub> 300MHz

0.97-2.02(14H,m),2.23(1H,m),2.28(2H,t,J=7.2Hz),2.66(3H,s),3.14(1H,m),5.12-5.22(2H,m),5.41(1H,d,J=7.2Hz),7.45(1H,d,d,J=2.1&8.7Hz),7.76(1H,d,J=8.7Hz),7.78(1H,d,J=2.1Hz).

IR(CHCl<sub>3</sub>):3372,3250,3022,2950,2868,1707,1514,1419,1336,1279,1154,1112 /cm.

[α]<sub>D</sub>= -4.1° (CHCl<sub>3</sub>,c=1.08,26.0°C) m.p.141-143°C

No.1a — 173

CDCl<sub>3</sub> 300MHz

1.15-2.42(17H,m),2.91(1H,m),5.15(1H,d,J=4.2Hz),5.25-5.40(2H,m),7.85(1H, t,J=7.2Hz),8.00(1H,t,J=8.1Hz),8.15-8.20(2H,m),8.67(1H,d,J=8.1Hz),8.73(1H, d,J=8.1Hz),8.83(1H,s),9.43(1H,s).

IR(KBr):3422,3269,3046,2952,2871,1711,1617,1447,1333,1243,1161,1146/cm.

[α]<sub>D</sub>=-41.0° (CH<sub>3</sub>OH,c=1.01,23°C).

No.1a — 174

CDCl<sub>3</sub>+d<sub>6</sub>-DMSO 300MHz

1.00-1.92(14H,m),2.20(2H,t,J=6.6Hz),2.35(1H,m),2.92(1H,m),5.05-5.22(2H, m),6.63(1H,d,J=5.4Hz),7.77-7.92(3H,m),8.31(1H,d,d,J=1.8and8.7Hz),8.59(1H,d,J=8.7Hz),8.73(1H,d,J=8.7Hz),9.01(1H,s),9.55(1H,d,J=1.8Hz).

IR(KBr):3433,3252,2952,2871,1696,1578,1423,1335,1308,1219,1185,1160,1106/cm.

[α]<sub>D</sub>=-19.3° (DMSO,c=0.50,23°C).

No.1a — 175

CDCl<sub>3</sub> 300MHz

0.96-1.87(14H,m),2.20-2.25(3H,m),2.95(1H,m),3.66(3H,s),4.74(1H,d,J=6.6Hz),5.12(2H,m),6.88(1H,d,J=1.2Hz),7.37-7.50(3H,m),7.56(1H,dd,J=8.7,1.2Hz),7.77(3H,m),8.06(1H,s),9.44(1H,dd,J=1.2Hz).

IR(CHCl<sub>3</sub>):3462,3374,3026,3006,2952,2872,1724,1610,1580,1484,1452,1358,1309,1147.

[α]<sub>D</sub>=+16.4° (CHCl<sub>3</sub>,c=1.05,26°C). mp.130-132°C.

No.1a — 176

CDCl<sub>3</sub>+CD<sub>3</sub>OD 300MHz

1.00-2.02(14H,m),2.22(1H,m),2.29(2H,t,J=6.9Hz),2.88(1H,m),5.16-5.26(2H, m),6.87(1H,s),7.28-7.57(4H,m),7.69(1H,d,J=8.4Hz),7.75-7.78(2H,m),7.99(1H, s).

IR(KBr):3254,2944,1704,1484,1453,1358,1305,1147.

[α]<sub>D</sub>=+13.0° (CH<sub>3</sub>OH,c=1.02,24°C), mp.160-161°C

No.1a — 177

CDCl<sub>3</sub> 300MHz

0.96-1.88(14H,m),1.88-2.26(3H,m),2.94(1H,m),3.67(3H,s),3.87(3H,s),4.67(1H,brs),5.08-5.14(2H,m),6.77(1H,d,J=1.5Hz),6.99-7.02(2H,m),7.53-7.57(1H, m),7.65-7.70(3H,m),8.00(1H,s),9.27(1H,brs).

IR(CHCl<sub>3</sub>):3426,3376,3006,2952,1724,1610,1495,1438,1357,1308,1282,1249,1177,1147/cm.

[α]<sub>D</sub>=+18.1° (CHCl<sub>3</sub>,c=1.02,22°C).

# EP 0 837 052 A1

## No.1a — 178

CDCl<sub>3</sub>+CD<sub>3</sub>OD 300MHz

0.96-1.91(14H,m),2.19(1H,m),2.27(2H,t,J=6.0Hz),2.85(1H,m),3.87(3H,s),5.1 6-5.23(2H,m),6.99-  
7.02(2H,m),7.41(1H,m),7.64-7.73(3H,m),7.92(1H,m).

IR(CHCl<sub>3</sub>):3366,3261,3004,2954,2873,1705,1611,1496,1458,1438,1304,1286, 1253,1180,1149,1128/cm.

[α]<sub>D</sub>=+14.6° (CHCl<sub>3</sub>,c=1.02,22°C).

## No.1a — 179

CDCl<sub>3</sub>+CD<sub>3</sub>OD 300MHz

0.96-1.87(14H,m),2.15-2.23(3H,m),2.93(1H,m),3.85(3H,s),5.10-5.16(2H,m),6. 90-6.93(2H,m),7.50(1H,m),7.60-  
7.65(3H,m),7.91(1H,d,J=0.9Hz).

IR(CHCl<sub>3</sub>):3369,3270,2950,2873,1719,1612,1498,1456,1440,1359,1306,1269, 1219,1146,1127/cm.

[α]<sub>D</sub>=+18.1° (CH<sub>3</sub>OH,c=1.00,22°C).

## No.1a — 180

CDCl<sub>3</sub>+CD<sub>3</sub>OD 300MHz

1.03-1.86(14H,m),2.08-2.17(3H,m),2.91(1H,m),5.06-5.10(2H,m),6.76(1H,m), 6.86-6.90(2H,m),7.48(1H,m),7.61-  
7.69(3H,m),7.89(1H,m).

IR(CHCl<sub>3</sub>):3360,3259,2954,2873,1706,1612,1497,1457,1360,1306,1272,1230, 1176,1148,1126/cm.

[α]<sub>D</sub>=+20.3° (CH<sub>3</sub>OH,c=1.00,22°C).

## No.1a — 181

CDCl<sub>3</sub> 300MHz

0.97-1.96(14H,m),2.15(1H,m),2.29(2H,t,J=6.9Hz),3.05(1H,m),3.81(3H,s)5.0 8(1H,d,J=6.9Hz),5.23-  
5.25(2H,m),6.62(1H,s),7.47-7.54(5H,m),7.59(1H,m),7. 70(1H,m),7.97(1H,m).

IR(CHCl<sub>3</sub>):3380,3260,3020,2946,2868,1708,1466,1388,1328,1149/cm.

[α]<sub>D</sub>=+32.9° (CHCl<sub>3</sub>,c=1.07,22°C).

## No.1a — 182

CDCl<sub>3</sub> 300MHz

0.94-1.90(14H,m),2.25(2H,t,J=7.5Hz)2.30(1H,m),2.98(1H,m),3.70(3H,s)4.8 3(1H,d,J=6.6Hz),5.13-  
5.16(2H,m),6.95(1H,d,J=1.5Hz),7.11-7.23(2H,m),7.43( 1H,d,J=8.1Hz),7.65(1H,d,J=8.1Hz),7.79-  
7.93(4H,m),9.08(1H,br).

IR(CHCl<sub>3</sub>):3458,3372,3020,3002,2946,2868,1719,1598,1452,1422,1321,1300, 1157/cm.

[α]<sub>D</sub>=-6.6° (CHCl<sub>3</sub>,c=1.00), mp 150-151°C

## No.1a — 183

CDCl<sub>3</sub> 300MHz

0.95-1.94(14H,m),2.26(1H,m),2.28(2H,t,J=7.5Hz),3.00(1H,m),5.16-5.19(2H, m),5.32(1H,d,J=7.2Hz),6.93(1H,d,J=1.2Hz),7.13(1H,m),7.22(1H,dd,J=7.8,6.  
6Hz),7.42(1H,d,J=7.8Hz),7.63(1H,d,J=7.8Hz),7.76(2H,d,J=8.4Hz),7.90(2H,d, J=8.4Hz),8.95(1H,br).

IR(CHCl<sub>3</sub>):3458,3374,3260,3020,3002,2948,2868,1708,1598,1452,1422,130 1,1156/cm.

[α]<sub>D</sub>=+17.9° (CHCl<sub>3</sub>,c=1.01,22°C).

## No.1a — 184

CDCl<sub>3</sub> 200MHz

0.92-2.00(14H,m),2.20(1H,m),2.34(2H,t,J=6.8Hz),3.05(1H,m),5.20-5.36(3H, m),7.39-7.44(2H,m),7.61-  
7.66(1H,m),7.80-7.84(1H,m),8.05(2H,d,J=8.6Hz),8. 40(2H,d,J=8.6Hz).

IR(CHCl<sub>3</sub>):3384,3271,3019,2958,1709,1615,1599,1551,1453,1405,1344,1326, 1243,1163/cm.

[α]<sub>D</sub>=+18.5° (CHCl<sub>3</sub>,c=1.00,21°C).

# EP 0 837 052 A1

## No.1a — 185

CDCl<sub>3</sub> 300MHz

0.89-2.20(15H,m),2.26(2H,d,t,J=2.1and7.2Hz),2.99(1H,m),5.08(1H,d,J=6.3Hz),5.09-

5.24(2H,m),6.90(1H,d,J=1.2Hz),7.32-7.48(4H,m),7.64-7.72(3H,m),8.20(1H,d,J=1.2Hz),9.00(1H,s).

IR(CHCl<sub>3</sub>):3464,3375,3275,3022,2956,1707,1605,1490,1449,1356,1322,1219, 1147,1131/cm.

[α]<sub>D</sub>=+21.6° (CHCl<sub>3</sub>,c=1.01,23°C).

## No.1a — 186

CDCl<sub>3</sub>:300MHz

1.36-2.24(14H,m),2.31(2H,t,J=7.4Hz),2.49(1H,brs),3.37(1H,m),3.67(3H,s),5.38-5.50(2H,m),7.40-7.68(9H,m).

IR(CHCl<sub>3</sub>):3375,1727,1602,1435,1362,1221,1207,1168,1045/cm.

## No.1a — 187

CDCl<sub>3</sub>:300MHz

1.10-2.25(14H,m),2.36(2H,t,J=7.2Hz),2.47(1H,m),3.37(1H,m),5.35-5.54(2H,m),5.62(1H,d,J=7.2Hz),7.39-7.70(9H,m).

IR(CHCl<sub>3</sub>):3674,3496,3376,3234,3012,2952,2880,2650,1725(sh),1709,1602,1485,1420,1360,1167/cm.

[α]<sub>D</sub>=+32° (CHCl<sub>3</sub>,c=1.69).

## No.1a — 188

CDCl<sub>3</sub> 200MHz

0.86-1.92(14H,m),2.22(3H,m),2.36(3H,s),2.95(1H,m),3.67(3H,s),3.93(3H,s),4.81(1H,d,J=6.2Hz),5.04-

5.20(2H,m),7.02-7.05(2H,m),7.31(1H,d,J=8.6Hz),7.39(1H,d,J=7.8Hz),7.79-7.89(3H,m).

IR(CHCl<sub>3</sub>):3385,3286,3029,3019,3015,2954,2877,1718,1617,1598,1567,1507, 1311,1269,1153 /cm.

[α]<sub>D</sub>= -29.4° (CHCl<sub>3</sub>,c=1.01,25°C).

## No.1a — 189

[α]<sub>D</sub>=-7.7° (CHCl<sub>3</sub>,c=1.00,24°C).

## No.1a — 190

[α]<sub>D</sub>=-17.3° (CHCl<sub>3</sub>,c=1.00,24°C).

## No.1a — 191

CDCl<sub>3</sub> 300MHz

0.95-2.20(14H,m),2.30(1H,m),2.36(2H,d,J=6.9Hz),3.21(1H,m),4.25(2H,s),5.07(1H,d,J=7.8Hz),5.35-5.48(2H,m),7.25(1H,dd,J=1.8 and 8.1Hz),7.32-7.35(2H,m),7.59(1H,d,J=8.1Hz),7.94(1H,s),8.14(1H,d,J=2.7Hz),8.23(1H,d,d,J=2.7 and 8.7Hz).

IR(CHCl<sub>3</sub>):3386,3026,3015,2957,2877,2633,1702,1617,1573,1530,1348,1123 /cm.

[α]<sub>D</sub>= -6.1° (CHCl<sub>3</sub>,c=1.01,25°C).

## No.1a — 192

CDCl<sub>3</sub> 300MHz

0.92-2.20(14H,m),2.13(3H,m),3.23(1H,m),3.64(3H,s),3.94(3H,s),4.22(2H,s),4.36(1H,d,J=7.8Hz),5.37-5.42(2H,m),7.16-7.42(6H,m),7.53(1H,d,J=8.4Hz),7.94(1H,s).

IR(CHCl<sub>3</sub>):3389,3022,3013,2953,2877,1716,1616,1560,1485,1340,1326,1124 /cm.

[α]<sub>D</sub>= -15.2° (CHCl<sub>3</sub>,c=1.01,25°C).

## No.1a — 193

CDCl<sub>3</sub> 300MHz

# EP 0 837 052 A1

0.92-2.20(14H,m),2.25(1H,m),2.35(2H,t,J=7.2Hz),3.17(1H,m),4.22(2H,s),4.9 1(1H,d,J=7.5Hz),5.37-5.42(2H,m),7.13-7.43(6H,m),7.60(1H,d,J=8.1Hz),8.05(1H,s).

IR(CHCl<sub>3</sub>):3511,3387,3029,3020,3011,2957,2877,2651,1698,1614,1560,1505,1320,1280,1252,1126 /cm.

[α]<sub>D</sub><sup>20</sup> = -0.9° (CHCl<sub>3</sub>,c=1.00,25°C).

5

## No. 1b — 1

CDCl<sub>3</sub> 300MHz

0.98-1.56(15H,m),1.85-1.90(5H,m),2.23(1H,m),3.05(1H,m),3.66(3H,s),4.77(1 H,d,J=6.0Hz),5.08-

10

5.28(2H,m),7.46(3H,m),7.38-7.54(2H,d,J=7.5Hz),7.72(2H,d,J=8.4Hz),7.93(2H,d,J=8.4Hz).

IR(CHCl<sub>3</sub>):3384,3028,2952,2876,1719,1595,1391,1322,1155/cm.

[α]<sub>436</sub> +4.0~+6.0(CHCl<sub>3</sub>,c=1.00,23°C).

mp.96-98°C

15

## No. 1b — 2

CDCl<sub>3</sub> 300MHz

0.98-1.52(15H,m),1.85-1.90(5H,m),2.17(1H,m),3.00(1H,m),3.67(3H,s),4.05(2 H,s),4.83(1H,d,J=6.0Hz),5.05-

20

5.23(2H,m),7.14(2H,d,J=7.2Hz),7.17-7.32(5H,m),7.78(2H,d,J=8.4Hz).

IR(CHCl<sub>3</sub>):3384,3026,2952,2874,1719,1595,1453,1407,1320,1180/cm.

[α]<sub>D</sub><sup>20</sup> = +2.5° (CHCl<sub>3</sub>,c=1.02,24°C).

## No. 1b — 3

25

CDCl<sub>3</sub> 300MHz

0.96-2.05(20H,m),2.07(1H,m),3.07(1H,m),4.04(2H,s),5.21-5.35(2H,m),5.55(1

H,d,J=6.9Hz),7.14(2H,d,J=6.6Hz),7.20-7.32(5H,m),7.78(2H,d,J=8.1H).

IR(CHCl<sub>3</sub>):3250,3022,2950,1699,1596,1495,1453,1405,1318,1153/cm.

[α]<sub>D</sub><sup>20</sup> = +17.1° (CHCl<sub>3</sub>,c=1.01,25°C).

30

mp.129-131°C.

## No. 1b — 4

35

CDCl<sub>3</sub> 200MHz

0.90-2.10(15H,m),1.19(3H,s),1.20(3H,s),3.11(1H,m),5.24-5.32(2H,m),5.70(1 H,d,J=6.6Hz),7.38-7.68(4H,m),7.96-

8.04(2H,m),8.53(1H,d,J=1.4Hz).

IR(CHCl<sub>3</sub>):3384,3246,2958,1701,1632,1595,1468,1445,1322,1216,1202,1190,1155,1122/cm.

[α]<sub>D</sub><sup>20</sup> = +10.8° (CHCl<sub>3</sub>,c=0.51,23°C).

40

## No. 1b — 5

1.02-2.10(15H,m),1.16(6H,s),3.02(1H,m),4.09(3H,s),5.23-5.28(2H,m),5.76(1 H,d,J=7.2Hz),7.36-

7.63(4H,m),7.97(1H,d,J=7.8Hz),8.16(1H,s).

IR(CHCl<sub>3</sub>):3369,2959,1702,1635,1585,1468,1454,1441,1415,1318,1222,1189,1170,1154/cm.

45

[α]<sub>D</sub><sup>20</sup> = +9.9° (CHCl<sub>3</sub>,c=1.00,23°C).

## No. 1c — 1

50

CDCl<sub>3</sub> 300MHz

1.10-2.02(14H,m),2.27(2H,t,J=7.5Hz),2.50(1H,m),2.89(3H,s),3.31(1H,m),3.6 4(3H,s),5.16-5.30(2H,m),7.34-

7.42(3H,m),7.50-7.59(2H,m),7.62-7.68(2H,m),7.76-7.82(2H,m).

IR(CHCl<sub>3</sub>):3020,2946,2868,2212,1727,1596,1495,1437,1339,1156,1135,1084 /cm.

[α]<sub>D</sub><sup>20</sup> = -16.1° (CHCl<sub>3</sub>,c=1.05,25.0°C).

m.p.100-102°C

55

## No. 1c — 2

CDCl<sub>3</sub> 300MHz

# EP 0 837 052 A1

1.10-2.05(14H,m),2.23(2H,t,J=7.5Hz),2.53(1H,m),2.91(3H,s),3.35(1H,m),3.6 2(3H,s),5.02-5.30(2H,m),7.50-7.60(3H,m),7.90-8.08(6H,m).

IR(CHCl<sub>3</sub>):3016,2946,2868,1728,1437,1398,1340,1160,1086 /cm.

[α]<sub>D</sub>=-32.5° (CHCl<sub>3</sub>,c=1.00,25.0°C).

## No.1c — 3

CD<sub>3</sub>OD 300MHz

1.15-2.05(14H,m),2.13(2H,t,J=7.2Hz),2.47(1H,m),2.91(3H,s),3.27(1H,m),4.9 0-5.30(2H,m),7.37-7.44(3H,m),7.53-7.61(2H,m),7.71-7.77(2H,m),7.81-7.87(2 H,m).

IR(KBr):3412,2999,2951,2871,2217,1560,1399,1243,1159,1137,1103,1084.

[α]<sub>D</sub>=-8.6° (CH<sub>3</sub>OH,c=1.03,23°C).

## No.1d — 1

CDCl<sub>3</sub> 300MHz

1.00-2.16(15H,m),2.36(2H,t,J=7.2Hz),3.17(1H,m),3.33(3H,s),5.23-5.43(3H,m ),7.51-7.59(3H,m),7.91-8.10(6H,m),9.02(1H,brs).

IR(CHCl<sub>3</sub>):3382,3268,3028,2954,2874,1715,1442,1400,1337,1162,1120,1089/cm.

[α]<sub>D</sub>=+40.0° (CHCl<sub>3</sub>,c=0.53,22°C).

## No.1d — 2

CDCl<sub>3</sub> 300MHz

1.03-2.30(17H,m),3.03(1H,m),4.03(2H,s),5.26(2H,m),5.84(1H,br),5.25-5.29(1 H,d,J=6.6Hz),6.03(1H,br),7.14(2H,d,J=8.1Hz),7.26-7.31(5H,m),7.80(2H,d,J= 8.1Hz).

IR(CHCl<sub>3</sub>):3376,3002,2946,1669,1595,1492,1454,1406,1318,1154/cm.

[α]<sub>D</sub>=+4.3° (CHCl<sub>3</sub>,c=1.00,23°C).

## No.1d — 3

CDCl<sub>3</sub> 300MHz

0.96-2.17(17H,m),2.33(2H,t,J=6.9Hz),3.01(1H,m),4.04(2H,s),5.10(1H,d,J=6. 6Hz),5.21-5.26(2H,m),7.14(2H,d,J=8.7Hz),7.16-7.32(5H,m),7.78(2H,d,J=8.4 Hz).

IR(CHCl<sub>3</sub>):3260,3020,2946,1711,1596,1492,1457,1407,1318,1154/cm.

[α]<sub>D</sub>=+9.3° (CHCl<sub>3</sub>,c=1.09,25°C).

## No.1d — 4

CDCl<sub>3</sub> 300MHz

0.95-2.14(15H,m),2.34(2H,t,J=7.2Hz),3.09(1H,m),3.30(3H,s),4.04(2H,s),5.19 (1H,d,J=7.2Hz),5.22-5.39(2H,m),7.10-7.35(7H,m),7.81(2H,d,J=8.1Hz),9.10(1 H,brs).

IR(CHCl<sub>3</sub>):3382,3260,3028,2952,2874,2670,1713,1595,1492,1450,1405,1338, 1160,1120,1092/cm.

[α]<sub>D</sub>=+22.2° (CHCl<sub>3</sub>,c=1.07,22°C).

## No.1d — 5

CDCl<sub>3</sub> 300MHz

1.00-2.10(14H,m),2.30-2.39(3H,m),3.15(1H,m),3.35(3H,s),5.18-5.40(3H,m),7. 41(1H,d,t.,J=0.9and7.8Hz),7.50-7.69(3H,m),7.88-8.15(2H,m),8.60(1H,d,J=1. 5Hz),9.06(1H,s).

IR(CHCl<sub>3</sub>):3382,3268,3028,2954,2874,1714,1442,1402,1338,1188,1155,1 121,1072/cm.

[α]<sub>D</sub>=+15.3° (CHCl<sub>3</sub>,c=1.00,22°C).

## No.1e — 1

CDCl<sub>3</sub> 300MHz

1.19-2.45(19H,m),2.58(1H,m),5.63(1H,d,J=3.0Hz),7.42-7.65(4H,m),7.94-8.03 (2H,m),8.49-8.50(1H,m).

IR(CHCl<sub>3</sub>):3293,3024,1710,1595,1584,1467,1445,1410,1324,1222,1213,1206, 1190,1160/cm.



EP 0 837 052 A1

$[\alpha]_D = -41.1^\circ$  ( $\text{CHCl}_3$ ,  $c=1.01$ ,  $23^\circ\text{C}$ ).

No. 1e — 2

5  $\text{CDCl}_3$  300MHz  
1.10-2.25(19H,m), 2.94(1H,m), 4.12(3H,s), 5.53(1H,d,  $J=7.2\text{Hz}$ ), 7.39(1H,m), 7.5  
0- 7.62(3H,m), 7.96(1H,d,  $J=7.5\text{Hz}$ ), 8.13(1H,s).  
IR( $\text{CHCl}_3$ ): 3367, 3025, 2955, 1711, 1634, 1600, 1584, 1468, 1454, 1440, 1415, 1342, 1317, 1222, 1189, 1157/cm.  
10  $[\alpha]_D = +1.2^\circ$  ( $\text{CHCl}_3$ ,  $c=1.00$ ,  $25^\circ\text{C}$ ).

No. 1f — 1

$\text{CDCl}_3$  300MHz  
1.08-2.47(19H,m), 2.56(1H,m), 3.52(2H,t,  $J=6.6\text{Hz}$ ), 5.59(1H,d,  $J=2.4\text{Hz}$ ), 7.40-7.  
66(4H,m), 7.95-  
15 8.04(2H,m), 8.50(1H,d,  $J=1.8\text{Hz}$ ).  
IR( $\text{CHCl}_3$ ): 3625, 3368, 3025, 2950, 2877, 1705, 1595, 1584, 1468, 1445, 1405, 1347, 1337, 1324, 1224, 1190, 1160/cm.  
 $[\alpha]_D = -54.1^\circ$  ( $\text{CHCl}_3$ ,  $c=1.01$ ,  $23^\circ\text{C}$ ).

No. 1f — 2

20  $\text{CDCl}_3$  300MHz  
1.08-2.24(19H,m), 2.94(1H,m), 3.53(2H,t,  $J=6.3\text{Hz}$ ), 4.13(3H,s), 5.47(1H,d,  $J=6$ .  
6Hz), 7.36-  
7.63(4H,m), 7.96(1H,d,  $J=6.3\text{Hz}$ ), 8.14(1H,s).  
IR( $\text{CHCl}_3$ ): 3625, 3368, 3025, 3013, 2949, 2877, 1710, 1634, 1600, 1584, 1468, 1454,  
25 1440, 1415, 1342, 1317, 1232, 1220, 1189, 1157/cm.  
 $[\alpha]_D = -5.6^\circ$  ( $\text{CHCl}_3$ ,  $c=1.00$ ,  $25^\circ\text{C}$ ).

No. 1g — 1

30  $\text{CDCl}_3$  200MHz  
1.17-2.34(15H,m), 3.22(1H,m), 5.10-5.16(2H,m), 5.45(1H,d,  $J=7.0\text{Hz}$ ), 7.35-7.66  
(4H,m), 7.95-  
8.01(2H,m), 8.51(1H,d,  $J=2.0\text{Hz}$ ).  
IR( $\text{CHCl}_3$ ): 3383, 3275, 2959, 1707, 1595, 1584, 1468, 1445, 1425, 1319, 1269, 1248, 1190, 1149, 1123/cm.  
35  $[\alpha]_D = +64.3^\circ$  ( $\text{CHCl}_3$ ,  $c=1.01$ ,  $23^\circ\text{C}$ ).

No. 1g — 2

$\text{CDCl}_3$  300MHz  
1.10-2.15(13H,m), 2.36(2H,t,  $J=7.2\text{Hz}$ ), 3.21(1H,m), 4.09(3H,s), 5.10-5.22(2H,m  
, 5.43(1H,d,  $J=7.8\text{Hz}$ ), 7.36-  
40 7.62(4H,m), 7.96(1H,d,  $J=7.8\text{Hz}$ ), 8.12(1H,s).  
IR( $\text{CHCl}_3$ ): 3366, 2959, 1708, 1635, 1600, 1585, 1467, 1454, 1440, 1415, 1345, 1318, 1233, 1189, 1152/cm.  
 $[\alpha]_D = +103.1^\circ$  ( $\text{CHCl}_3$ ,  $c=1.01$ ,  $23^\circ\text{C}$ ).

No. 1h — 1

45  $\text{CDCl}_3$  300MHz  
0.90-1.60(17H,m), 1.83(1H,m), 2.11(1H,m), 2.22(2H,t,  $J=7.2\text{Hz}$ ), 3.07(1H,m), 5.  
11(1H,d,  $J=7.2\text{Hz}$ ), 7.38-  
7.47(1H,m), 7.50-7.60(1H,m), 7.60-7.72(2H,m), 7.88-8.12(2H,m), 8.54(1H,d,  $J=0.9\text{Hz}$ ).  
IR( $\text{CHCl}_3$ ): 3382, 3274, 2926, 1707, 1464, 1442, 1318, 1266, 1188, 1153, 1121, 1105, 1071, 1019/cm.  
50  $[\alpha]_D = -2.8^\circ$  ( $\text{CHCl}_3$ ,  $c=1.01$ ,  $23^\circ\text{C}$ ).

No. 1i — 1

$[\alpha]_{365} = +50.9^\circ$  ( $\text{CHCl}_3$ ,  $c=1.01$ ,  $24^\circ\text{C}$ ).

No. 1i — 2

$\text{CDCl}_3$  300MHz

EP 0 837 052 A1

0.98-1.70(11H,m), 1.80-2.00(5H,m), 2.19(1H,m), 3.03(1H,m), 3.64(2H,t, J=6.6 Hz), 4.05(2H,s), 4.69(1H,d, J=6.6 Hz), 5.15(1H,m), 5.25(1H,m), 7.16(2H,d, J=7.2 Hz), 7.27-7.32(5H,m), 7.77(2H,d, J=8.4 Hz).

IR(CHCl<sub>3</sub>): 3376, 3004, 2946, 2316, 1596, 1492, 1453, 1407, 1318, 1154/cm.

[α]<sub>D</sub><sup>20</sup> = +3.5° (CHCl<sub>3</sub>, c=1.00, 22°C).

mp. 80.5-82.0°C

No. 1j — 1

[α]<sub>436</sub><sup>20</sup> = -7.5±0.5° (CHCl<sub>3</sub>, c=1.05, 22°C).

No. 1j — 2

[α]<sub>D</sub><sup>20</sup> = -9.7±0.5° (CHCl<sub>3</sub>, c=1.06, 22°C).

No. 1j — 3

[α]<sub>D</sub><sup>20</sup> = +15.0±0.5° (CH<sub>3</sub>OH, c=1.06, 24.5°C).

mp. 101-108°C

No. 1j — 4

[α]<sub>D</sub><sup>20</sup> = -28.0±0.6° (CHCl<sub>3</sub>, c=1.06, 24°C).

mp. 159-161°C

1j — 5

[α]<sub>D</sub><sup>20</sup> = -12.5±0.5° (CHCl<sub>3</sub>, c=1.04, 23°C).

mp. 99-101°C

No. 1j — 6

CDCl<sub>3</sub> 300MHz

0.90-2.03(14H,m), 2.20(1H,m), 2.30(2H,t, J=7.3 Hz), 3.00(1H,m), 3.68(3H,s), 4.76 (1H,d, J=6.8 Hz), 5.13-

5.35(2H,m), 7.01-7.08(4H,m), 7.19-7.26(1H,m), 7.37-7.46 (2H,m), 7.80-7.84(2H,m).

IR(CHCl<sub>3</sub>): 3382, 3280, 3080, 3016, 2952, 2900, 1727, 1582, 1486, 1432, 1322, 1150/cm.

[α]<sub>D</sub><sup>20</sup> = -31.0° (CHCl<sub>3</sub>, c=1.05, 26°C).

No. 1j — 7

CDCl<sub>3</sub> 300MHz

0.91-2.09(14H,m), 2.15(1H,m), 2.35(2H,t, J=7.5 Hz), 3.01(1H,m), 5.17(1H,d, J=6.8 Hz), 5.21-5.34(2H,m), 7.01-

7.08(4H,m), 7.15-7.27(1H,m), 7.37-7.43(2H,m), 7.80-7.85(2H,m).

IR(CHCl<sub>3</sub>): 3474, 3386, 3270, 3024, 2958, 2900, 1711, 1584, 1488, 1420, 1323, 1298, 1150/cm.

[α]<sub>D</sub><sup>20</sup> = -13.4° (CHCl<sub>3</sub>, c=1.01, 26°C).

No. 1j — 8

CDCl<sub>3</sub> 300MHz

0.95-2.14(13H,m), 2.30(2H,t, J=7.5 Hz), 2.36(1H,m), 2.84(1H,m), 2.91(1H,t, J=4.8 Hz), 3.66(3H,s), 5.33-5.52(2H,m), 6.82-

6.87(1H,m), 6.93-7.00(2H,m), 7.09-7.15(4H,m), 7.28-7.36(2H,m), 7.54-7.59(1H,m).

IR(CHCl<sub>3</sub>): 3350, 3010, 2950, 2880, 1728, 1603, 1582, 1489, 1461, 1438, 1360, 1160 /cm.

[α]<sub>D</sub><sup>20</sup> = +75.1° (CHCl<sub>3</sub>, c=1.13, 26°C).

No. 1j — 9

CDCl<sub>3</sub> 300MHz

0.95-2.03(14H,m), 2.20(1H,m), 2.29(2H,t, J=7.5 Hz), 3.06(1H,m), 3.68(3H,s), 4.9 (1H,d, J=7.4 Hz), 5.14-

# EP 0 837 052 A1

5.34(2H,m), 7.46-7.54(2H,m), 7.60-7.68(1H,m), 7.75-7.80(2H,m), 7.88-7.92(2H,m), 7.99-8.03(2H,m).

IR(CHCl<sub>3</sub>): 3384, 3280, 3020, 2960, 2888, 1727, 1662, 1600, 1316, 1273, 1163/cm.

[α]<sub>D</sub> = -41.0° (CHCl<sub>3</sub>, c=1.17, 26°C).

## 5 No.1j — 10

CDCl<sub>3</sub>+CD<sub>3</sub>OD 300MHz

0.94-2.08(14H,m), 2.21(1H,m), 2.34(2H,t, J=6.2Hz), 3.04(1H,m), 5.21-5.35(2H, m), 5.40(1H,m), 7.49-7.58(2H,m), 7.64-7.68(1H,m), 7.79-8.06(6H,m).

10 IR(CHCl<sub>3</sub>): 3475, 3370, 3250, 3018, 2956, 2976, 2650, 1709, 1662, 1595, 1445, 1420, 1395, 1317, 1274, 1163/cm.

[α]<sub>D</sub> = -17.1° (CHCl<sub>3</sub>, c=1.13, 25°C).

## No.1j — 11

15 CDCl<sub>3</sub> 300MHz

1.06-1.98(14H,m), 2.24-2.29(3H,m), 3.13(1H,m), 3.66(3H,s), 5.10-5.24(2H,m), 5.40(1H,d, J=6.3Hz), 7.39-7.49(3H,m), 7.59-7.64(3H,m), 7.80-7.83(2H,m), 8.08-8.11(1H,m).

IR(CHCl<sub>3</sub>): 3302, 3012, 2948, 2905, 1727, 1661, 1593, 1435, 1332, 1312, 1287, 1271, 1165/cm.

[α]<sub>D</sub> = +15.6° (CHCl<sub>3</sub>, c=1.03, 26°C).

20

## No.1j — 12

CDCl<sub>3</sub> 300MHz

1.08-1.98(14H,m), 2.23(1H,m), 2.33(2H,t, J=7.5Hz), 3.16(1H,m), 5.18-5.26(2H, m), 5.39-5.45(1H,m), 7.39-7.49(3H,m), 7.60-7.64(3H,m), 7.80-7.83(2H,m), 8.09-8.12(1H,m).

25 IR(CHCl<sub>3</sub>): 3325, 3022, 2956, 2872, 2680, 1708, 1662, 1603, 1598, 1425, 1340, 1316, 1288, 1271, 1165/cm.

[α]<sub>D</sub> = +9.7° (CHCl<sub>3</sub>, c=0.52, 25°C).

## No.1j — 13

30 CDCl<sub>3</sub> 300MHz

0.95-2.00(14H,m), 2.20(1H,m), 2.27(2H,t, J=6.3Hz), 3.03(1H,m), 3.67(3H,s), 4.9 9(1H,d, J=6.6Hz), 5.12-5.31(2H,m), 7.47-7.55(2H,m), 7.60-7.69(2H,m), 7.76-7.8 1(2H,m), 7.96-8.05(1H,m), 8.08-8.14(1H,m), 8.27-8.28(1H,m).

35 IR(CHCl<sub>3</sub>): 3674, 3538, 3376, 3276, 3012, 2948, 2860, 1726, 1662, 1595, 1440, 1335, 1317, 1297, 1274, 1166, 1150/cm.

[α]<sub>D</sub> = +10.2° (CHCl<sub>3</sub>, c=1.00, 25°C).

## No.1j — 14

40 CDCl<sub>3</sub> 300MHz

0.93-2.08(14H,m), 2.21(1H,m), 2.32(2H,t, J=6.3Hz), 3.00(1H,m), 5.20-5.36(2H, m), 5.38(1H,d, J=6.2Hz), 7.50-7.55(2H,m), 7.63-7.71(2H,m), 7.77-7.81(2H,m), 7.99-8.04(1H,m), 8.10-8.18(1H,m), 8.32-8.36(1H,m).

IR(CHCl<sub>3</sub>): 3674, 3480, 3374, 3258, 3012, 2950, 2875, 2650, 1709, 1662, 1598, 1418, 1335, 1317, 1274, 1143/cm.

[α]<sub>D</sub> = +61.0° (CHCl<sub>3</sub>, c=1.19, 25°C).

45

## No.1j — 15

CDCl<sub>3</sub> 300MHz

0.90-2.00(14H,m), 2.19(1H,m), 2.30(2H,t, J=7.3Hz), 3.01(1H,m), 3.67(3H,s), 4.8 2(1H,d, J=6.6Hz), 5.14-5.34(2H,m), 7.36-7.39(3H,m), 7.53-7.57(2H,m), 7.62-7.66(2H,m), 7.83-7.88(2H,m).

50 IR(CHCl<sub>3</sub>): 3376, 3276, 3010, 2948, 2868, 2212, 1727, 1597, 1500, 1437, 1325, 1161/cm.

[α]<sub>D</sub> = -7.2° (CHCl<sub>3</sub>, c=1.00, 26°C).

## No.1j — 16

55

CDCl<sub>3</sub> 300MHz

0.93-2.03(14H,m), 2.15(1H,m), 2.36(2H,t, J=7.5Hz), 3.05(1H,m), 5.20-5.40(3H, m), 7.36-7.39(3H,m), 7.55-7.66(4H,m), 7.84-7.88(2H,m).

EP 0 837 052 A1

IR(CHCl<sub>3</sub>):3470,3376,3260,3012,2950,2868,2675,2212,1708,1596,1503,1416, 1396,1322,1160.

[α]<sub>D</sub>=-22.4° (CHCl<sub>3</sub>,c=1.00,26°C).

No.1j — 17

5

CDCl<sub>3</sub> 300MHz

1.00-1.60(9H,m)1.79-1.89(5H,m)2.17(1H,brs),2.23(2H,t,J=7.2Hz),3.03(1H, m),5.10-5.23(2H,m),5.49(1H,d,J=6.6Hz),7.40(1H,t,J=7.4Hz),7.53(1H,t,J=7.2 Hz),7.60-7.68(2H,m),7.98-8.03(2H,m),8.55(1H,d,J=1.5Hz).

10

IR(CHCl<sub>3</sub>):3516,3384,3270,2666,1708,1632,1595,1584,1467,1445,1425,1374, 1345,1321,1269,1248,1218/cm.

[α]<sub>D</sub>= -7.8° (CHCl<sub>3</sub>,c=1.01,22°C).

No.1j — 18

15

CDCl<sub>3</sub> 300MHz

0.90-2.03(14H,m),2.19(1H,m),2.30(2H,t,J=7.5Hz),3.00(1H,m),3.67(3H,s),4.8 0(1H,d,J=6.4Hz),5.14-5.35(2H,m),6.99-7.04(2H,m),7.16-7.22(2H,m),7.34-7.4 9(4H,m),7.57-7.61(1H,m).

IR(CHCl<sub>3</sub>):3376,3276,3012,2948,2875,1727,1583,1488,1471,1432,1330,1311, 1150/cm.

[α]<sub>D</sub>=+54.0° (CHCl<sub>3</sub>,c=0.99,25°C).

20

No.1j — 19

CDCl<sub>3</sub> 300MHz

0.91-2.09(14H,m),2.15(1H,m),2.34(2H,t,J=7.5Hz),3.01(1H,m),5.16(1H,d,J=6. 6Hz),5.24-5.40(2H,m),7.01-7.08(2H,m),7.15-7.25(2H,m),7.35-7.53(4H,m),7.5 9-7.65(1H,m).

25

IR(CHCl<sub>3</sub>):3470,3376,3260,3012,2950,2875,2640,1708,1583,1488,1471,1430, 1335,1305,1149/cm.

[α]<sub>D</sub>= -21.0° (CHCl<sub>3</sub>,c=1.30,25°C).

No.1j — 20

30

CDCl<sub>3</sub> 300MHz

1.17(1H,m),1.26-1.34(2H,m),1.54-2.24(11H,m),2.31(2H,t,J=7.4Hz),2.48(1H, brs),3.37(1H,m),3.67(3H,s),5.35-5.50(2H,m),7.39-7.68(9H,m).

35

IR(CHCl<sub>3</sub>):3377,1727,1601,1435,1362,1168/cm.

No. 1j — 21

CDCl<sub>3</sub> 300MHz

1,10-2.25(14H,m),2.36(2H,t,J=7.2Hz),2.47(1H,m),2.89(1H,m),5.35-5.53(2H, m),5.63(1H,d,J=7.2Hz),7.40-7.71(9H,m).

40

IR(CHCl<sub>3</sub>):3674,3496,3374,3234,3010,2952,2870,2640,1730(sh),1710,1605,1 485,1425,1360,1167/cm.

[α]<sub>D</sub>=-43.0° (CHCl<sub>3</sub>,c=1.01,25°C).

No.1j — 22

45

CDCl<sub>3</sub> 300MHz

0,98-1.95(14H,m),2.25-2,31(3H,m),2.95(1H,m),5.19-5.30(2H,m),5.33(1H,d,J =3.9Hz),6.58(1H,d,J=7.5Hz),6.80(1H,t,J=7.5Hz),6.99-7.05(1H,m),7.44-7.53( 6H,m),7.60-7.73(9H,m),7.94-7.73(3H,m),8.23-8.26(2H,m),10.66(1H,s).

50

IR(CHCl<sub>3</sub>):3475,3372,3260,3008,2952,2868,2722,1725,1710(sh),1663,1590,1 571,1525,1448,1437,1345,1314,1161,1112/cm.

[α]<sub>D</sub>=+12.9° (CHCl<sub>3</sub>,c=0.12,23°C).

No.1j — 23

55

CDCl<sub>3</sub> 300MHz

0.94~1.94(14H,m),2.23-2.30(3H,m),2.98(1H,m),3.68(3H,s),5.09(1H,d,J=6.2H z),5.15-5.28(2H,m),7.14-7.22(1H,m),7.34-7.42(2H,m),7.68-7.73(2H,m),7.89-8. 03(4H,m),8.51(1H,s).

# EP G 837 052 A1

IR(CHCl<sub>3</sub>):3372,3275,1724,1673,1599,1438,1320,1161/cm.

[α]<sub>D</sub>= +17.0° (CHCl<sub>3</sub>,c=1.38,25°C).

## No.1j — 24

5

CDCl<sub>3</sub>+CD<sub>3</sub>OD 300MHz

0.96-2.05(14H,m),2.25-2.34(3H,m),2.92(1H,m),5.16-5.34(2H,m),7.14-7.22(1H,m),7.29-7.42(2H,m),7.70(2H,d,J=7.6Hz),7.92-8.05(4H,m).

IR(CHCl<sub>3</sub>):3616,3426,3375,3010,2950,2828,2645,1708,1672,1599,1439,1323, 1161/cm.

10

[α]<sub>D</sub>=+21.0° (CH<sub>3</sub>OH,c=1.00,22°C).

## No.1j — 25

15

CDCl<sub>3</sub> 300MHz

1.03(1H,m),1.18-2.01(13H,m),2.20(1H,brs),2.27(2H,t,J=7.4Hz),3.08(1H,m),3.66(3H,s),5.11(1H,d,J=6.6Hz),5.14-5.34(2H,m),7.54-7.62(3H,m),8.04-8.32(6H, m).

IR(CHCl<sub>3</sub>):3384,3278,1726,1605,1484,1448,1331,1161/cm.

## No.1j — 26

20

CDCl<sub>3</sub>+CD<sub>3</sub>OD 300MHz

1.03-2.10(14H,m),2.22(1H,m),2.31(2H,t,J=7.5Hz),2.98(1H,m),5.23-5.38(2H,m),7.55-7.66(3H,m),8.05-8.08(2H,m),8.14-8.18(2H,m),8.28-8.31(2H,m).

IR(Nujol):3260,2720,2660,1711,1545,1460,1317,1163/cm.

25

[α]<sub>D</sub>=+15.8° (CH<sub>3</sub>OH,c=1.01,22°C).

## No.1j — 27

30

[α]<sub>D</sub>= +16.7° (CHCl<sub>3</sub>,c=1.00,23°C).

## No.1j — 28

35

CDCl<sub>3</sub> 300MHz

1.01(1H,m),1.14-1.29(2H,m),1.46-2.19(11H,m),2.33(2H,t,J=7.2Hz),2.41(1H,brs),3.18-3.21(5H,m),3.68(3H,s),3.73-3.76(4H,m),4.37(1H,d,J=7.2Hz),5.35-5.45(2H,m).

IR(CHCl<sub>3</sub>):3392,1727,1435,1335,1148/cm.

[α]<sub>D</sub>= +10.7°(CHCl<sub>3</sub>,c=1.39,26°C).

## No.1j — 29

40

CDCl<sub>3</sub> 300MHz

1.00(1H,m),1.20-1.29(2H,m),1.48-2.25(12H,m),2.37(2H,t,J=7.2Hz),3.17-3.22(5H,m),3.74-3.79(4H,m),4.79(1H,d,J=7.8Hz),5.34-5.54(2H,m).

IR(CHCl<sub>3</sub>):3470,3390,3270,2675,1709,1455,1420,1315,1147/cm.

45

[α]<sub>D</sub>= +16.8°(CHCl<sub>3</sub>,c=1.42,26°C).

## No.1k — 1

50

[α]<sub>D</sub>= -25.4° (CHCl<sub>3</sub>,c=1.08,23°C).

## No.1k — 2

55

CDCl<sub>3</sub> 200MHz

1.07-2.28(14H,m),2.32(2H,t,J=7.4Hz),2.63(1H,m),3.63(3H,s),3.93(1H,m),5.35-5.52(2H,m),6.35(1H,d,J=7.0Hz),7.48-7.60(3H,m),7.88-8.02(6H,m).

IR(CHCl<sub>3</sub>):3438,3002,2946,2868,1727,1652,1514,1485,1363,1310,1245,1154 /cm.

[α]<sub>D</sub>=-80.4° (CHCl<sub>3</sub>,c=1.01,24.0°C).

# EP 0 837 052 A1

## No.1k — 3

CDCl<sub>3</sub> 200MHz  
 1.10-2.26(14H,m),2.37(2H,t,J=7.2Hz),2.60(1H,m),3.93(1H,m),5.30-5.50(2H, m),6.33(1H,d,J=7.5Hz),7.48-  
 5 7.58(3H,m),7.88-7.99(6H,m).  
 IR(CHCl<sub>3</sub>):3446,3004,2952,2874,1709,1652,1515,1485,1305,1153 /cm.  
 [α]<sub>D</sub>=-96.4° (CHCl<sub>3</sub>,c=1.05,23.0°C).

## No.1k — 4

CDCl<sub>3</sub> 300MHz  
 1.05-2.17(14H,m),2.38(2H,t,J=7.2Hz),2.52(1H,m),3.81(1H,m),5.33-5.50(2H, m),6.08(1H,d,J=7.6Hz),7.39-  
 10 7.53(3H,m),7.57-7.62(6H,m).  
 IR(CHCl<sub>3</sub>):3420,3250,3008,2948,2870,2660,2208,1735(sh),1705,1640,1500/cm.  
 15 [α]<sub>D</sub>=-21.9±0.6° (CHCl<sub>3</sub>,c=1.02,22°C).

## No.1k — 5

CDCl<sub>3</sub> 300MHz  
 20 1.05-2.14(14H,m),2.38(2H,t,J=7.2Hz),2.51(1H,m),3.81(1H,m),5.34-5.46(2H, m),6.07(1H,d,J=7.6Hz),7.33-  
 7.56(5H,m).  
 IR(CHCl<sub>3</sub>):3422,3250,3010,2950,2876,2664,2558,2210,1735(sh),1705,1645,1502,1441,1410,1307,1276/cm.  
 [α]<sub>D</sub>=-63.6±1.9° (CHCl<sub>3</sub>,c=0.56,22°C).

## 25 No.1k — 6

CDCl<sub>3</sub> 300MHz  
 1.04-2.24(14H,m),2.36(2H,t,J=7.5Hz),2.58(1H,m),3.88(1H,m),5.30-5.43(2H, m),6.21(1H,d,J=7.2Hz),7.41-  
 30 7.49(3H,m),7.73-7.77(2H,m).  
 IR(CHCl<sub>3</sub>):3447,3011,2955,1708,1653,1603,1578,1515,1486,1457,1312,1211, 1164/cm.  
 [α]<sub>D</sub>=-60.3° (CHCl<sub>3</sub>,c=1.00,23°C).

## No.1k — 7

CDCl<sub>3</sub> 300MHz  
 35 1.04-2.22(14H,m),2.36(2H,t,J=7.2Hz),2.57(1H,m),3.87(1H,m),5.30-5.44(2H, m),6.17(1H,d,J=8.7Hz),6.99-  
 7.40(7H,m),7.73(2H,d,J=7.5Hz).  
 IR(CHCl<sub>3</sub>):3449,3013,2955,1739,1708,1651,1609,1588,1522,1487,1243,1227, 1169/cm.  
 40 [α]<sub>D</sub>=-60.2° (CHCl<sub>3</sub>,c=0.92,23°C).

## No.1k — 8

CDCl<sub>3</sub> 300MHz  
 45 1.04-2.25(14H,m),2.34(2H,t,J=7.5Hz),2.56(1H,m),3.87(1H,m),5.30-5.44(2H, m),6.19(1H,d,J=7.5Hz),6.83-  
 6.94(6H,m),7.69(2H,d,J=8.7Hz).  
 IR(CHCl<sub>3</sub>):3599,3455,3012,2955,1711,1644,1604,1577,1524,1507,1492,1290, 1236,1197,1170/cm.  
 [α]<sub>D</sub>=-47.7° (CHCl<sub>3</sub>,c=1.01,22°C).

## No.1k — 9

CDCl<sub>3</sub> 300MHz  
 50 1.04-2.20(14H,m),2.31(3H,s),2.36(2H,t,J=7.2Hz),2.56(1H,m),3.86(1H,m),5.3  
 5.43(2H,m),6.16(1H,d,J=7.2Hz),7.00-7.11(6H,m),7.74(2H,d,J=8.7Hz).  
 IR(CHCl<sub>3</sub>):3450,3010,2955,1750,1709,1651,1609,1596,1523,1489,1370,1247, 1227,1183/cm.  
 55 [α]<sub>D</sub>=-54.7° (CHCl<sub>3</sub>,c=1.01,22°C).

EP 0 837 052 A1

No.1k — 10

CDCl<sub>3</sub> 300MHz

1.04-2.22(14H,m),2.35(2H,t,J=7.2Hz),2.56(1H,m),3.82(3H,s),3.86(1H,m),5.3

0.5-

43(2H,m),6.17(1H,d,J=6.9Hz),6.89-7.01(6H,m),7.70(2H,d,J=8.7Hz).

IR(CHCl<sub>3</sub>):3023,2955,1742,1708,1649,1613,1602,1577,1522,1507,1490,1227, 1210,1170/cm.

[α]<sub>D</sub>=-58.1° (CHCl<sub>3</sub>,c=1.01,22°C).

No.1m — 1

CDCl<sub>3</sub> 300MHz

1.06-2.25(14H,m),2.32(2H,t,J=7.4Hz),2.61(1H,m),3.63(3H,s),3.91(1H,m),5.3

3-

5.47(2H,m),6.24(1H,d,J=6.9Hz),7.35-7.38(3H,m),7.53-7.60(4H,m),7.75-7.78(2H,m).

IR(CHCl<sub>3</sub>):3438,3008,2946,2875,2212,1732,1650,1605,1519,1496/cm.

[α]<sub>D</sub>= +76° (CHCl<sub>3</sub>,c=1.39,24°C)

No.1m — 2

CDCl<sub>3</sub> 300MHz

1.05-2.20(14H,m),2.36(2H,t,J=6.2Hz),2.59(1H,m),3.89(1H,m),5.29-5.48(2H, m),6.26(1H,d,J=7.0Hz),7.26-

7.38(3H,m),7.52-7.60(4H,m),7.73-7.77(2H,m).

IR(CHCl<sub>3</sub>):3444,3012,2952,2874,2664,2214,1718(sh),1708,1649,1605,1520,1498/cm.

[α]<sub>D</sub>= +81.4° (CHCl<sub>3</sub>,c=1.01,23°C)

No.1m — 3

CDCl<sub>3</sub> 300MHz

1.06-2.23(14H,m),2.32(2H,t,J=7.0Hz),2.62(1H,m),3.63(3H,s),3.93(1H,m),5.3

0-

5.50(2H,m),6.28(1H,d,J=7.0Hz),7.38-7.51(3H,m),7.58-7.67(4H,m),7.83-7.88(2H,m).

IR(CHCl<sub>3</sub>):3438,3008,2948,2875,1783(w),1727,1650,1608,1580(w),1523,1501,1482/cm.

[α]<sub>D</sub>= +59° (CHCl<sub>3</sub>,c=1.49,25°C)

No.1m — 4

CDCl<sub>3</sub> 300MHz

1.08-2.25(14H,m),2.36(2H,t,J=7.4Hz),2.59(1H,m),3.91(1H,m),5.28-5.48(3H, m),6.29(1H,d,J=7.4Hz),7.38-

7.50(3H,m),7.61-7.67(4H,m),7.81-7.86(2H,m).

IR(CHCl<sub>3</sub>):3436,3010,2948,2868,1727,1715(sh),1649,,1615(w),1524,1502,1482,1372/cm.

[α]<sub>D</sub>= +72° (CHCl<sub>3</sub>,c=0.98,25°C)

No.1m — 5

CDCl<sub>3</sub> 300MHz

1.09-2.20(14H,m),2.32(2H,t,J=7.2Hz),2.63(1H,m),3.63(3H,s),3.92(1H,m),5.3

1-

5.51(2H,m),6.35(1H,d,J=7.0Hz),7.51-7.60(3H,m),7.92-7.97(6H,m).

IR(CHCl<sub>3</sub>):3436,3008,2946,2875,1727,1652,1608(w),1515,1484/cm.

[α]<sub>D</sub>= +82° (CHCl<sub>3</sub>,c=0.99,25°C)

No.1m — 6

CDCl<sub>3</sub> 300MHz

1.09-2.23(14H,m),2.37(2H,t,J=7.2Hz),2.60(1H,m),3.92(1H,m),5.30-5.49(2H, m),6.32(1H,d,J=7.4Hz),7.51-

7.55(3H,m),7.85-7.98(6H,m).

IR(CHCl<sub>3</sub>):3436,3010,2950,2875,2670,1727,1715(sh),1650,1605(w),1515,1484/cm.

[α]<sub>D</sub>= +84° (CHCl<sub>3</sub>,c=1.54,25°C)

# EP 0 837 052 A1

## No. 1m — 7

CDCl<sub>3</sub> 300MHz

1.03-2.18(14H,m),2.32(2H,t,J=7.4Hz),2.59(1H,m),3.64(3H,s),3.89(1H,m),5.2

5.49(2H,m),6.16(1H,d,J=7.8Hz),6.98-7.06(4H,m),7.14-7.20(1H,m),7.34-7.41(2H,m),7.73-7.78(2H,m).

IR(CHCl<sub>3</sub>):3438,3008,2946,2868,1727,1648,1610,1586,1519,1485/cm.

[α]<sub>D</sub>= +54° (CHCl<sub>3</sub>,c=1.29,25°C).

9-

## No. 1m — 8

CDCl<sub>3</sub> 300MHz

1.06-2.21(14H,m),2.36(2H,t,J=7.5Hz),2.58(1H,m),3.88(1H,m),5.31-5.46(2H,m),6.17(1H,d,J=6.9Hz),6.99-7.05(4H,m),7.15-7.21(1H,m),7.36-7.41(2H,m),7.72-7.75(2H,m).

IR(CHCl<sub>3</sub>):3436,3010,2948,2868,2675,1730(sh),1709,1647,1608,1586,1520,1485/cm.

[α]<sub>D</sub>= +56° (CHCl<sub>3</sub>,c=0.97,25°C)

## No. 1m — 9

CDCl<sub>3</sub> 300MHz

1.05-2.18(14H,m),2.29-2.34(5H,m),2.59(1H,m),3.64(3H,s),3.89(1H,m),5.32-5.46(2H,m),6.16(1H,d,J=7.5Hz),7.00-7.11(6H,m),7.74-7.77(2H,m).

IR(CHCl<sub>3</sub>):3440,3010,2946,2868,1729,1649,1595,1519,1488/cm.

[α]<sub>D</sub>= +47° (CHCl<sub>3</sub>,c=0.82,25°C).

## No. 1m — 10

CDCl<sub>3</sub> 300MHz

1.04-2.20(14H,m),2.31-2.39(5H,m),2.57(1H,m),3.87(1H,m),5.28-5.47(2H,m),6.17(1H,d,J=7.0Hz),6.99-7.12(6H,m),7.72-7.76(2H,m).

IR(CHCl<sub>3</sub>):3674,3572,3438,3010,2948,2868,2626,1748,1710,1648,1615,1595,1520,1489/cm.

[α]<sub>D</sub>= +51° (CHCl<sub>3</sub>,c=0.91,25°C)

## No. 1m — 11

CDCl<sub>3</sub> 300MHz

1.04-2.16(14H,m),2.31(2H,t,J=7.2Hz),2.59(1H,m),3.63(3H,s),3.89(1H,m),5.2

5.49(2H,m),6.24(1H,d,J=7.4Hz),6.54(1H,s),6.83-6.93(6H,m),7.69-7.73(2H,m).

IR(CHCl<sub>3</sub>):3674,3588,3438,3296,3010,2946,2868,1725,1646,1603,1520,1504,1489/cm.

[α]<sub>D</sub>= +51° (CHCl<sub>3</sub>,c=0.91,25°C)

9-

## No. 1m — 12

CDCl<sub>3</sub> 300MHz

1.04-2.21(14H,m),2.33(2H,t,J=8.0Hz),2.56(1H,m),3.87(1H,m),5.28-5.48(2H,m),6.23(1H,d,J=8.0Hz),6.75(1H,m),6.87-6.94(6H,m),7.66-7.71(2H,m),9.63(1H,brs).

IR(CHCl<sub>3</sub>):3674,3582,3436,3275,3010,2950,2868,2675,1727,1710(sh),1643,1603,1522,1504,1490/cm.

[α]<sub>D</sub>= +30° (CHCl<sub>3</sub>,c=0.97,25°C)

## No. 1m — 13

CDCl<sub>3</sub> 300MHz

1.01-2.18(14H,m),2.31(2H,t,J=7.4Hz),2.58(1H,m),3.63(3H,s),3.82(3H,s),3.89

5.48(2H,m),6.14(1H,d,J=7.0Hz),6.88-7.02(6H,m),7.70-7.74(2H,m).

IR(CHCl<sub>3</sub>):3442,3402,3004,2946,2868,1727,1648,1600,1518,1499/cm.

[α]<sub>D</sub>= +42° (CHCl<sub>3</sub>,c=1.82,26°C)

(1H,m),5.29-



EP 0 837 052 A1

No.1m — 14

CDCl<sub>3</sub> 300MHz

1.05-2.21(14H,m),2.35(2H,t,J=7.2Hz),2.55(1H,m),3.82(3H,s),3.88(1H,m),5.2

5.46(2H,m),6.16(1H,d,J=7.2Hz),6.88-7.02(6H,m),7.68-7.73(2H,m).

IR(CHCl<sub>3</sub>):3438,3012,2948,2870,2650,1730(sh),1709,1647,1615(sh),1601,1519,1492/cm.

[α]<sub>D</sub>=+64° (CHCl<sub>3</sub>,c=0.70,25°C)

7-

No.1m — 15

CDCl<sub>3</sub> 300MHz

1.05-2.20(14H,m),2.29-2.36(5H,m),2.62(1H,m),3.63(3H,s),3.92(1H,m),5.30-5.

50(2H,m),6.25(1H,d,J=7.2Hz),7.16-7.21(2H,m),7.59-7.64(4H,m),7.83-7.87(2H,m).

IR(CHCl<sub>3</sub>):3446,3010,2946,2868,1745(sh),1728,1650,1615,1525,1507,1486/cm.

[α]<sub>D</sub>=+65.0° (CHCl<sub>3</sub>,c=1.02,23°C)

No.1m — 16

CDCl<sub>3</sub> 300MHz

1.08-2.21(14H,m),2.34-2.40(5H,m),2.59(1H,m),3.90(1H,m),5.29-5.48(2H,m),

6.29(1H,d,J=7.0Hz),7.18(2H,d,J=8.6Hz),7.58-7.64(4H,m),7.83(2H,d,J=8.2Hz)

IR(CHCl<sub>3</sub>):3438,3012,2948,2870,2622,1749,1710,1649,1610,1526,1508,1487/cm.

[α]<sub>D</sub>=+66° (CHCl<sub>3</sub>,c=1.21,24°C)

No.1m — 17

CDCl<sub>3</sub> 300MHz

1.06-2.19(14H,m),2.32(2H,t,J=7.2Hz),2.62(1H,m),3.63(3H,s),3.93(1H,m),5.3

5.50(2H,m),6.32(1H,d,J=7.6Hz),6.41(1H,s),6.94(2H,d,J=9.0Hz),7.47(2H,d,

J=9.0Hz),7.58(2H,d,J=8.6Hz),7.81(2H,d,J=8.6Hz).

IR(CHCl<sub>3</sub>):3580,3434,3284,3010,2946,2868,1726,1646,1606,1528,1490/cm.

[α]<sub>D</sub>=+62.4° (CHCl<sub>3</sub>,c=1.01,23°C)

0-

No.1m — 18

CDCl<sub>3</sub>+CD<sub>3</sub>OD 300MHz

1.11-2.18(14H,m),2.32(2H,t,J=7.4Hz),2.59(1H,m),3.88(1H,m),5.30-5.49(2H,

m),6.55(1H,d,J=7.0Hz),6.92(2H,d,J=8.6Hz),7.47(2H,d,J=8.6Hz),7.59(2H,d,J=8.6Hz),7.79(2H,d,J=8.2Hz).

IR(Nujol):3398,3175,2725,1696,1635,1601,1531,1510/cm.

[α]<sub>D</sub>=+99.5° (CH<sub>3</sub>OH,c=1.011,25°C)

No.1m — 19

CDCl<sub>3</sub> 300MHz

1.05-2.20(14H,m),2.32(2H,t,J=7.4Hz),2.61(1H,m),3.63(3H,s),3.86(3H,s),3.94

5.50(2H,m),6.24(1H,d,J=7.0Hz),6.99(2H,d,J=8.6Hz),7.53-7.63(4H,m),7.82(2H,d,J=8.6Hz).

IR(CHCl<sub>3</sub>):3440,3006,2946,2875,1726,1649,1606,1527,1510,1489/cm.

[α]<sub>D</sub>=+68° (CHCl<sub>3</sub>,c=0.88,26°C)

(1H,m),5.30-

No.1m — 20

CDCl<sub>3</sub> 300MHz

1.09-2.20(14H,m),2.35(2H,t,J=7.3Hz),2.58(1H,m),3.85(3H,s),3.89(1H,m),5.2

5.48(2H,m),6.35(1H,d,J=7.2Hz),6.98(2H,d,J=8.8Hz),7.51-7.61(4H,m),7.81(2H,d,J=8.4Hz),8.34(1H,brs).

IR(CHCl<sub>3</sub>):3446,3012,2952,2881,2640,1730(sh),1707,1647,1606,1527,1510,1489/cm.

8-

EP 0 837 052 A1

$[\alpha]_D^{+83^\circ}$  ( $\text{CHCl}_3$ ,  $c=1.00$ ,  $25^\circ\text{C}$ ).

No. 1m — 21

5  $\text{CDCl}_3$  300MHz  
1.05-2.14(14H,m), 2.37(2H,t,  $J=7.2\text{Hz}$ ), 2.51(1H,m), 3.81(1H,m), 5.34-5.46(2H, m), 6.11(1H,d,  $J=7.5\text{Hz}$ ), 7.33-7.48(3H,m), 7.53-7.55(2H,m).  
IR( $\text{CHCl}_3$ ): 3420, 3250, 3008, 2948, 2870, 2660, 2210, 1735(sh), 1705, 1645, 1503, 1441, 1409/cm.  
10  $[\alpha]_D^{+59.2\pm 1.0^\circ}$  ( $\text{CHCl}_3$ ,  $c=1.023$ ,  $22^\circ\text{C}$ ).

No. 1m — 22

$\text{CDCl}_3$  300MHz  
1.05-2.17(14H,m), 2.37(2H,t,  $J=7.2\text{Hz}$ ), 2.52(1H,m), 3.82(1H,m), 5.32-5.47(2H, m), 6.20(1H,d,  $J=7.6\text{Hz}$ ), 7.38-7.53(3H,m), 7.58-7.61(6H,m), 9.11(1H,brs).  
15 IR( $\text{CHCl}_3$ ): 3420, 3250, 3010, 2984, 2870, 2675, 2208, 1730(sh), 1705, 1640, 1500, 1406/cm.  
 $[\alpha]_D^{+57.4^\circ}$  ( $\text{CHCl}_3$ ,  $c=1.83$ ,  $23^\circ\text{C}$ ).

No. 1m — 23

20  $\text{CDCl}_3$  300MHz  
1.05-2.18(14H,m), 2.31(2H,t,  $J=7.5\text{Hz}$ ), 2.60(1H,m), 3.63(3H,s), 3.90(1H,m), 5.3 2-5.47(2H,m), 6.22(1H,d,  $J=6.9\text{Hz}$ ), 7.40-7.49(3H,m), 7.76-7.79(2H,m).  
IR( $\text{CHCl}_3$ ): 3438, 3008, 2946, 2868, 1727, 1651, 1603, 1585, 1512, 1484/cm.  
25  $[\alpha]_D^{+52^\circ}$  ( $\text{CHCl}_3$ ,  $c=1.49$ ,  $25^\circ\text{C}$ ).

No. 1m — 24

$\text{CDCl}_3$  300MHz  
30 1.05-2.21(14H,m), 2.36(2H,t,  $J=7.2\text{Hz}$ ), 2.57(1H,m), 3.89(1H,m), 5.28-5.47(2H, m), 6.22(1H,d,  $J=7.0\text{Hz}$ ), 7.39-7.55(3H,m), 7.73-7.79(2H,m).  
IR( $\text{CHCl}_3$ ): 3676, 3572, 3436, 3010, 2948, 2875, 1730(sh), 1709, 1650, 1600, 1580, 1514, 1484/cm.  
 $[\alpha]_D^{+57^\circ}$  ( $\text{CHCl}_3$ ,  $c=0.97$ ,  $26^\circ\text{C}$ ).

35 No. 1m — 25

$\text{CDCl}_3$  300MHz  
1.04-2.18(14H,m), 2.28-2.35(5H,m), 2.59(1H,m), 3.62(3H,s), 3.88(1H,m), 5.29-5.49(2H,m), 6.20(1H,d,  $J=7.2\text{Hz}$ ), 7.15(2H,d,  $J=9.0\text{Hz}$ ), 7.80(2H,d,  $J=8.8\text{Hz}$ ).  
40 IR( $\text{CHCl}_3$ ): 3436, 3010, 2946, 2868, 1752, 1727, 1653, 1602, 1519, 1491/cm.  
 $[\alpha]_D^{+53^\circ}$  ( $\text{CHCl}_3$ ,  $c=1.63$ ,  $25^\circ\text{C}$ ).

No. 1m — 26

45  $\text{CDCl}_3$  300MHz  
1.05-2.19(14H,m), 2.32-2.38(5H,m), 2.56(1H,m), 3.88(1H,m), 5.29-5.47(2H,m), 6.25(1H,d,  $J=7.4\text{Hz}$ ), 7.15(2H,d,  $J=9.0\text{Hz}$ ), 7.78(2H,d,  $J=8.6\text{Hz}$ ).  
IR( $\text{CHCl}_3$ ): 3434, 3016, 3006, 2948, 2880, 2622, 1752, 1730(sh), 1710, 1651, 1605, 1520, 1492/cm.  
50  $[\alpha]_D^{+58^\circ}$  ( $\text{CHCl}_3$ ,  $c=3.68$ ,  $24^\circ\text{C}$ ).

No. 1m — 27

$\text{CDCl}_3$  300MHz  
1.05-2.16(14H,m), 2.30(2H,t,  $J=7.5\text{Hz}$ ), 2.57(1H,m), 3.62(3H,s), 3.87(1H,m), 5.2 7-5.47(2H,m), 6.32(1H,d,  $J=7.4\text{Hz}$ ), 6.85(2H,d,  $J=8.6\text{Hz}$ ), 7.62(2H,d,  $J=8.6\text{Hz}$ ), 8.35(1H,s).  
55 IR( $\text{CHCl}_3$ ): 3580, 3450, 3216, 3010, 2946, 2868, 1726, 1640, 1608, 1584, 1528, 1496/cm.  
 $[\alpha]_D^{+56.2^\circ}$  ( $\text{CHCl}_3$ ,  $c=0.713$ ,  $23^\circ\text{C}$ ).

EP 0 837 052 A1

No.1m — 28

CDCl<sub>3</sub> 200MHz  
 1.10-2.25(14H,m),2.32(2H,t,J=7.2Hz),2.55(1H,brs),3.82-3.93(1H,m),5.27-5.4  
 5 7(2H,m),6.25(1H,d,J=7.4Hz),6.86(2H,d,J=8.6Hz),7.62(2H,d,J=8.6Hz).  
 IR(CHCl<sub>3</sub>):3438,3242,2675,1730(sh),1708,1639,1607,1585/cm.

No.1m — 29

10 CDCl<sub>3</sub> 300MHz  
 1.05-2.18(14H,m),2.31(2H,t,J=7.4Hz),2.58(1H,m),3.64(3H,s),3.85(3H,s),3.89 (1H,m),5.29-  
 5.48(2H,m),6.14(1H,d,J=6.6Hz),6.92(2H,d,J=9.0Hz),7.74(2H,d,J=9.0Hz).  
 IR(CHCl<sub>3</sub>):3445,3008,2946,2868,1727,1646,1606,1578,1523,1493/cm.  
 15 [α]<sub>D</sub>=+53° (CHCl<sub>3</sub>,c=2.03,24°C)

No.1m — 30

20 CDCl<sub>3</sub> 300MHz  
 1.04-2.21(14H,m),2.36(2H,t,J=7.3Hz),2.56(1H,m),3.85(3H,s),3.88(1H,m),5. 27-  
 5.46(2H,m),6.15(1H,d,J=7.2Hz),6.92(2H,d,J=8.6Hz),7.73(2H,d,J=8.6Hz)  
 IR(CHCl<sub>3</sub>):3440,3010,2950,2870,2645,1727,1710(sh),1646,1606,1575,1524,1494/cm.  
 [α]<sub>D</sub>=+62° (CHCl<sub>3</sub>,c=1.10,24°C).

No.1m — 31

25 CDCl<sub>3</sub>+CD<sub>3</sub>OD 300MHz  
 1.16-2.20(14H,m),2.31(2H,t,J=7.2Hz),2.59(1H,m),3.85(1H,m),5.31-5.51(2H, m),7.13-7.21(1H,m),7.31-  
 7.42(2H,m),7.68-7.93(6H,m).  
 IR(Nujol):3344,3175,2715,2675,1699,1631,1566/cm.  
 30 [α]<sub>D</sub>=+67° (CH<sub>3</sub>OH,c=1.01,24°C).

No.1m — 32

35 CDCl<sub>3</sub> 200MHz  
 1.09-2.23(14H,m),2.33(2H,t,J=7.1Hz),2.57(1H,brs),3.40-3.93(9H,m),4.41(1H, brs),5.29-  
 5.48(2H,m),6.44(1H,d,J=7.4Hz),7.43(2H,d,J=8.2Hz),7.80(2H,d,J=7.8Hz).  
 IR(CHCl<sub>3</sub>):3434,3354,1726,1720(sh),1660(sh),1626/cm.

No.1m — 33

40 CDCl<sub>3</sub> 200MHz  
 1.14-2.25(14H,m),2.37(2H,t,J=7.3Hz),2.64(1H,brs),3.93-4.01(1H,m),5.30-5.51 (2H,m),6.47(1H,d,J=7.4Hz),7.63-  
 7.74(2H,m),7.79(2H,s),7.89-7.93(1H,m),8.00(1H,dd,J=2.3,1.0Hz),8.30(1H,d,J=1.0Hz),8.65-8.73(2H,m).  
 45 IR(CHCl<sub>3</sub>):3450,2675,1728,1707,1649,1528,1509/cm.  
 [α]<sub>D</sub>=+82.8±1.2° (CHCl<sub>3</sub>,c=1.01,23°C).

No.2a-1

50 [α]<sub>D</sub>=+69.0° (MeOH,c=1.01,25°C)

No.2a-2

55 CDCl<sub>3</sub> 300MHz  
 0.99(1H,d,J=10.2Hz),1.15 and 1.24(each 3H,each s),1.50-2.50(14H,m),4.30(1H,m),5.35-  
 5.52(2H,m),6.32(1H,d,J=8.7Hz),7.36-7.49(3H,m),7.58-7.62(2H,m),7.66 and 7.80(each 2H,each d,J=8.7Hz).  
 IR(CHCl<sub>3</sub>):3116,3014,2925,2870,2663,1708,1651,1610,1524,1504,1484,1472 /cm.  
 [α]<sub>D</sub>= +64.1° (MeOH,c=1.02,25°C).

EP 0 837 052 A1

No.2a-3

$[\alpha]_D^{25} = +76.6^\circ$  (MeOH, c=1.18, 26°C).

5 No.2a-4

CDCl<sub>3</sub> 300MHz

0.99(1H,d,J=10.2Hz), 1.15 and 1.25(each 3H,each s), 1.64-2.51(14H,m), 4.3 1(1H,m), 5.36-5.53(2H,m), 6.33(1H,d,J=8.4z), 7.50-7.56(3H,m), 7.85-7.98(6H, m).

10 IR(CHCl<sub>3</sub>): 3515, 3452, 3014, 2925, 2870, 1740, 1708, 1654, 1517, 1486, 1470 /cm.

$[\alpha]_D^{25} = +79.5^\circ$  (MeOH, c=1.18, 22°C).

No.2a-5

15 CD<sub>3</sub>OD 300MHz

0.98(1H,d,J=9.9Hz), 1.18 and 1.25(each 3H,each s), 1.56-1.71(3H,m), 1.98-2.40(11H,m), 4.17(1H,m), 5.41-5.52(2H,m), 7.52-7.61(3H,m), 7.91-8.01(6H,m).

IR(KBr): 3416, 3063, 2983, 2921, 2869, 1704, 1643, 1566, 1518, 1488, 1408 /cm.

20  $[\alpha]_D^{25} = +62.0^\circ$  (MeOH, c=1.00, 25°C).

No.2a-6

$[\alpha]_D^{25} = +64.1^\circ$  (MeOH, c=1.01, 25°C).

25 No.2a-7

$[\alpha]_D^{25} = +65.3^\circ$  (MeOH, c=0.99, 25°C).

No.2a-8

30

$[\alpha]_D^{25} = +74.0^\circ$  (MeOH, c=1.01, 25°C).

No.2a-9

35  $[\alpha]_D^{25} = +71.0^\circ$  (MeOH, c=1.10, 25°C).

No.2a-10

$[\alpha]_D^{25} = +74.7^\circ$  (MeOH, c=1.00, 25°C).

40

No.2a-11

$[\alpha]_D^{25} = +72.1^\circ$  (MeOH, c=1.00, 25°C).

45 No.2a-12

$[\alpha]_D^{25} = +53.1^\circ$  (CHCl<sub>3</sub>, c=1.01, 26°C).

m.p. 155.0-156.0°C

50 No.2a-13

CDCl<sub>3</sub> 300MHz

0.98(1H,d,J=10.2Hz), 1.18 and 1.25(each 3H,each s), 1.63-2.40(14H,m), 4.3 0(1H,m), 5.46-5.58(2H,m), 6.44(1H,d,J=8.4Hz), 7.49 and 7.77(each 2H,each d,J=8.7Hz), 7.54(1H,s).

55 IR(CHCl<sub>3</sub>): 3689, 3378, 3028, 3014, 2924, 1713, 1652, 1602, 1522, 1496 /cm.

$[\alpha]_D^{25} = +78.3^\circ$  (MeOH, c=0.84, 25°C).

m.p. 205.0-206.0°C

# EP 0 837 052 A1

## No.2a-14

$[\alpha]_D = +72.5^\circ$  (MeOH, c=1.07, 25°C).

## 5 No.2a-15

CDCl<sub>3</sub> 300MHz

0.99(1H,d,J=9.9Hz), 1.14 and 1.24(each 3H,each s), 1.55-2.44(14H,m), 4.27(1H,m), 5.30-5.50(2H,m), 6.29(1H,d,J=9.0Hz), 7.11 and 7.20(each 1H,each d, J=16.2Hz), 7.29-7.55(5H,m), 7.57 and 7.72(each 2H,each d,J=8.7Hz).

IR(CHCl<sub>3</sub>): 3453, 3083, 3022, 3013, 2925, 2870, 1708, 1650, 1607, 1560, 1522, 1496 /cm.

$[\alpha]_D = +72.3^\circ$  (MeOH, c=1.00, 27°C).

m.p. 115.0-117.0°C

## 15 No.2a-16

CDCl<sub>3</sub> 300MHz

0.92(1H,d,J=10.2Hz), 1.11 and 1.23(each 3H,each s), 1.50-2.48(14H,m), 3.6 2(3H,s), 4.29(1H,m), 5.30-5.50(2H,m), 6.20(1H,d,J=8.7Hz), 6.59 and 6.68 (each 1H,each d,J=12.3Hz), 7.23(5H,s), 7.29 and 7.59(each 2H,each d,J=8.1Hz).

IR(CHCl<sub>3</sub>): 3453, 3024, 3016, 2924, 2870, 1730, 1651, 1607, 1520, 1495 /cm.

$[\alpha]_D = +56.8^\circ$  (MeOH, c=1.04, 24°C).

## No.2a-17

25

CDCl<sub>3</sub> 300MHz

0.97(1H,d,J=10.2Hz), 1.11 and 1.23(each 3H,each s), 1.50-2.38(14H,m), 4.2 6(1H,m), 5.30-5.50(2H,m), 6.23(1H,d,J=8.4Hz), 6.59 and 6.70(each 1H,each d,J=12.3Hz), 7.23(5H,s), 7.30 and 7.57(each 2H,each d,J=8.7Hz).

IR(CHCl<sub>3</sub>): 3452, 3081, 3019, 3014, 2925, 2870, 2665, 1708, 1650, 1607, 1521, 1495 /cm.

$[\alpha]_D = +61.6^\circ$  (MeOH, c=1.00, 27°C).

## No.2a-18

35

CDCl<sub>3</sub> 300MHz

0.97(1H,d,J=10.2Hz), 1.11 and 1.23(each 3H,each s), 1.50-2.50(14H,m), 3.61 (3H,s), 4.31(1H,m), 5.35-5.51(2H,m), 6.33(1H,d,J=8.4Hz), 7.48-7.64(4H,m), 7.7 9-7.83(2H,m), 7.91(1H,dt,J=1.5 and 7.8Hz), 8.01(1H,dt,J=1.5 and 7.8Hz), 8.13(1H,t,J=1.5Hz).

IR(CHCl<sub>3</sub>): 3450, 3026, 3013, 2925, 2870, 1730, 1659, 1600, 1510 /cm.

$[\alpha]_D = +56.0^\circ$  (MeOH, c=1.01, 25°C).

## No.2a-19

45

CDCl<sub>3</sub> 300MHz

0.95(1H,d,J=9.9Hz), 1.14 and 1.21(each 3H,each s), 1.53-2.60(14H,m), 4.25(1H,m), 5.35-5.64(2H,m), 7.21(1H,d,J=7.8Hz), 7.49-7.68(4H,m), 7.76-7.84(3H,m), 8.25(1H,m), 8.43(1H,m).

IR(CHCl<sub>3</sub>): 3382, 3196, 3025, 3015, 2925, 2870, 1725, 1652, 1599, 1577, 1521 /cm.

$[\alpha]_D = +55.9^\circ$  (MeOH, c=1.00, 25°C).

## 50 No.2a-20

CDCl<sub>3</sub> 300MHz

0.98(1H,d,J=10.2Hz), 1.13 and 1.24(each 3H,each s), 1.50-2.50(14H,m), 3.6 2(3H,s), 4.31(1H,m), 5.35-5.51(2H,m), 6.24(1H,d,J=8.4Hz), 7.40-7.52(3H,m), 7.71-7.76(2H,m).

IR(CHCl<sub>3</sub>): 3453, 3025, 3013, 2925, 2870, 1730, 1753, 1579, 1514, 1486 /cm.

$[\alpha]_D = +61.2^\circ$  (MeOH, c=1.04, 25°C).

EP 0 837 052 A1

No.2a-21

CDCl<sub>3</sub> 300MHz  
 0.98(1H,d,J=10.2Hz),1.13 and 1.23(each 3H,each s),1.52-2.50(14H,m),4.2 8(1H,m),5.34-  
 5.51(2H,m),6.27(1H,d,J=8.7Hz),7.41-7.53(3H,m),7.71-7.74(2H, m).  
 IR(CHCl<sub>3</sub>):3452,3063,3027,3014,2925,2871,1708,1652,1578,1515,1486 /cm.  
 [α]<sub>D</sub>= +62.0° (MeOH,c=1.01,27°C).

No.2a-22

d<sub>6</sub>-DMSO 300MHz  
 0.86(1H,d,J=9.9Hz),1.10 and 1.16(each 3H,each s),1.42-1.52(3H,m),1.85-2.46(11H,m),3.98(1H,m),5.32-  
 5.43(2H,m),7.41(3H,m),7.88(2H,d,J=6.6Hz),8.19 (1H,d,J=6.6Hz).  
 IR(KBr):3367,3060,2984,2922,2868,1634,1563,1529,1487/cm.  
 [α]<sub>D</sub>=+47.7° (MeOH,c=1.00,25°C).

No.2a-23

[α]<sub>D</sub>=+62.7° (MeOH,c=1.01,27°C).

No.2a-24

CDCl<sub>3</sub> 300MHz  
 0.99(1H,d,J=10.2Hz),1.14 and 1.25(each 3H,each s),1.52-2.50(14H,m),4.3 1(1H,m),5.36-  
 5.52(2H,m),6.34(1H,d,J=8.4Hz),7.47-7.52(2H,m),7.59-7.64(1H, m),7.78-7.83(6H,m).  
 IR(CHCl<sub>3</sub>):3449,3027,3013,2925,2869,1708,1656,1599,1518,1493 /cm.  
 [α]<sub>D</sub>= +63.1° (MeOH,c=1.00,25°C).

No.2a-25

[α]<sub>D</sub>=+35.1° (MeOH,c=1.00,25°C).

No.2a-26

[α]<sub>D</sub>=+35.5° (MeOH,c=1.02,25°C).

No.2a-27

CDCl<sub>3</sub> 300MHz  
 0.97(1H,d,J=10.2Hz),1.12 and 1.23(each 3H,each s),1.52-2.50(14H,m),3.6 3(3H,s),4.29(1H,m),5.36-  
 5.51(2H,m),6.18(1H,d,J=8.4Hz),7.01 and 7.71 ( each 2H,each d,J=8.7Hz,),6.98-  
 7.05(2H,m),7.16(1H,t,J=7.5Hz),7.34-7.41(2 H,m).  
 IR(CHCl<sub>3</sub>):3455,3024,3016,2924,2870,1730,1651,1588,1520,1487 /cm.  
 [α]<sub>D</sub>=+56.4° (MeOH,c=1.01,25°C).

No.2a-28

CDCl<sub>3</sub> 300MHz  
 0.98(1H,d,J=10.2Hz),1.12 and 1.23(each 3H,each s),1.52-2.50(14H,m),4.2 6(1H,m),5.34-  
 5.51(2H,m),6.20(1H,d,J=9.0Hz),7.01 and 7.70(each 2H,each d,J=9.0Hz,),6.98-  
 7.15(2H,m),7.17(1H,t,J=7.5Hz),7.34-7.40(2H,m).  
 IR(CHCl<sub>3</sub>):3454,3031,3018,2925,2870,1708,1650,1588,1523,1487/cm.  
 [α]<sub>D</sub>= +56.2° (MeOH,c=1.00,25°C).

No.2a-29

[α]<sub>D</sub>=+53.0° (MeOH,c=1.03,25°C).

# EP 0 837 052 A1

## No.2a-30

CDCl<sub>3</sub> 300MHz  
 0.97(1H,d,J=10.2Hz), 1.10 and 1.23(each 3H,each s), 1.52-2.50(14H,m), 4.2 5(1H,m), 5.30-  
 5.50(2H,m), 6.23(1H,d,J=8.7Hz), 6.36(1H,s), 7.26-7.39(10H,m), 7.60 and 7.68(each 2H,each d,J=8.4Hz).  
 IR(CHCl<sub>3</sub>):3451,3088,3064,3029,3014,2925,2869,1707,1652,1522,1495 /cm.  
 [α]<sub>D</sub>=+54.2° (MeOH,c=1.00,25°C).

## No.2a-31

CDCl<sub>3</sub> 300MHz  
 0.98(1H,d,J=10.2Hz), 1.14 and 1.24(each 3H,each s), 1.50-2.50(14H,m), 3.6 3(3H,s), 4.31(1H,m), 5.30-  
 5.50(2H,m), 6.26(1H,d,J=8.4Hz), 6.90(1H,t,J=7.4Hz), 7.13(1H,d,J=8.7Hz), 7.29(2H,t,J=8.0Hz), 7.67-  
 7.75(5H,m), 7.82(1H,s).  
 IR(Nujol):3380,3244,1723,1638,1601,1578,1535,1495 /cm.  
 [α]<sub>D</sub>=+73.6° (MeOH,c=0.50,26°C).  
 m.p.133.0-134.0°C

## No.2a-32

[α]<sub>D</sub>=+56.1° (MeOH,c=1.02,26°C).

## No.2a-33

CDCl<sub>3</sub> 300MHz  
 0.95(1H,d,J=10.2Hz), 1.10 and 1.21(each,3H,each s), 1.50-2.50(14H,m), 4.25 (1H,m), 5.13(2H,s), 5.30-  
 5.70(3H,m), 6.41(1H,d,J=8.2Hz), 6.89(1H,s), 7.09(1H, s), 7.17 and 7.72(each 2H,each d,J=8.2Hz), 7.62(1H,s).  
 IR(CHCl<sub>3</sub>):3450,3125,3031,3013,2925,2870,2467,1917,1708,1654,1615,1575, 1523,1497 /cm.  
 [α]<sub>D</sub>=+55.2° (MeOH,c=1.01,26°C).

## No.2a-34

[α]<sub>D</sub>=+72.9° (MeOH,c=1.03,25°C).

## No.2a-35

CDCl<sub>3</sub> 300MHz  
 0.98(1H,d,J=10.2Hz), 1.13 and 1.24(each 3H,each s), 1.52-2.48(14H,m), 4.2 8(1H,m), 5.35-  
 5.51(2H,m), 6.28(1H,d,J=8.7Hz), 7.34-7.37(3H,m), 7.52-7.55(2H, m), 7.58 and 7.71(each 2H,each d,J=8.7Hz).  
 IR(CHCl<sub>3</sub>):3515,3452,3030,3012,2925,2870,1739,1708,1652,1607,1555,1521, 1497 /cm.  
 [α]<sub>D</sub>=+74.3° (MeOH,c=1.01,25°C).

## No.2a-36

[α]<sub>D</sub>=+23.4° (MeOH,c=1.07,25°C).

## No.2a-37

CDCl<sub>3</sub> 300MHz  
 0.83(1H,d,J=10.5Hz), 0.95 and 1.18(each 3H,each s), 1.44-2.46(14H,m), 3.9 2(1H,m), 5.34-5.52(3H,m), 7.26-  
 7.54(9H,m), 7.62(1H,s).  
 IR(CHCl<sub>3</sub>):3432,3310,3189,3023,3014,2924,2870,1704,1610,1594,1523,1487 /cm.  
 [α]<sub>D</sub>=+25.3° (MeOH,c=1.00,26°C).

## No.2a-38

[α]<sub>D</sub>=+70.9° (MeOH,c=1.02,25°C).

No.2a-39

[ $\alpha$ ]<sub>D</sub>=+70.6° (MeOH,c=1.01,25°C).

5 No.2a-40

[ $\alpha$ ]<sub>D</sub>=+74.7° (MeOH,c=1.00,25°C).

No.2a-41

10

[ $\alpha$ ]<sub>D</sub>=+72.1° (MeOH,c=1.01,24°C).

No.2a-42

15

[ $\alpha$ ]<sub>D</sub>=+69.2° (MeOH,c=1.00,25°C).

No.2a-43

[ $\alpha$ ]<sub>D</sub>=+70.8° (MeOH,c=1.00,25°C).

20

No.2a-44

[ $\alpha$ ]<sub>D</sub>=+60.4° (MeOH,c=1.00,26°C).

25 No.2a-45

CDCl<sub>3</sub> 300MHz

0.97(1H,d,J=9.9Hz), 1.13 and 1.23(each 3H,each s), 1.55-2.52(14H,m), 4.29(1H,m), 5.34-5.54(2H,m), 6.33(1H,d,J=9.0Hz), 7.10(1H,t,J=7.4Hz), 7.34(2H,t,J=7.4Hz), 7.52(2H,m), 7.68 and 7.75(each 2H,each d,J=8.4Hz), 7.80(1H,s), 8.10(1H,s), 10.09(1H,s).

30

IR(CHCl<sub>3</sub>):3393,3195,3093,3033,3013,2925,2870,1698,1656,1598,1537,1498 /cm.[ $\alpha$ ]<sub>D</sub>=+59.4° (MeOH,c=1.01,24°C).

No.2a-46

35

[ $\alpha$ ]<sub>D</sub>=+63.5° (MeOH,c=1.00,25°C).

No.2a-47

40

CDCl<sub>3</sub> 300MHz

0.97(1H,d,J=9.9Hz), 1.12 and 1.23(each 3H,each s), 1.54-2.48(14H,m), 4.29(1H,m), 5.35-5.52(2H,m), 6.32(1H,d,J=8.7Hz), 7.26(1H,m), 7.41(2H,t,J=7.8Hz), 7.64(2H,d,J=7.5Hz), 7.73 and 7.77(each 2H,each d,J=8.4Hz), 7.95(1H,s), 9.20(1H,s), 10.38(1H,s).

45

IR(CHCl<sub>3</sub>):3450,3339,3003,2992,2925,2870,1706,1653,1596,1523,1495/cm.[ $\alpha$ ]<sub>D</sub>=+63.3° (MeOH,c=1.00,25°C).

No.2a-48

[ $\alpha$ ]<sub>D</sub>=+63.8° (MeOH,c=1.00,24°C).

50

No.2a-49

CDCl<sub>3</sub> 300MHz

1.00(1H,d,J=10.5Hz), 1.17 and 1.26(each 3H,each s), 1.55-2.52(14H,m), 4.34(1H,m), 5.36-5.54(2H,m), 6.35(1H,d,J=9.0Hz), 7.50-7.62(3H,m), 7.90 and 8.33(each 2H,each d,J=8.4Hz), 8.21(2H,m).

55

IR(CHCl<sub>3</sub>):3451,3029,3022,3016,2925,2870,1708,1655,1542,1508,1498,1471, 1459 /cm.[ $\alpha$ ]<sub>D</sub>=+63.5° (MeOH,c=1.02,25°C):

m.p. 135.0-137.0°C



EP 0 837 052 A1

No.2a-50

$[\alpha]_D^{25} = +68.9^\circ$  (MeOH, c=1.01, 24°C).

5 No.2a-51

$d_6$ -DMSO 300MHz

0.87(1H,d,J=9.9Hz), 1.10 and 1.17(each 3H,each s), 1.40-1.60(3H,m), 1.90-2.40(11H,m), 3.98(1H,m), 5.35-5.46(2H,m), 7.64(1H,s), 7.65 and 7.91(each 2H, each d,J=8.7Hz), 8.06(1H,d,J=6.0Hz), 9.32(1H,brs).

10 IR(KBr): 3385, 2962, 1734, 1707, 1632, 1529, 1498 /cm.

$[\alpha]_D^{25} = +68.4^\circ$  (MeOH, c=1.01, 24°C).

No.2a-52

15  $[\alpha]_D^{25} = +76.2^\circ$  (MeOH, c=1.01, 24°C).

No.2a-53

$[\alpha]_D^{25} = +73.9^\circ$  (MeOH, c=1.02, 24°C).

20

No.2a-54

$[\alpha]_D^{25} = +68.1^\circ$  (MeOH, c=1.00, 24°C).

25 No.2a-55

$[\alpha]_D^{25} = +67.8^\circ$  (MeOH, c=1.00, 24°C).

No.2a-56

30

$[\alpha]_D^{25} = +65.4^\circ$  (MeOH, c=1.03, 25°C).

No.2a-57

35  $[\alpha]_D^{25} = +63.4^\circ$  (MeOH, c=1.01, 24°C).

No.2a-58

$[\alpha]_D^{25} = +66.6^\circ$  (MeOH, c=1.01, 24°C).

40

No.2a-59

$[\alpha]_D^{25} = +65.5^\circ$  (MeOH, c=1.00, 24°C).

45 No.2a-60

$[\alpha]_D^{25} = +60.9^\circ$  (MeOH, c=1.02, 25°C).

No.2a-61

50

CDCl<sub>3</sub> 300MHz

0.97(1H,d,J=10.0Hz), 1.10 and 1.22(each 3H,each s), 1.50-2.50(14H,m), 4.26(1H,m), 5.30-5.54(2H,m), 6.28(1H,d,J=8.6Hz), 6.60 and 6.82(each 1H,each d,J=12.4Hz), 7.12(2H,d,J=6.0Hz), 7.25 and 7.62(each 2H,each d,J=8.6Hz), 8.47(2H,d,J=6.0Hz).

55 IR(CHCl<sub>3</sub>): 3452, 3027, 3019, 3013, 2925, 2870, 2480, 1708, 1651, 1606, 1520, 1494 /cm.

$[\alpha]_D^{25} = +61.6^\circ$  (MeOH, c=1.01, 25°C).

# EP 0 837 052 A1

## No.2a-62

$[\alpha]_D^{25} = +72.0^\circ$  (MeOH, c=0.93, 25°C).

## 5 No.2a-63

CDCl<sub>3</sub> 300MHz

0.99(1H,d,J=10.2Hz), 1.14 and 1.24(each 3H, each s), 1.50-2.50(14H,m), 4.2 9(1H,m), 5.36-5.55(2H,m), 6.35(1H,d,J=9.1Hz), 7.04 and 7.27(each 1H, each d, J=16.5Hz), 7.37(2H,d,J=6.6Hz), 7.56 and 7.76(each 2H, each d, J=8.4Hz), 8.57(2H,d,J=6.6Hz).

IR(CHCl<sub>3</sub>): 3452, 3024, 3018, 3014, 2925, 2870, 2470, 1933, 1708, 1652, 1605, 1521, 1496 /cm.

$[\alpha]_D^{25} = +69.2^\circ$  (MeOH, c=1.01, 25°C).

## 15 No.2a-64

$[\alpha]_D^{25} = +56.9^\circ$  (MeOH, c=1.24, 25°C).

## No.2a-65

20 CDCl<sub>3</sub> 300MHz

0.98(1H,d,J=10.5Hz), 1.12 and 1.23(each 3H, each s), 1.54-2.46(14H,m), 4.2 7(1H,m), 5.23(2H,s), 5.34-5.52(2H,m), 6.26(1H,d,J=8.4Hz), 7.32-7.45(5H,m), 7.64 and 7.71 (each 2H, each d, J=8.4Hz), 8.15(1H,s).

IR(CHCl<sub>3</sub>): 3452, 3088, 3065, 3032, 3013, 2925, 2870, 1708, 1653, 1611, 1559, 1522, 1496 /cm.

$[\alpha]_D^{25} = +61.0^\circ$  (MeOH, c=0.91, 25°C).

25

## No.2a-66

$[\alpha]_D^{25} = +76.0^\circ$  (MeOH, c=1.01, 25°C).

## 30 No.2a-67

CDCl<sub>3</sub> 300MHz

0.98(1H,d,J=10.4Hz), 1.14 and 1.24(each 3H, each s), 1.54-2.46(14H,m), 4.2 8(1H,m), 5.32-5.53(2H,m), 6.27(1H,d,J=8.6Hz), 6.92-7.31(each 1H, each d, J=16.4Hz), 7.02(1H,dd,J=5.8 and 3.6Hz), 7.12(1H,d,J=3.6Hz), 7.24(1H,d,J=5.8 Hz), 7.51 and 7.70(each 2H, each d, J=8.4Hz).

IR(CHCl<sub>3</sub>): 3453, 3029, 3013, 2925, 2870, 1739, 1650, 1604, 1524, 1515, 1494 /cm.

$[\alpha]_D^{25} = +76.2^\circ$  (MeOH, c=1.00, 24°C).

m.p. 104.0-106.0°C

35

## 40 No.2a-68

$[\alpha]_D^{25} = +57.7^\circ$  (MeOH, c=1.01, 25°C).

## No.2a-69

45

CDCl<sub>3</sub> 300MHz

0.99(1H,d,J=10.2Hz), 1.14 and 1.24(each 3H, each s), 1.54-2.48(14H,m), 4.2 8(1H,m), 5.34-5.53(2H,m), 6.29(1H,d,J=9.0Hz), 6.54-6.74(each 1H, each d, J=12.0Hz), 7.02(1H,dd,J=4.8 and 3.3Hz), 6.97(1H,dd,J=3.3 and 1.2Hz), 7.13(1 H,dd,J=4.8 and 1.2Hz), 7.44 and 7.70(each 2H, each d, J=8.7Hz).

IR(CHCl<sub>3</sub>): 3453, 3025, 3010, 2925, 2870, 1708, 1650, 1607, 1559, 1523, 1493 /cm.

$[\alpha]_D^{25} = +58.4^\circ$  (MeOH, c=1.00, 25°C).

50

## No.2a-70

55  $[\alpha]_D^{25} = +48.6^\circ$  (MeOH, c= 1.00, 25°C).

EP 0 837 052 A1

No.2a-71

CDCl<sub>3</sub> 300MHz  
 0.98(1H,d,J=10.2Hz), 1.12 and 1.23(each 3H,each s), 1.52-2.46(14H,m), 2.3 1(3H,s), 4.26(1H,m), 5.33-  
 5.52(2H,m), 6.20(1H,d,J=9.3Hz), 7.02-7.11(6H,m), 7.70(2H,d,J=9.0Hz).  
 IR(CHCl<sub>3</sub>): 3460, 3031, 3022, 3011, 2925, 2870, 1750, 1708, 1650, 1608, 1597, 1523, 1490 /cm.  
 [α]<sub>D</sub>=+48.9° (MeOH, c=1.01, 25°C).

No.2a-72

[α]<sub>D</sub>=+51.2° (MeOH, c=1.02, 25°C).

No.2a-73

CDCl<sub>3</sub> 300MHz  
 0.97(1H,d,J=9.9Hz), 1.11 and 1.23(each 3H,each s), 1.54-2.48(14H,m), 4.27( 1H,m), 5.32-  
 5.52(2H,m), 6.24(1H,d,J=9.0Hz), 6.83-6.94(6H,m), 7.65(2H,d,J=9.0Hz).  
 IR(CHCl<sub>3</sub>): 3598, 3451, 3199, 3033, 3012, 2925, 2870, 1708, 1642, 1604, 1524, 1507, 1491 /cm.  
 [α]<sub>D</sub>=+52.2° (MeOH, c=1.01, 25°C).

No.2a-74

[α]<sub>D</sub>=+51.5° (MeOH, c=0.92, 25°C).

No.2a-75

CDCl<sub>3</sub> 300MHz  
 0.97(1H,d,J=10.2Hz), 1.11 and 1.23(each 3H,each s), 1.55-2.46(14H,m), 3.8 2(3H,s), 4.25(1H,m), 5.32-  
 5.52(2H,m), 6.19(1H,d,J=8.7Hz), 6.89-7.01(6H,m), 7.65-7.68(2H,m).  
 IR(CHCl<sub>3</sub>): 3450, 3025, 3008, 2925, 2870, 2837, 1741, 1649, 1612, 1521, 1505, 1490 /cm.  
 [α]<sub>D</sub>=+51.1° (MeOH, c=1.00, 25°C).

No.2a-76

[α]<sub>D</sub>=+60.4° (MeOH, c=0.98, 25°C).

No.2a-77

CDCl<sub>3</sub> 300MHz  
 0.99(1H,d,J=10.5Hz), 1.15 and 1.24(each 3H,each s), 1.54-2.48(14H,m), 2.3 4(3H,s), 4.29(1H,m), 5.32-  
 5.54(2H,m), 6.32(1H,d,J=8.4Hz), 7.19 and 7.60 ( each 2H,each d,J=8.4Hz), 7.63 and 7.79(each 2H,each  
 d,J=8.4Hz).  
 IR(CHCl<sub>3</sub>): 3452, 3027, 3012, 2925, 2870, 1751, 1709, 1651, 1611, 1560, 1527, 1509, 1489 /cm.  
 [α]<sub>D</sub>=+61.2° (MeOH, c=1.00, 25°C).

No.2a-78

[α]<sub>D</sub>=+67.4° (MeOH, c=1.01, 25°C).

No.2a-79

CDCl<sub>3</sub> 300MHz  
 0.99(1H,d,J=10.2Hz), 1.15 and 1.24(each 3H,each s), 1.54-2.54(14H,m), 4.3 1(1H,m), 5.32-  
 5.54(2H,m), 6.36(1H,d,J=8.2Hz), 6.93 and 7.48(each 2H,each d,J=8.6Hz), 7.59 and 7.75(each 2H,each d,J=8.4Hz).  
 IR(CHCl<sub>3</sub>): 3593, 3448, 3192, 3030, 3010, 2925, 2870, 1708, 1644, 1608, 1591, 1559, 1530, 1516, 1491 /cm.  
 [α]<sub>D</sub>=+65.8° (MeOH, c=1.01, 25°C).

EP 0 837 052 A1

No.2a-80

$[\alpha]_D^{25} = +66.9^\circ$  (MeOH, c=1.01, 25°C).

5 No.2a-81

CDCl<sub>3</sub> 300MHz

0.99(1H,d,J=10.5Hz), 1.15 and 1.24(each 3H,each s), 1.54-2.48(14H,m), 3.8 6(3H,s), 4.29(1H,m), 5.34-5.52(2H,m), 6.20(1H,d,J=8.7Hz), 6.99 and 7.55 ( each 2H,each d,J=9.0Hz), 7.61 and 7.77(each 2H,each d,J=8.7Hz).

IR(CHCl<sub>3</sub>): 3450, 3009, 2925, 2870, 2838, 1740, 1708, 1650, 1608, 1557, 1528, 1512, 1491 /cm.

$[\alpha]_D^{25} = +66.2^\circ$  (MeOH, c=1.01, 25°C).

No.2a-82

15

$[\alpha]_D^{24} = +57.7^\circ$  (MeOH, c=1.02, 24°C).

No.2a-83

20

CDCl<sub>3</sub> 300MHz

0.97(1H,d,J=10.2Hz), 1.12 and 1.23(each 3H,each s), 1.54-2.48(14H,m), 2.3 3(3H,s), 4.26(1H,m), 5.32-5.52(2H,m), 6.25(1H,d,J=8.7Hz), 7.16 and 7.75 ( each 2H,each d,J=8.7Hz).

IR(CHCl<sub>3</sub>): 3452, 3030, 3022, 3012, 2925, 2870, 1754, 1709, 1654, 1604, 1585, 1522, 1493 /cm.

$[\alpha]_D^{24} = +57.4^\circ$  (MeOH, c=1.01, 24°C).

25

No.2a-84

$[\alpha]_D^{24} = +57.8^\circ$  (MeOH, c=1.01, 24°C).

30 No.2a-85

CDCl<sub>3</sub> 300MHz

0.95(1H,d,J=10.2Hz), 1.12 and 1.22(each 3H,each s), 1.54-2.48(14H,m), 4.2 5(1H,m), 5.32-5.52(2H,m), 6.28(1H,d,J=8.7Hz), 6.87 and 7.57(each 2H,each d,J=9.0Hz).

IR(CHCl<sub>3</sub>): 3590, 3450, 3166, 3019, 3012, 2925, 2871, 1708, 1637, 1608, 1583, 1531, 1498 /cm.

$[\alpha]_D^{24} = +56.0^\circ$  (MeOH, c=1.01, 24°C).

35

No.2a-86

40

$[\alpha]_D^{22} = +59.3^\circ$  (MeOH, c=1.01, 22°C).

No.2a-87

CDCl<sub>3</sub> 300MHz

0.98(1H,d,J=10.0Hz), 1.13 and 1.23(each 3H,each s), 1.54-2.48(14H,m), 3.8 5(3H,s), 4.25(1H,m), 5.32-5.53(2H,m), 6.19(1H,d,J=8.8Hz), 6.93 and 7.69 ( each 2H,each d,J=9.0Hz).

IR(CHCl<sub>3</sub>): 3450, 3030, 3017, 3012, 2925, 2870, 2840, 1740, 1708, 1647, 1606, 1575, 1525, 1496 /cm.

$[\alpha]_D^{22} = +58.2^\circ$  (MeOH, c=0.99, 22°C).

50

No.2a-88

$[\alpha]_D^{25} = +50.9^\circ$  (MeOH, c=1.02, 25°C).

No.2a-89

55

CDCl<sub>3</sub> 300MHz

0.99(1H,d,J=10.2Hz), 1.18 and 1.26(each 3H,each s), 1.56-2.48(14H,m), 4.2 9(1H,m), 5.36-5.54(2H,m), 7.03(1H,d,J=8.7Hz), 7.21(1H,s), 7.43(2H,m), 7.74(1 H,ddd,J=1.8,6.9 and 8.7Hz), 8.22(1H,dd,J=1.8 and

EP 0 837 052 A1

8.1Hz).

IR(CHCl<sub>3</sub>):3443,3087,3023,3014,2925,2870,1708,1685,1658,1630,1517,1466 /cm.

[α]<sub>D</sub>=+57.1° (MeOH,c=1.01,22°C).

m.p.117.0-118.0°C

5

No.2a-90

[α]<sub>D</sub>=+54.1° (MeOH,c=1.01,22°C).

10

No.2a-91

CDCl<sub>3</sub> 300MHz

0.97(1H,d,J=10.2Hz),1.13 and 1.23(each 3H,each s),1.52-2.46(14H,m),4.2 4(1H,m),5.34-5.52(2H,m),6.49-6.53(2H,m),7.11(1H,dd,J=0.9 and 3.6Hz),7.4 4(1H,dd,J=0.9 and 1.8Hz).

15

IR(CHCl<sub>3</sub>):3437,3033,3022,3014,2925,2870,1739,1708,1655,1595,1520,1472 /cm.

[α]<sub>D</sub>=+55.0° (MeOH,c=1.00,22°C).

No.2a-92

20

[α]<sub>D</sub>=+50.3° (MeOH,c=1.00,22°C).

No.2a-93

CDCl<sub>3</sub> 300MHz

25

0.95(1H,d,J=10.5Hz),1.12 and 1.23(each 3H,each s),1.52-2.46(14H,m),4.2 5(1H,m),5.34-5.52(2H,m),6.12(1H,d,J=8.7Hz),7.07(1H,dd,J=3.9 and 5.1Hz), 7.45-7.48(2H,m).

IR(CHCl<sub>3</sub>):3450,3023,3011,2925,2870,1739,1708,1645,1531,1501,1471 /cm.

[α]<sub>D</sub>=+49.1° (MeOH,c=1.02,24°C).

30

No.2a-94

[α]<sub>D</sub>=+51.5° (MeOH,c=1.00,24°C).

No.2a-95

35

CDCl<sub>3</sub> 300MHz

0.96(1H,d,J=10.5Hz),1.11 and 1.23(each 3H,each s),1.52-2.46(14H,m),4.2 5(1H,m),5.34-5.56(2H,m),6.14(1H,d,J=8.7Hz),7.34(2H,d,J=2.0Hz),7.85(1H,t, J=2.0Hz).

IR(CHCl<sub>3</sub>):3452,3114,3030,3013,2925,2870,1708,1649,1535,1498,1471 /cm.

40

[α]<sub>D</sub>=+55.5° (MeOH,c=1.00,25°C).

m.p.87.0-88.0°C

No.2a-96

45

CD<sub>3</sub>OD 300MHz

0.94(1H,d,J=10.2Hz),1.13 and 1.22(each 3H,each s),1.50-1.76(3H,m),1.94-2.39(11H,m),4.11(1H,m),5.39-5.49(2H,m),7.43-7.51(2H,m),8.05(1H,m).

IR(KBr):3369,3084,2985,2921,2868,1630,1566,1538,1503 /cm.

[α]<sub>D</sub>=+38.8° (MeOH,c=1.01,22°C).

50

No.2a-97

CD<sub>3</sub>OD 300MHz

55

0.93(1H,d,J=9.9Hz),1.13 and 1.22(each 3H,each s),1.48-1.58(3H,m),1.96-2. 36(11H,m),4.10(1H,m),5.35-5.50(2H,m),7.42-7.51(2H,m),8.06(1H,m).

IR(KBr):3447,3087,2987,2922,2868,1629,1545,1501 /cm.

[α]<sub>D</sub>=+52.9° (MeOH,c=1.01,24°C).

# EP 0 837 052 A1

No.2a-98

$[\alpha]_D^{20} = +53.2^\circ$  (MeOH, c=1.02, 23°C).

5 No.2a-99

CDCl<sub>3</sub> 300MHz

0.97(1H,d,J=10.2Hz), 1.12 and 1.22(each 3H, each s), 1.26-2.45(24H,m), 4.2 5(2H,m), 5.34-5.52(2H,m), 6.18(1H,d,J=8.7Hz), 6.91 and 7.66(each 2H, each d,J=9.0Hz).

10 IR(CHCl<sub>3</sub>): 3455, 3029, 3019, 2939, 2862, 1738, 1709, 1645, 1605, 1523, 1494 /cm.

$[\alpha]_D^{20} = +51.4^\circ$  (MeOH, c=1.00, 23°C).

No.2a-100

15  $[\alpha]_D^{20} = +49.3^\circ$  (MeOH, c=1.00, 24°C).

No.2a-101

$[\alpha]_D^{20} = +51.3^\circ$  (MeOH, c=1.00, 24°C).

20

No.2a-102

$[\alpha]_D^{20} = +48.8^\circ$  (MeOH, c=1.01, 23°C).

25 No.2a-103

CDCl<sub>3</sub> 300MHz

0.94(1H,d,J=10.2Hz), 1.12 and 1.22(each 3H, each s), 1.52-2.46(14H,m), 2.4 8(3H,d,J=0.3Hz), 4.20(1H,m), 5.32-5.54(2H,m), 6.46(1H,brs), 7.12(1H,d,J=9.0 Hz).

30 IR(CHCl<sub>3</sub>): 3415, 3144, 3029, 3011, 2926, 2871, 1708, 1671, 1598, 1538, 1456 /cm

$[\alpha]_D^{20} = +49.6^\circ$  (MeOH, c=1.01, 23°C).

No.2a-104

35  $[\alpha]_D^{20} = +77.0^\circ$  (MeOH, c=1.02, 23°C).

No.2a-105

CDCl<sub>3</sub> 300MHz

40 93(1H,d,J=9.9Hz), 1.09 and 1.21(each 3H, each s), 1.51-2.44(14H,m), 3.90(6 H,s), 4.20(1H,m), 5.38-5.50(2H,m), 5.87(1H,d,J=9.0Hz), 6.25 and 7.54 (each 1H, each d,J=15.6Hz), 6.84(1H,d,J=8.1Hz), 7.03(1H,d,J=1.8Hz), 7.09(1 H,dd,J=1.8 and 8.1Hz).

IR(CHCl<sub>3</sub>): 3439, 3028, 3012, 2937, 2871, 2841, 1739, 1708, 1661, 1620, 1600, 1513 /cm.

$[\alpha]_D^{20} = +77.3^\circ$  (MeOH, c=1.01, 23°C).

45

No.2a-106

$[\alpha]_D^{20} = +67.0^\circ$  (MeOH, c=1.00, 25°C).

50 No.2a-107

$[\alpha]_D^{20} = +66.6^\circ$  (MeOH, c=1.01, 24°C).

m.p. 168.0-170.0°C

55 No.2a-108

$[\alpha]_D^{20} = +61.8^\circ$  (MeOH, c=1.00, 22°C).

EP 0 837 052 A1

No.2a-109

CDCl<sub>3</sub> 300MHz  
 0.96(1H,d,J=10.2Hz), 1.10 and 1.22(each 3H,each s), 1.51-2.45(14H,m), 4.2 5(1H,m), 5.33-  
 5.49(2H,m), 6.21(1H,d,J=8.7Hz), 7.25 and 7.60(each 2H,each d,J=8.7Hz), 7.33-7.41(5H,s).  
 IR(CHCl<sub>3</sub>): 3453, 3062, 3028, 3014, 2925, 2870, 1739, 1708, 1651, 1594, 1557, 1515, 1481 /cm.  
 [α]<sub>D</sub>=+61.0° (MeOH, c=1.01, 22°C).

No.2a-110

CD<sub>3</sub>OD 300MHz  
 0.94(1H,d,J=9.9Hz), 1.13 and 1.22(each 3H,each s), 1.54-2.37(14H,m), 4.12( 1H,m), 5.38-5.49(2H,m), 7.25 and  
 7.68(each 2H,each d,J=8.7Hz), 7.41(5H,s)  
 IR(KBr): 3435, 3058, 2986, 2920, 2866, 1635, 1595, 1562, 1521, 1482, 1439, 1411 /cm.  
 [α]<sub>D</sub>=+47.3° (MeOH, c=1.01, 23°C).

No.2a-111

[α]<sub>D</sub>=+65.6° (MeOH, c=1.01, 24°C).

No.2a-112

CDCl<sub>3</sub> 300MHz  
 0.97(1H,d,J=10.2Hz), 1.12 and 1.23(each 3H,each s), 1.51-2.46(14H,m), 4.2 7(1H,m), 5.35-  
 5.50(2H,m), 6.22(1H,d,J=8.4Hz), 7.40 and 7.66(each 2H,each d,J=9.0Hz).  
 IR(CHCl<sub>3</sub>): 3439, 3028, 3012, 2937, 2871, 2841, 1739, 1708, 1661, 1620, 1600, 1513 /cm.  
 [α]<sub>D</sub>=+65.6° (MeOH, c=1.01, 22°C).

No.2a-113

[α]<sub>D</sub>=+59.6° (MeOH, c=1.00, 24°C).

No.2a-114

CDCl<sub>3</sub> 300MHz  
 0.98(1H,d,J=10.2Hz), 1.12 and 1.24(each 3H,each s), 1.52-2.46(14H,m), 4.2 9(1H,m), 5.35-  
 5.51(2H,m), 6.28(1H,d,J=8.4Hz), 7.70 and 7.83(each 2H,each d,J=8.4Hz).  
 IR(CHCl<sub>3</sub>): 3439, 3028, 3012, 2937, 2871, 2841, 1739, 1708, 1661, 1620, 1600, 1513 /cm.  
 [α]<sub>D</sub>=+60.6° (MeOH, c=1.01, 22°C).

No.2a-115

[α]<sub>D</sub>=+59.7° (MeOH, c=0.99, 24°C).

No.2a-116

CDCl<sub>3</sub> 300MHz  
 0.97(1H,d,J=10.2Hz), 1.12 and 1.23(each 3H,each s), 1.52-2.46(14H,m), 2.3 9(3H,s), 4.27(1H,m), 5.33-  
 5.51(2H,m), 6.24(1H,d,J=9.0Hz), 7.23 and 7.62 (each 2H,each d,J=8.4Hz).  
 IR(CHCl<sub>3</sub>): 3439, 3028, 3012, 2937, 2871, 2841, 1739, 1708, 1661, 1620, 1600, 1513/cm.  
 [α]<sub>D</sub>=+59.7° (MeOH, c=0.99, 24°C).

No.2a-117

[α]<sub>D</sub>=+56.7° (MeOH, c=1.00, 23°C).

EP 0 837 052 A1

No.2a-118

CDCl<sub>3</sub> 300MHz  
 0.96(1H,d,J=10.2Hz),1.11 and 1.23(each 3H,each s),1.53-2.44(14H,m),4.2 3(1H,m),5.34-  
 5.51(2H,m),6.02(2H,s),6.13(1H,d,J=8.7Hz),6.83(1H,dd,J=1.2 and 7.8Hz),7.22-7.25(2H,m).  
 IR(CHCl<sub>3</sub>):3453,3031,3020,3012,2924,2870,1740,1708,1650,1619,1605,1519, 1504,1480 /cm.  
 [α]<sub>D</sub>=+57.2° (MeOH,c=1.02,23°C).

No.2a-119

CDCl<sub>3</sub> 300MHz  
 0.96(1H,d,J=10.5Hz),1.07 and 1.23(each 3H,each s),1.51-2.44(14H,m),2.3 2(3H,s),4.26(1H,m),5.37-  
 5.52(2H,m),6.40(1H,d,J=9.0Hz),7.09(1H,m),7.30(1 H,m),7.46(1H,m),7.66(1H,m).  
 IR(CHCl<sub>3</sub>):3443,3028,3012,2925,2870,1766,1747,1709,1657,1607,1516,1479 /cm.  
 [α]<sub>D</sub>=+53.2° (MeOH,c=0.99,21°C).

No.2a-120

CDCl<sub>3</sub> 300MHz  
 0.98(1H,d,J=10.2Hz),1.14 and 1.24(each 3H,each s),1.53-2.44(14H,m),4.3 0(1H,m),5.35-  
 5.52(2H,m),6.42(1H,d,J=8.7Hz),6.85(1H,m),6.99(1H,dd,J=1.2 and 8.4Hz),7.27(1H,m),7.39(1H,m).  
 IR(CHCl<sub>3</sub>):3463,3033,3021,3014,2992,2924,2870,1708,1643,1597,1523,1488 /cm.  
 [α]<sub>D</sub>=+46.3° (MeOH,c=1.01,21°C).

No.2a-121

CDCl<sub>3</sub> 300MHz  
 0.98(1H,d,J=10.2Hz),1.14 and 1.23(each 3H,each s),1.47-2.47(14H,m),3.9 5(3H,s),4.31(1H,m),5.32-  
 5.50(2H,m),6.98(1H,dd,J=0.9 and 8.4Hz),7.09(1H, ddd,J=0.9,7.7 and 8.4Hz),7.45(1H,m),8.19(1H,dd,J=2.1 and  
 8.1Hz),8.32(1 H,d,J=9.0Hz).  
 IR(CHCl<sub>3</sub>):3400,3078,3028,3020,3007,2924,2870,2842,1736,1708,1640,1600, 1536,1483,1470 /cm.  
 [α]<sub>D</sub>=+38.1° (MeOH,c=1.02,23°C).

No.2a-122

[α]<sub>D</sub>=+42.3° (MeOH,c=0.99,23°C).

No.2a-123

[α]<sub>D</sub>=+38.7° (MeOH,c=1.00,21°C).

No.2a-124

[α]<sub>D</sub>=+45.0° (MeOH,c=1.01,21°C).  
 m.p. 119.0-120.0°C

No.2a-125

[α]<sub>D</sub>=+49.8° (MeOH,c=1.01,22°C).

No.2a-126

CDCl<sub>3</sub> 300MHz  
 0.97(1H,d,J=10.2Hz),1.11 and 1.23(each 3H,each s),1.52-2.47(14H,m),4.2 6(1H,m),5.34-  
 5.50(2H,m),6.22(1H,d,J=8.7Hz),7.55-7.61(4H,m).  
 IR(CHCl<sub>3</sub>):3400,3078,3028,3020,3007,2924,2870,2842,1736,1708,1640,1600, 1536,1483,1470 /cm.  
 [α]<sub>D</sub>=+63.0° (MeOH,c=1.01,23°C).



# EP 0 837 052 A1

## No.2a-127

CDCl<sub>3</sub> 300MHz  
 0.91(1H,d,J=10.2Hz), 1.10 and 1.20(each 3H,each s), 1.50-2.42(14H,m), 4.2 3(1H,m), 5.31-  
 5.51(2H,m), 6.45(1H,d,J=8.4Hz), 7.01(1H,t,J=7.4Hz), 7.22-7.27( 2H,m), 7.33-7.40(4H,m), 7.53(2H,d,J=9.0Hz), 8.30  
 and 8.48(each 1H,each s)  
 IR(CHCl<sub>3</sub>):3452,3028,3022,3015,2925,2870,1708,1654,1590,1514,1478 /cm.  
 [α]<sub>D</sub>=+59.5° (MeOH,c=1.01,23°C).

## 10 No.2a-128

d<sub>6</sub>-DMSO 300MHz  
 0.84(1H,d,J=9.9Hz), 1.06 and 1.19(each 3H,each s), 1.37-2.37(14H,m), 3.79( 1H,m), 5.35-  
 5.51(2H,m), 6.08(1H,d,J=8.7Hz), 6.85-6.90(1H,m), 7.18-7.23(2H,m), 7.35-7.38(2H,m), 8.42(1H,s), 12.00(1H,s).  
 IR(Nujol):3395,3345,2925,2866,2623,2506,1697,1658,1638,1597,1557 /cm.  
 [α]<sub>D</sub>=+26.0° (MeOH,c=1.01,23°C).  
 m.p. 164.0-166.0°C

## 20 No.2a-129

CDCl<sub>3</sub> 300MHz  
 1.01(1H,d,J=10.0Hz), 1.17 and 1.25(each 3H,each s), 1.54-2.52(14H,m), 4.3 4(1H,m), 5.36-  
 5.57(2H,m), 6.42(1H,d,J=8.6Hz), 7.51-7.60(2H,m), 7.77(1H,dd, J =1.8 and 8.6Hz), 7.85-7.96(3H,m), 8.24(1H,brs).  
 IR(CHCl<sub>3</sub>):3451,3060,3028,3010,2925,2870,1708,1652,1629,1600,1517,1502 /cm.  
 [α]<sub>D</sub>=+68.6° (MeOH,c=1.00,22°C).

## 30 No.2a-130

CDCl<sub>3</sub> 300MHz  
 1.02(1H,d,J=10.2Hz), 1.04 and 1.26(each 3H,each s), 1.54-2.52(14H,m), 4.4 1(1H,m), 5.41-  
 5.58(2H,m), 6.14(1H,d,J=9.0Hz), 7.43-7.59(4H,m), 7.85-7.92(2H, m), 8.27(1H,dd,J=1.8 and 7.2Hz).  
 IR(CHCl<sub>3</sub>):3436,3032,3010,2924,2870,2664,1708,1652,1512,1498 /cm.  
 [α]<sub>D</sub>=+93.9° (MeOH,c=1.00,22°C)  
 m.p. 94.0-96.0°C

## 35 No.2a-131

[α]<sub>D</sub>=+50.2° (MeOH,c=0.95,21°C).

## 40 No.2a-132

[α]<sub>D</sub>=+10.9° (MeOH,c=0.92,21°C).

## 45 No.2a-133

[α]<sub>D</sub>=+60.4° (MeOH,c=1.00,21°C).

## No.2a-134

50 [α]<sub>D</sub>=+38.5° (MeOH,c=1.01,23°C).

## No.2a-135

55 [α]<sub>D</sub>=+52.5° (MeOH,c=1.01,23°C).  
 m.p. 180.0-182.0°C

EP 0 837 052 A1

No.2a-136

$[\alpha]_D^{25} = +35.3^\circ$  (MeOH, c=1.02, 23°C).  
m.p. 79.0-80.0°C

No.2a-137

CDCl<sub>3</sub> 300MHz  
0.97(1H, d, J=10.2Hz), 1.11 and 1.22(each 3H, each s), 1.43(3H, t, J=6.9Hz), 1.52-  
2.44(14H, m), 4.03(2H, q, J=6.9Hz), 4.26(1H, m), 5.33-5.50(2H, m), 6.19(1H, d, J=8.7Hz), 6.88-7.00(6H, m), 7.65-  
7.68(2H, m).  
IR(CHCl<sub>3</sub>): 3455, 3031, 3024, 3014, 2988, 2925, 2870, 1741, 1708, 1649, 1602, 1521, 1504, 1490 /cm.  
 $[\alpha]_D^{25} = +52.0^\circ$  (MeOH, c=1.01, 23°C).

No.2a-138

CDCl<sub>3</sub> 300MHz  
0.97(1H, d, J=10.2Hz), 1.11 and 1.22(each 3H, each s), 1.35(6H, d, J=6.0Hz), 1.53-  
2.46(14H, m), 4.25(1H, m), 4.51(1H, m), 5.33-5.50(2H, m), 6.12(1H, d, J=9.0Hz), 6.87-6.99(6H, m), 7.65-7.68(2H, m).  
IR(CHCl<sub>3</sub>): 3454, 3031, 3014, 2980, 2925, 2870, 1741, 1708, 1649, 1602, 1522, 1490 /cm.  
 $[\alpha]_D^{25} = +50.0^\circ$  (MeOH, c=1.05, 22°C).

No.2a-139

CDCl<sub>3</sub> 300MHz  
1.00(1H, d, J=10.2Hz), 1.16 and 1.24(each 3H, each s), 1.59-2.52(14H, m), 4.3 1(1H, m), 5.40-  
5.53(2H, m), 6.36(1H, d, J=8.7Hz), 6.70(1H, d, J=1.5Hz), 7.12(1H, m), 7.30(1H, m), 7.47(1H, dd, J=0.6 and  
8.1Hz), 7.61(1H, d, J=8.4Hz).  
IR(CHCl<sub>3</sub>): 3449, 3243, 3029, 3022, 3013, 2925, 2871, 1707, 1631, 1542, 1505 /cm.  
 $[\alpha]_D^{25} = +63.4^\circ$  (MeOH, c=1.00, 23°C).  
m.p. 178.0-179.0°C

No.2a-140

CDCl<sub>3</sub> 300MHz  
0.97(1H, d, J=10.2Hz), 1.18 and 1.23(each 3H, each s), 1.57-2.50(14H, m), 4.3 5(1H, m), 5.32-  
5.55(2H, m), 6.42(1H, d, J=8.7Hz), 6.70(1H, d, J=1.5Hz), 7.21-7.24(2H, m), 7.46(1H, m), 7.76(1H, m), 7.86(1H, d, J=3.0Hz), 10.20(1H, s).  
IR(CHCl<sub>3</sub>): 3465, 3010, 2924, 1739, 1604, 1546, 1504 /cm.  
 $[\alpha]_D^{25} = +39.4^\circ$  (MeOH, c=1.01, 22°C).  
m.p. 167.0-168.0°C

No.2a-141

CDCl<sub>3</sub> 300MHz  
0.99(1H, d, J=10.2Hz), 1.14 and 1.24(each 3H, each s), 1.55-2.44(14H, m), 3.8 4(3H, s), 4.27(1H, m), 5.34-  
5.52(2H, m), 6.28(1H, d, J=9.0Hz), 6.91 and 7.47 (each 2H, each d, J=9.0Hz), 6.98 and 7.14(each 1H, each  
d, J=16.5Hz), 7.54 and 7.70(each 2H, each d, J=8.7Hz).  
IR(CHCl<sub>3</sub>): 3453, 3025, 3015, 2925, 2870, 2839, 1740, 1708, 1649, 1602, 1510, 1493, 1470 /cm.  
 $[\alpha]_D^{25} = +73.4^\circ$  (MeOH, c=1.02, 22°C).  
m.p. 155.0-157.0°C

No.2a-142

CDCl<sub>3</sub> 300MHz  
0.97(1H, d, J=10.2Hz), 1.11 and 1.23(each 3H, each s), 1.52-2.45(14H, m), 3.7 9(3H, s), 4.27(1H, m), 5.34-  
5.50(2H, m), 6.24(1H, d, J=9.0Hz), 6.49 and 6.62 (each 1H each d, J=12.3Hz), 6.77 and 7.16(each 2H, each  
d, J=8.7Hz), 7.32 and 7.59(each 2H, each d, J=8.1Hz).

EP 0 837 052 A1

IR(CHCl<sub>3</sub>):3453,3025,3014,2925,2870,2839,1739,1708,1649,1606,1510, 1494 /cm.  
[α]<sub>D</sub>=+60.7° (MeOH,c=0.99,22°C).

No.2a-143

5

[α]<sub>D</sub>=+57.3° (MeOH,c=1.01,23°C).

No.2a-144

10

[α]<sub>D</sub>=+12.2° (MeOH,c=1.00,23°C).  
m.p.114.0-116.0°C

No.2a-145

15

CDCl<sub>3</sub> 300MHz  
0.95(1H,d,J=10.2Hz),1.10 and 1.21(each 3H,each s),1.52-2.44(14H,m),4.2 5(1H,m),5.33-  
5.49(2H,m),6.37(1H,d,J=8.7Hz),7.45-7.47(3H,m),7.62-7.66(2H, m),7.69 and 7.80(each 2H,each d,J=7.5Hz,).  
IR(CHCl<sub>3</sub>):3449,3058,3027,3012,2925,2870,1708,1655,1513,1481,1043 /cm.  
[α]<sub>D</sub>=+61.0° (MeOH,c=1.01,23°C).

20

No.2a-146

25

CDCl<sub>3</sub> 300MHz  
0.95(1H,d,J=10.5Hz),1.09 and 1.21(each 3H,each s),1.50-2.41(14H,m),4.2 5(1H,m),5.33-  
5.49(2H,m),6.33(1H,d,J=8.4Hz),7.49-7.61(3H,m),7.91-7.92(2H, m),7.82 and 7.97(each 2H,each d,J=8.7Hz,).  
IR(CHCl<sub>3</sub>):3447,3029,3023,3015,2925,2870,1708,1660,1514,1484,1321,1161 /cm.  
[α]<sub>D</sub>=+62.0° (MeOH,c=1.00,22°C).

No.2a-147

30

CDCl<sub>3</sub> 300MHz  
0.97(1H,d,J=10.2Hz),1.12 and 1.23(each 3H,each s),1.52-2.46(14H,m),2.5 1(3H,s),4.26(1H,m),5.34-  
5.51(2H,m),6.23(1H,d,J=8.4Hz),7.26 and 7.64 (each 2H,each d,J=8.4Hz).  
IR(CHCl<sub>3</sub>):3453,3027,3015,2925,2870,2665,1708,1648,1596,1516,1484 /cm.  
[α]<sub>D</sub>=+67.7° (MeOH,c=0.82,22°C).

35

No.2a-148

40

[α]<sub>D</sub>=+72.5° (MeOH,c=1.01,25°C).

No.2a-149

45

[α]<sub>D</sub>=+67.8° (MeOH,c=0.98,25°C).

No.2a-150

50

CDCl<sub>3</sub> 300MHz  
0.94(1H,d,J=10.2Hz),1.10 and 1.23(each 3H,each s),1.52-2.50(14H,m),4.2 2(1H,m),5.36-  
5.55(2H,m),6.48(1H,d,J=8.4Hz),8.35(1H,s),8.90(1H,s).  
IR(CHCl<sub>3</sub>):3443,3374,3091,3024,3012,2925,2871,1709,1652,1525,1494 /cm.  
[α]<sub>D</sub>=+58.1° (MeOH,c=1.01,23°C).  
m.p.120.0-122.0°C

No.2a-151

55

[α]<sub>D</sub>=+40.6° (MeOH,c=1.01,23°C).

# EP 0 837 052 A1

## No.2a-152

CDCl<sub>3</sub> 300MHz

0.96(1H,d,J=10.5Hz), 1.10 and 1.24(each 3H,each s), 1.50-2.50(14H,m), 2.7 1(3H,s), 4.26(1H,m), 5.37-5.51(2H,m), 6.02(1H,d,J=9.0Hz), 8.731(1H,s).

IR(CHCl<sub>3</sub>): 3463, 3435, 3087, 3025, 3014, 2925, 2870, 1708, 1649, 1523, 1503 /cm.

[α]<sub>D</sub>=+54.1° (MeOH, c=1.02, 22°C).

## No.2a-153

CDCl<sub>3</sub> 300MHz

0.95(1H,d,J=9.9Hz), 1.11 and 1.23(each 3H,each s), 1.50-2.50(14H,m), 2.50( 3H,s), 4.26(1H,m), 5.36-5.51(2H,m), 6.01(1H,d,J=8.4Hz), 6.88(1H,d,J=5.1Hz), 7.26(1H,d,J=5.1Hz).

IR(CHCl<sub>3</sub>): 3469, 3431, 3025, 3013, 2925, 2871, 2664, 1708, 1639, 1544, 1505 /cm.

[α]<sub>D</sub>=+35.8° (MeOH, c=1.03, 22°C).

## No.2a-154

CDCl<sub>3</sub> 300MHz

0.95(1H,d,J=9.9Hz), 1.10 and 1.22(each 3H,each s), 1.52-2.46(14H,m), 2.51( 3H,d,J=1.2Hz), 4.26(1H,m), 5.34-5.50(2H,m), 6.00(1H,d,J=8.4Hz), 6.73(1H,dd, J=5.1 and 3.6Hz), 7.29(1H,d,J=3.6Hz).

IR(CHCl<sub>3</sub>): 3450, 3431, 3026, 3011, 2925, 2869, 1739, 1708, 1639, 1547, 1508 /cm.

[α]<sub>D</sub>=+50.5° (MeOH, c=1.01, 22°C).

## No.2a-155

CDCl<sub>3</sub> 300MHz

0.99(1H,d,J=10.2Hz), 1.19 and 1.25(each 3H,each s), 1.53-2.48(14H,m), 4.3 1(1H,m), 5.36-5.51(2H,m), 6.79(1H,d,J=9.3Hz), 7.29(1H,m), 7.41(1H,m), 7.48(1 H,s), 7.51(1H,m), 7.66(1H,d,J=8.1Hz).

IR(CHCl<sub>3</sub>): 3436, 3029, 3024, 3015, 2925, 2871, 2670, 1708, 1659, 1598, 1510 /cm.

[α]<sub>D</sub>=+69.1° (MeOH, c=1.01, 22°C).

## No.2a-156

CDCl<sub>3</sub>:CD<sub>3</sub>O<sub>D</sub>=10.1 300MHz

0.99(1H,d,J=9.9Hz), 1.11 and 1.21(each 3H,each s), 1.56-2.58(14H,m), 4.22( 1H,m), 5.35-5.59(2H,m), 6.83(1H,d,J=8.4Hz), 7.48(1H,d,J=8.4Hz), 7.61(1H,dd, J=1.5 and 8.4Hz), 8.09(1H,d,J=1.5Hz), 8.12(1H,s).

IR(KBr): 3422, 3115, 2985, 2922, 2869, 2609, 1708, 1636, 1578, 1529, 1470 /cm.

[α]<sub>D</sub>=+62.8° (MeOH, c=1.01, 22°C).

## No.2a-157

[α]<sub>D</sub>=+40.0° (MeOH, c=0.95, 22°C).

## No.2a-158

CDCl<sub>3</sub> 300MHz

1.00(1H,d,J=10.5Hz), 1.17 and 1.24(each 3H,each s), 1.54-2.50(14H,m), 4.3 4(1H,m), 5.36-5.52(2H,m), 7.80(1H,d,J=9.0Hz), 9.30(1H,s).

IR(CHCl<sub>3</sub>): 3410, 3122, 3030, 3012, 2925, 2871, 2668, 1709, 1667, 1538, 1466 /cm.

[α]<sub>D</sub>=+44.9° (MeOH, c=0.99, 22°C).

## No.2a-159

CDCl<sub>3</sub> 300MHz

0.97(1H,d,J=10.2Hz), 1.13 and 1.22(each 3H,each s), 1.55-2.43(14H,m), 3.0 3(6H,s), 4.23(1H,m), 5.32-5.51(2H,m), 6.16(1H,d,J=8.7Hz), 6.87 and 7.63 (each 2H,each d,J=8.7Hz).

# EP 0 837 052 A1

IR(CHCl<sub>3</sub>):3457,3028,3006,2924,2870,2654,1739,1709,1637,1608,1608,1534, 1501 /cm.  
[α]<sub>D</sub>=+64.8° (MeOH,c=1.01,22°C).

## No.2a-160

5

d<sub>6</sub>-DMSO 300MHz  
0.83(1H,d,J=9.9Hz),1.02 and 1.19(each 3H,each s),1.38-1.61(3H,m),1.90-2.32(11H,m),3.90(1H,m),5.41-5.44(2H,m),7.32(1H,dd,J=0.9 and 7.2Hz),7.45-7.60(2H,m),7.77(1H,dd,J=0.9 and 7.8Hz),8.03(1H,d,J=6.9Hz),12.40(1H,s).  
10 IR(Nujol):3315,2924,2856,2656,2535,1737,1703,1637,1598,1581,1541 /cm.  
[α]<sub>D</sub>=+78.5° (MeOH,c=1.01,24°C).  
m.p.161.0-162.0°C

## No.2a-161

15

[α]<sub>D</sub>=+65.3° (MeOH,c=1.00,22°C).

## No.2a-162

20

CDCl<sub>3</sub> 300MHz  
0.99(1H,d,J=10.2Hz),1.13 and 1.25(each 3H,each s),1.53-2.45(14H,m),4.30(1H,m),5.36-5.51(2H,m),6.32(1H,d,J=8.4Hz),7.88 and 8.28(each 2H,each d,J=9.0Hz).  
IR(CHCl<sub>3</sub>):3448,3029,3016,2925,2870,1708,1664,1602,1527,1484,1347 /cm.  
[α]<sub>D</sub>=+72.7° (MeOH,c=1.02,22°C).

25

## No.2a-163

30

CDCl<sub>3</sub> 300MHz  
0.96(1H,d,J=10.2Hz),1.11 and 1.23(each 3H,each s),1.55-2.51(14H,m),4.26(1H,m),5.36-5.57(2H,m),6.68(1H,d,J=7.8Hz),7.41(1H,dd,J=4.8 and 8.1Hz),  
8.20(1H,d,J=8.1Hz),8.66(1H,d,J=4.8Hz),9.00(1H,s).  
IR(CHCl<sub>3</sub>):3448,3026,3013,2925,2870,2534,1709,1658,1590,1515,1471 /cm.  
[α]<sub>D</sub>=+71.3° (MeOH,c=1.01,22°C).

35

## No.2a-164

[α]<sub>D</sub>=+40.8° (MeOH,c=0.98,22°C).

## No.2a-165

40

CDCl<sub>3</sub> 300MHz  
0.96(1H,d,J=10.5Hz),1.11 and 1.24(each 3H,each s),1.55-2.52(14H,m),4.24(1H,m),5.37-5.57(2H,m),6.63(1H,d,J=7.8Hz),7.59 and 8.63(each 2H,each d,J=6.0Hz).  
IR(CHCl<sub>3</sub>):3447,3346,3028,3016,2925,2870,2538,1941,1708,1662,1556,1516 /cm.  
45 [α]<sub>D</sub>=+75.4° (MeOH,c=1.01,22°C).

## No.2a-166

50

CDCl<sub>3</sub> 300MHz  
0.97(1H,d,J=10.2Hz),1.11 and 1.22(each 3H,each s),1.51-2.44(14H,m),2.95(6H,s),4.25(1H,m),5.33-5.50(2H,m),6.19(1H,d,J=8.7Hz),6.77 and 6.97 (each 2H,each d,J=8.4Hz),6.94 and 7.65(each 2H,each d,J=9.0Hz).  
IR(CHCl<sub>3</sub>):3453,3024,3016,2924,2871,2806,1739,1708,1647,1612,1604,1515, 1490 /cm.  
[α]<sub>D</sub>=+53.1° (MeOH,c=1.02,23°C).  
55 m.p.104.0-105.5°C

EP 0 837 052 A1

No.2a-167

CDCl<sub>3</sub> 300MHz  
 1.01(1H,d,J=9.9Hz), 1.19 and 1.26(each 3H,each s), 1.56-2.53(14H,m), 4.37(1H,m), 5.35-  
 5.55(2H,m), 6.47(1H,d,J=8.4Hz), 7.61-7.71(2H,m), 7.79(2H,s), 7.89 -7.97(2H,m), 8.27(1H,d,J=2.1Hz), 8.66-  
 8.73(2H,m).  
 IR(CHCl<sub>3</sub>):3450,3024,3014,2925,2870,2667,1707,1650,1531,1509 /cm.  
 [α]<sub>D</sub>=+70.5° (MeOH,c=1.00,22°C).

No.2a-168

CDCl<sub>3</sub> 300MHz  
 1.02(1H,d,J=10.2Hz), 1.20 and 1.26(each 3H,each s), 1.56-2.50(14H,m), 4.3 8(1H,m), 5.36-  
 5.56(2H,m), 6.51(1H,d,J=8.4Hz), 7.61-7.93(7H,m), 8.74(1H,d,J= 8.4Hz), 9.15(1H,s).  
 IR(CHCl<sub>3</sub>):3517,3451,3060,3028,3011,2925,2870,2664,1709,1651,1519,1498/cm.  
 [α]<sub>D</sub>=+54.4° (MeOH,c=1.00,23°C).

No.2a-169

CDCl<sub>3</sub> 300MHz  
 0.96(1H,d,J=10.5Hz), 1.09 and 1.21(each 3H,each s), 1.50-2.44(14H,m), 3.8 5(3H,s), 4.24(1H,m), 5.32-  
 5.48(2H,m), 6.19(1H,d,J=8.4Hz), 6.94 and 7.45 ( each 2H,each d,J=9.0Hz), 7.11 and 7.45(each 2H,each  
 d,J=8.7Hz).  
 IR(CHCl<sub>3</sub>):3516,3453,3029,3009,2925,2870,2840,2665,1708,1650,1593,1515, 1493,1482 /cm.  
 [α]<sub>D</sub>=+57.8° (MeOH,c= 1.00,23°C).

No.2a-170

CDCl<sub>3</sub> 300MHz 0.98(1H,d,J=10.2Hz), 1.15 and 1.24(each 3H,each s), 1.52-2.50(14H,m), 4.2 8(1H,m), 5.33-  
 5.54(2H,m), 6.25(1H,d,J=8.2Hz), 7.38-7.44(2H,m), 7.74(1H,s), 7. 81-7.86(2H,m).  
 IR(CHCl<sub>3</sub>):3517,3448,3427,3024,3013,2925,2870,2669,1708,1650,1562,1535, 1500 /cm.  
 [α]<sub>D</sub>=+61.6° (MeOH,c=1.00,23°C).

No.2a-171

CDCl<sub>3</sub> 300MHz  
 0.96(1H,d,J=10.2Hz), 1.11 and 1.22(each 3H,each s), 1.52-2.42(14H,m), 2.48 (3H,s), 4.21(1H,m), 5.31-  
 5.52(2H,m), 6.06(1H,d,J=8.2Hz), 6.97 and 7.59 ( each 1H,each d,J=1.2Hz).  
 IR(CHCl<sub>3</sub>):3452,3113,3028,3007,2925,2870,2669,1708,1645,1554,1509 /cm.  
 [α]<sub>D</sub>=+52.4° (MeOH,c=1.00,23°C).

No.2a-172

CDCl<sub>3</sub> 300MHz  
 0.96(1H,d,J=10.2Hz), 1.09 and 1.28(each 3H,each s), 1.50-2.40(14H,m), 2.6 9(3H,s), 4.24(1H,m), 5.35-  
 5.51(2H,m), 5.96(1H,d,J=8.7Hz), 7.03 and 7.07 ( each 1H,each d,J=5.4Hz).  
 IR(CHCl<sub>3</sub>):3451,3031,3013,2925,2870,2666,1708,1647,1542,1497 /cm.  
 [α]<sub>D</sub>=+51.2° (MeOH,c=1.00,23°C).

No.2a-173

CDCl<sub>3</sub> 300MHz  
 0.95(1H,d,J=10.2Hz), 1.10 and 1.23(each 3H,each s), 1.50-2.45(14H,m), 4.2 2(1H,m), 5.35-  
 5.49(2H,m), 6.05(1H,d,J=8.4Hz), 7.26 and 7.75(each 1H,each d,J=1.5Hz).  
 IR(CHCl<sub>3</sub>):3451,3011,3029,3011,2925,2870,1708,1652,1538,1500 /cm.  
 [α]<sub>D</sub>=+50.6° (MeOH,c=1.01,23°C).

# EP 0 837 052 A1

## No.2a-174

CDCl<sub>3</sub> 300MHz  
 0.96(1H,d,J=10.2Hz), 1.13 and 1.23(each 3H,each s), 1.52-2.50(14H,m), 4.2 9(1H,m), 5.35-  
 5.51(2H,m), 7.02(1H,d,J=8.4Hz), 7.32 and 8.16(each 1H,each d,J=3.9Hz).  
 IR(CHCl<sub>3</sub>):3417,3115,3023,3014,2925,2870,1708,1645,1530 /cm.  
 [α]<sub>D</sub>=+48.8° (MeOH,c=1.02,23°C).

## No.2a-175

CDCl<sub>3</sub> 300MHz  
 0.97(1H,d,J=10.2Hz), 1.14 and 1.23(each 3H,each s), 1.50-2.52(14H,m), 2.5 2(3H,s), 4.29(1H,m), 5.34-  
 5.51(2H,m), 7.78(1H,d,J=9.0Hz), 7.24 and 7.52 ( each 1H,each d,J=5.4Hz).  
 IR(CHCl<sub>3</sub>):3329,3093,3023,3015,2924,2871,1708,1640,1526 /cm.  
 [α]<sub>D</sub>=+45.0° (MeOH,c=1.01,23°C).

## No.2a-176

CDCl<sub>3</sub> 300MHz  
 0.95(1H,d,J=10.5Hz), 1.09 and 1.23(each 3H,each s), 1.52-2.46(14H,m), 2.4 0(3H,d,J=0.9Hz), 4.24(1H,m), 5.35-  
 5.51(2H,m), 6.05(1H,d,J=8.7Hz), 6.95(1H, m), 7.57(1H,d,J=3.3Hz).  
 IR(CHCl<sub>3</sub>):3517,3444,3103,3024,3013,2926,2870,1739,1708,1649,1636,1507/cm.  
 [α]<sub>D</sub>=+54.8° (MeOH,c=1.01,23°C).  
 m.p.97.0-99.0°C

## No.2a-177

CDCl<sub>3</sub> 300MHz  
 0.97(1H,d,J=10.2Hz), 1.11 and 1.23(each 3H,each s), 1.52-2.45(14H,m), 3.9 3(3H,s), 4.27(1H,m), 5.34-  
 5.50(2H,m), 6.35(1H,d,J=3.3Hz), 7.80(1H,d,J=8.7Hz ), 8.10(1H,d,J=3.3Hz).  
 IR(CHCl<sub>3</sub>):3395,3121,3031,3019,3012,2925,2871,1739,1709,1640,1557,1533 /cm.  
 [α]<sub>D</sub>=+22.8° (MeOH,c=1.01,23°C).  
 m.p.109.0-112.0°C

## No.2a-178

CDCl<sub>3</sub> 300MHz  
 0.96(1H,d,J=10.5Hz), 1.10 and 1.23(each 3H,each s), 1.51-2.45(14H,m), 4.2 4(1H,m), 5.35-  
 5.50(2H,m), 6.09(1H,d,J=8.4Hz), 7.17-7.31(6H,m), 7.95(1H,d,J=1.5Hz).  
 IR(CHCl<sub>3</sub>):3510,3451,3062,3031,3022,3011,2925,2870,2662,1708,1651,1582, 1535,1497,1477/cm.  
 [α]<sub>D</sub>=+47.9° (MeOH,c=1.01,25°C).

## No.2a-179

CDCl<sub>3</sub> 300MHz  
 0.96(1H,d,J=10.2Hz), 1.14 and 1.24(each 3H,each s), 1.52-2.48(14H,m), 4.3 0(1H,m), 5.36-  
 5.52(2H,m), 6.73(1H,d,J=9.0Hz), 6.26 and 7.37(each 1H,each d,J=6.0Hz).  
 IR(CHCl<sub>3</sub>):3509,3429,3115,3094,3025,3014,2925,2871,2666,1708,1649,1529, 1510 /cm.  
 [α]<sub>D</sub>=+51.0° (MeOH,c=1.02,25°C).

## No.2a-180

CDCl<sub>3</sub> 300MHz  
 0.95(1H,d,J=10.2Hz), 1.14 and 1.24(each 3H,each s), 1.52-2.46(14H,m), 3.8 9(3H,s), 4.21(1H,m), 5.35-  
 5.50(2H,m), 6.05(1H,d,J=8.4Hz), 6.46 and 7.04 ( each 1H,each d,J=1.8Hz).  
 IR(CHCl<sub>3</sub>):3516,3450,3114,3031,3010,2925,2871, 1708,1648,1546,1511,1477 /cm.  
 [α]<sub>D</sub>=+49.1° (MeOH,c=1.01,25°C).

# EP 0 837 052 A1

## No.2a-181

CDCl<sub>3</sub> 300MHz

0.97(1H,d,J=10.2Hz), 1.14 and 1.23(each 3H,each s), 1.52-2.48(14H,m), 2.4 2(3H,s), 4.31(1H,m), 5.34-5.52(2H,m), 8.07(1H,d,J=9.3Hz), 7.27 and 8.17 ( each 1H,each d,J=3.3Hz).

IR(CHCl<sub>3</sub>):3510,3301,3112,3023,3007,2924,2871,2663,1708,1636,1534 /cm.

[α]<sub>D</sub>=+41.0° (MeOH,c=0.96,25°C).

## No.2a-182

CDCl<sub>3</sub> 300MHz

0.96(1H,d,J=10.2Hz), 1.11 and 1.23(each 3H,each s), 1.53-2.46(14H,m), 2.5 1(3H,s), 4.21(1H,m), 5.35-5.51(2H,m), 6.05(1H,d,J=8.1Hz), 7.26 and 7.78 ( each 1H,each d,J=1.8Hz).

IR(CHCl<sub>3</sub>):3509,3450,3109,3024,3012,2925,2870,2666,1708,1650,1535,1 498,1471 /cm.

[α]<sub>D</sub>=+52.9° (MeOH,c=0.95,25°C).

## No.2a-183

CDCl<sub>3</sub> 300MHz

0.96(1H,d,J=10.5Hz), 1.12 and 1.22(each 3H,each s), 1.52-2.46(14H,m), 4.2 5(1H,m), 5.33-5.51(2H,m), 6.17(1H,d,J=8.7Hz), 7.01-7.05(3H,m). 7.14 and 7.6 2(each 2H,each d,J=8.7Hz), 7.27-7.34(2H,m).

IR(CHCl<sub>3</sub>):3428,3026,3015,2925,2870,2666,1739,1708,1643,1613,1594,1526, 1499 /cm.

[α]<sub>D</sub>=+64.8° (MeOH,c=1.02,23°C).

## No.2a-184

CDCl<sub>3</sub> 300MHz

1.01(1H,d,J=10.2Hz), 1.18 and 1.26(each 3H,each s), 1.55-2.50(14H,m), 4.3 5(1H,m), 5.35-5.55(2H,m), 6.42(1H,d,J=8.7Hz), 7.46-7.52(2H,m). 7.73(1H,dd,J =1.8 and 8.4Hz), 7.83-7.89(2H,m), 8.21(1H,m), 8.59(1H,d,J=1.5Hz).

IR(CHCl<sub>3</sub>):3451,3031,3014,2925,2870,2660,1739,1708,1650,1604,1513,1463 /cm.

[α]<sub>D</sub>=+58.3° (MeOH,c=1.00,23°C).

## No.2a-185

CDCl<sub>3</sub> 300MHz

1.00(1H,d,J=10.2Hz), 1.18 and 1.25(each 3H,each s), 1.55-2.50(14H,m), 4.3 4(1H,m), 5.35-5.54(2H,m), 6.36(1H,d,J=8.7Hz), 7.37(1H,t,J=7.4Hz), 7.50(1H,m ), 7.57-7.59(2H,m), 7.79(1H,dd,J=1.8 and 8.1Hz), 7.99(1H,d,J=7.8Hz), 8.39(1 H,d,J=1.8Hz).

IR(CHCl<sub>3</sub>):3451,3030,3020,2870,2665,1708,1652,1632,1603,1586,1514,1469, 1448 /cm.

[α]<sub>D</sub>=+59.4° (MeOH,c=1.01,24°C).

## No.2a-186

CDCl<sub>3</sub> 300MHz

1.00(1H,d,J=10.5Hz), 1.17 and 1.25(each 3H,each s), 1.54-2.50(14H,m), 4.3 3(1H,m), 5.35-5.54(2H,m), 6.37(1H,d,J=8.7Hz), 7.37(1H,t,J=7.4Hz), 7.51(1H,t, J=7.8Hz), 7.56(1H,m), 7.70(1H,dd,J=1.2 and 8.4Hz), 7.97(3H,m).

IR(CHCl<sub>3</sub>):3451,3030,3014,2924,2870,2671,1739,1708,1652,1577,1517,1488, 1471 /cm.

[α]<sub>D</sub>=+72.2° (MeOH,c=1.00,24°C).

## No.2a-187

CDCl<sub>3</sub> 300MHz

1.00(1H,d,J=9.8Hz), 1.18 and 1.25(each 3H,each s), 1.54-2.53(14H,m), 4.07( 3H,s), 4.37(1H,m), 5.30-5.54(2H,m), 7.34(1H,m), 7.47(1H,s), 7.47-7.60(2H,m), 7. 93(1H,d,J=7.8Hz), 8.43(1H,s), 8.49(1H,d,J=9.0Hz).

IR(CHCl<sub>3</sub>):3397,3074,3027,3020,3009,2924,1738,1708,1647,1633,1534,1465, 1453 /cm.

[α]<sub>D</sub>=+43.7° (MeOH,c=1.01,25°C).



# EP 0 837 052 A1

## No.2a-188

CDCl<sub>3</sub> 300MHz

0.97(1H,d,J=10.2Hz), 1.11 and 1.23(each 3H,each s), 1.53-2.50(14H,m), 4.2 3(1H,m), 5.37-5.50(2H,m), 6.10(1H,d,J=9.0Hz), 6.20(1H,m), 6.51(1H,m), 6.97(1H,m), 10.81(1H,brs).

IR(CHCl<sub>3</sub>): 3450, 3236, 3112, 3029, 3015, 2925, 2871, 2645, 1701, 1616, 1558, 1516 /cm.

[α]<sub>D</sub>=+50.6° (MeOH, c=1.01, 24°C).

## No.2a-189

CDCl<sub>3</sub> 300MHz

0.94(1H,d,J=9.9Hz), 1.11 and 1.23(each 3H,each s), 1.50-2.46(14H,m), 3.93(3H,s), 4.18(1H,m), 5.35-5.52(2H,m), 6.03(1H,d,J=9.3Hz), 6.09(1H,m), 6.48(1H,m), 6.73(1H,m).

IR(CHCl<sub>3</sub>): 3452, 3102, 3028, 3007, 2925, 2871, 2666, 1739, 1708, 1650, 1536, 1499, 1471 /cm.

[α]<sub>D</sub>=+49.8° (MeOH, c=1.01, 23°C).

m.p. 101.5-103.5°C

## No.2a-190

CDCl<sub>3</sub> 300MHz

0.94(1H,d,J=10.2Hz), 1.11 and 1.21(each 3H,each s), 1.54-2.47(14H,m), 4.2 3(1H,m), 5.33-5.52(2H,m), 6.06(1H,d,J=9.0Hz), 6.34(1H,m), 6.75(1H,m), 6.36(1H,m), 9.71(1H,brs).

IR(CHCl<sub>3</sub>): 3470, 3215, 3030, 3020, 3010, 2925, 2871, 2664, 1709, 1613, 1564, 1510 /cm.

[α]<sub>D</sub>=+43.3° (MeOH, c=1.01, 24°C).

## No.2a-191

CDCl<sub>3</sub> 300MHz

0.96(1H,d,J=10.2Hz), 1.11 and 1.22(each 3H,each s), 1.55-2.44(14H,m), 3.6 6(3H,s), 4.20(1H,m), 5.35-5.51(2H,m), 5.93(1H,d,J=8.4Hz), 6.27(1H,dd,J=1.8 and 2.7Hz), 6.56(1H,t,J=2.7Hz), 7.19(1H,t,J=1.8Hz).

IR(CHCl<sub>3</sub>): 3452, 3031, 3018, 3006, 2925, 2871, 2662, 1736, 1710, 1634, 1609, 1556, 1498 /cm.

[α]<sub>D</sub>=+43.1° (MeOH, c=1.01, 23°C).

## No.2a-192

CDCl<sub>3</sub> 300MHz

0.96(1H,d,J=10.5Hz), 1.11 and 1.21(each 3H,each s), 1.43(3H,t,J=7.5Hz), 1.54-2.44(14H,m), 3.93(2H,q,J=7.5Hz), 4.21(1H,m), 5.33-5.51(2H,m), 5.94(1H,d,J=8.4Hz), 6.27(1H,dd,J=1.8 and 2.7Hz), 6.62(1H,t,J=2.7Hz), 7.26(1H,t,J=1.8 Hz).

IR(CHCl<sub>3</sub>): 3630, 3452, 3032, 3018, 3006, 2925, 2871, 2661, 1735, 1710, 1633, 1610, 1555, 1497 /cm.

[α]<sub>D</sub>=+40.1° (MeOH, c=1.00, 23°C).

## No.2a-193

CDCl<sub>3</sub> 300MHz

0.95(1H,d,J=10.2Hz), 1.10 and 1.22(each 3H,each s), 1.53-2.49(14H,m), 2.5 8(3H,s), 4.21(1H,m), 5.35-5.54(2H,m), 6.15(1H,d,J=8.1Hz), 6.52(1H,dd,J=1.8 and 3.6Hz), 7.29(1H,t,J=3.6Hz), 7.94(1H,t,J=1.8Hz).

IR(CHCl<sub>3</sub>): 3516, 3450, 3410, 3152, 3027, 3015, 2925, 2871, 2670, 1732, 1648, 1574, 1509 /cm.

[α]<sub>D</sub>=+45.0° (MeOH, c=1.01, 25°C).

## No.2a-194

CDCl<sub>3</sub> 300MHz

0.99(1H,d,J=10.2Hz), 1.11 and 1.24(each 3H,each s), 1.52-2.53(14H,m), 4.3 4(1H,m), 5.33-5.57(2H,m), 6.21(1H,d,J=8.6Hz), 7.35-7.50(2H,m), 7.83(1H,s), 7.86(1H,m), 8.31(1H,m).

IR(CHCl<sub>3</sub>): 3443, 3067, 3013, 2925, 2870, 2665, 1708, 1651, 1515, 1493 /cm.

[α]<sub>D</sub>=+55.7° (MeOH, c=1.01, 23°C).

# EP 0 837 052 A1

## No.2a-195

CDCl<sub>3</sub> 300MHz  
 1.01(1H,d,J=10.0Hz),1.06 and 1.26(each 3H,each s),1.50-2.64(14H,m),2.6 8(3H,s),4.40(1H,m),5.36-  
 5.61(2H,m),6.02(1H,d,J=9.4Hz),7.30-7.42(2H,m),7.73-7.86(2H,m).  
 IR(CHCl<sub>3</sub>):3510,3434,3062,3029,3014,2924,2871,2669,1708,1650,1563,1539, 1500 /cm.  
 [α]<sub>D</sub>=+72.4° (MeOH,c=1.00,23°C).  
 m.p.111.0-112.0°C

## 10 No.2a-196

CDCl<sub>3</sub> 300MHz  
 0.42 and 1.04(each 3H,each s),0.80(1H,d,J=10.0Hz),1.11-2.48(14H,m),2.2 4(3H,s),4.02(1H,m),5.23-  
 5.44(2H,m),5.53(1H,d,J=8.8Hz),7.27-7.31(2H,m),7.42-7.48(3H,m),7.93(1H,s).  
 IR(CHCl<sub>3</sub>):3419,3114,3025,3006,2924,2871,2662,1737,1709,1636,1540,1519 /cm.  
 [α]<sub>D</sub>=+43.7° (MeOH,c=1.01,23°C).

## No.2a-197

CDCl<sub>3</sub> 300MHz  
 0.95(1H,d,J=10.0Hz),1.09 and 1.23(each 3H,each s),1.54-2.46(18H,m),2.7 7(4H,brs),4.21(1H,m),5.32-  
 5.54(2H,m),6.02(1H,d,J=8.6Hz),7.43(1H,s).  
 IR(CHCl<sub>3</sub>):3445,3101,3024,3014,2928,2865,2661,1739,1708,1646,1550,1507 /cm.  
 [α]<sub>D</sub>=+51.9° (MeOH,c=1.01,23°C).

## No.2a-198

CDCl<sub>3</sub> 300MHz  
 0.96(1H,d,J=10.2Hz),1.11 and 1.22(each 3H,each s),1.50-2.44(14H,m),4.2 4(1H,m),4.42(2H,s),5.35-  
 5.49(2H,m),6.25(1H,d,J=8.1Hz),7.33(1H,m),7.43(1H,dd,J=1.5and 7.5Hz),7.49(1H,d,J=8.1Hz),7.60-  
 7.63(1H,m),7.68(1H,dd,J=1.8 and 7.8Hz),8.02(1H,d,J=1.8Hz),8.19(1H,dd,J=1.5 and 8.1Hz).  
 IR(CHCl<sub>3</sub>):3448,3030,3012,2925,2870,1739,1708,1671,1588,1559,1514,1472 /cm.  
 [α]<sub>D</sub>=+56.9° (MeOH,c=1.01,24°C).

## 35 No.2a-199

CDCl<sub>3</sub> 300MHz  
 0.96(1H,d,J=10.2Hz),1.11 and 1.22(each 3H,each s),1.51-2.46(14H,m),3.4 0(1H,m),3.76(1H,m),4.24(1H,m),5.33-  
 5.51(3H,m),6.25(1H,m),7.16(1H,m),7.2 4-7.33(2H,m),7.46(1H,d,J=7.5Hz),7.52-7.60(2H,m),7.85(1H,dd,J=1.8 and  
 4.5Hz).  
 IR(CHCl<sub>3</sub>):3583,3447,3062,3028,3013,2924,2871,2663,1708,1651,1600,1557, 1514,1471 /cm.  
 [α]<sub>D</sub>=+54.8° (MeOH,c=1.00,23°C).

## No.2a-200

CDCl<sub>3</sub> 300MHz  
 0.96(1H,d,J=10.2Hz),1.12 and 1.23(each 3H,each s),1.51-2.46(14H,m),4.2 5(1H,m),5.34-  
 5.51(2H,m),6.25(1H,d,J=8.4Hz),7.02 and 7.10(each 1H,each d,J=12.3Hz),7.23-  
 7.33(4H,m),7.50(1H,m),7.64(1H,dd,J=1.8 and 7.8Hz),7.8 2(1H,d,J=1.8Hz).  
 IR(CHCl<sub>3</sub>):3450,3060,3025,3014,2925,2871,2662,1708,1653,1596,1542,1513, 1473 /cm.  
 [α]<sub>D</sub>=+62.5° (MeOH,c=1.00,24°C).

## No.2a-201

CDCl<sub>3</sub> 300MHz  
 0.95(1H,d,J=9.9Hz),1.15 and 1.22(each 3H,each s),1.55-2.60(14H,m),4.26(1H,m),5.35-  
 5.63(2H,m),7.14(1H,d,J=9.9Hz),7.34 and 7.40(each 1H,each d, J=12.9Hz),7.62-7.73(4H,m),8.25-  
 8.30(2H,m),8.72(1H,d,J=1.5Hz).

**EP 0 837 052 A1**

IR(CHCl<sub>3</sub>):3443,3389,3297,3061,3030,3016,2925,2870,1726,1708,1652,1603,1521,1483,1472,1309 /cm.  
[α]<sub>D</sub>=+61.1° (MeOH,c=1.01,23°C).

**No.2a-202**

5

CDCl<sub>3</sub> 300MHz  
0.96(1H,d,J=10.2Hz),1.09 and 1.22(each 3H,each s),1.52-2.43(14H,m),2.6 3(3H,s),4.25(1H,m),5.33-  
5.49(2H,m),6.19(1H,d,J=8.4Hz),7.10 and 7.58 (each,2H,each d,J=9.0Hz),7.21(1H,m),7.30-  
7.32(2H,m),7.46(1H,d,J=7.5Hz)  
10 IR(CHCl<sub>3</sub>):3511,3453,3062,3032,3014,2925 2870,1739,1708,1650,1595,1556, 1516,1482,1471 /cm.  
[α]<sub>D</sub>=+60.2° (MeOH,c=1.01,25°C).

**No.2a-203**

15

CDCl<sub>3</sub> 300MHz  
0.96(1H,d,J=10.5Hz),1.09 and 1.23(each 3H,each s),1.52-2.43(14H,m),4.2 3(1H,m),5.35-  
5.51(2H,m),5.93(1H,d,J=8.7Hz),6.56(1H,dd,J=0.9 and 1.8Hz), 7.43(1H,t,J=1.8Hz),7.92(1H,dd,J=0.9 and 1.8Hz).  
IR(CHCl<sub>3</sub>):3517,3450,3134,3031,3008,2925,2870,2667,1708,1656,1588,1570, 1514 /cm.  
[α]<sub>D</sub>=+46.7° (MeOH,c=0.92,25°C).

20

**No.2b-1**

[α]<sub>D</sub>= +25.6° (MeOH,c=1.01,23°C).

25 **No.2b-2**

[α]<sub>D</sub>= +38.9° (MeOH,c=1.01,24°C).

**No.2c-1**

30

[α]<sub>D</sub>= +60.5° (MeOH,c=1.01,22°C).

**No.2c-2**

35

[α]<sub>D</sub>= +55.8° (MeOH,c=0.92,22°C).

**No.2c-3**

[α]<sub>D</sub>= +54.7° (MeOH,c=1.01,22°C).

40

**No.2d-1**

[α]<sub>D</sub>= -6.2° (MeOH,c=1.00,21°C).

45 **No.2d-2**

[α]<sub>D</sub>=+15.8° (MeOH,c=0.34,22°C).

**No.2d-3**

50

[α]<sub>D</sub>=+31.6° (MeOH,c=1.01,22°C).

**No.2e-1**

55

[α]<sub>D</sub>= -9.4° (MeOH,c=1.00,22°C).

No.2 -2

[ $\alpha$ ]<sub>D</sub>= -1.8° (MeOH,c=1.02,23°C).

5 No.2e-3

[ $\alpha$ ]<sub>D</sub>= -6.7° (MeOH,c=1.01,23°C).

No.2f-1

10

[ $\alpha$ ]<sub>D</sub>= +6.8° (MeOH,c=1.01,23°C).

No.2f-2

15

[ $\alpha$ ]<sub>D</sub>= -2.6° (MeOH,c=1.00,22°C).

No.2f-3

20

[ $\alpha$ ]<sub>D</sub>= -3.5° (MeOH,c=1.01,22°C).

No.2g-1

[ $\alpha$ ]<sub>D</sub>= +54,6° (MeOH,c=1.01,24°C).

25 No.3a-2

CDCl<sub>3</sub> 300MHz

0.98-2.15(14H,m),2.31(2H,t,J=7.2Hz),2.35-2.40(1H,m),3.10-3.20(1H,m), 5.00(1H,d,J=6.9Hz),5.30-5.48(2H,m),6.75(1H,d,J=10.2Hz),7.38-7.52(6H,m).

30 IR(CDCl<sub>3</sub>):3266,3028,2954,2874,1709,1620,1448,1412,1318,1141,970,892/cm.[ $\alpha$ ]<sub>D</sub>=+20.3±0.6 ° (CHCl<sub>3</sub>,c=1.05,24°C).

No.3a-3

35

CDCl<sub>3</sub> 300MHz

0.95-2.00(14H,m),2.20-2.29(3H,m),3.00-3.08(1H,m),3.66(3H,s),5.00(1H,d, J=6.6Hz),5.13-5.29(2H,m),7.38-7.52(3H,m),7.59-7.65(2H,m),7.69-7.75(2H,m),7.92-7.98(2H,m).

IR(CHCl<sub>3</sub>):3376,3018,2946,2868,1727,1594,1436,1395,1322,1157,1095,890 /cm.[ $\alpha$ ]<sub>D</sub>=+2.3±0.4 ° (CHCl<sub>3</sub>,c=1.03,22°C).

40

mp.65-66.5°C

No.3a-4

CDCl<sub>3</sub> 300MHz

45 0.93-2.05(14H,m),2.15-2.22(1H,m),2.31(2H,t,J=7.2Hz),3.01-3.10(1H,m), 5.18-5.31(3H,m),7.38-7.52(3H,m),7.58-7.66(2H,m),7.69-7.76(2H,m),7.92-7.98(2H,m)

IR(CHCl<sub>3</sub>):3374,3260,3020,2948,2868,1708,1594,1479,1396,1319,1156,1095, 1052,891/cm.[ $\alpha$ ]<sub>D</sub>=+13.1±0.5 ° (CHCl<sub>3</sub>,c=1.16,24°C).

50 No.3a-6

CD<sub>3</sub>OD 300MHz

1.04-1.95(14H,m),2.07(2H,t,J=7.8Hz),2.14-2.22(1H,m),2.94-3.00(1H,m), 5.04-5.25(2H,m),7.36-7.52(3H,m),7.66-7.71(2H,m),7.78-7.85(2H,m),7.91-7.97(2H,m).

55 IR(KBr):3421,3278,2951,2872,1562,1481,1409,1317,1156,1097,1057,895/cm.

[ $\alpha$ ]<sub>D</sub>=-15.3±0.5 ° (CHCl<sub>3</sub>,c=1.06,23°C).

mp.105-112°C

# EP 0 837 052 A1

## No.3a-11

CDCl<sub>3</sub> 300MHz

0.90-2.04(14H,m),2.08-2.19(1H,m),2.35(2H,t,J=7.2Hz),2.95-3.04(1H,m), 5.17-5.32(3H,m),7.56-7.63(2H,m),7.83-7.95(2H,m).

IR(CHCl<sub>3</sub>):3260,3020,2948,2868,1707,1569,1456,1383,1325,1268,1160,1088, 1053,1006,892/cm.

[α]<sub>D</sub>=+8.3±0.5 ° (CHCl<sub>3</sub>,c=1.00,22°C).

## No.3a-16

CDCl<sub>3</sub> 300MHz

0.80-1.90(14H,m),1.98-2.04(1H,m),2.27(2H,t,J=7.2Hz),2.88(6H,s),2.90-2.98(1H,m),4.88-5.00(2H,m),5.13(1H,d,J=7.2Hz),7.18(1H,d,J=7.5Hz),7.48-7.60(2H,m),8.25-8.33(2H,m),8.53(1H,d,J=8.7Hz).

IR(CHCl<sub>3</sub>):3272,3020,2946,2866,2782,1708,1573,1455,1407,1311,1229,1160, 1142,1070,942,891/cm.

[α]<sub>D</sub>=-19.7±0.6 ° (CHCl<sub>3</sub>,c=1.08,23.5°C).

## No.3a-31

CDCl<sub>3</sub> 300MHz

0.80-1.85(14H,m),2.02-2.08(1H,m),2.20(2H,t,J=7.2Hz),2.85-2.95(1H,m), 3.68(3H,s),4.80-4.92(2H,m),4.96(1H,d,J=6.9Hz),7.50-7.70(3H,m),7.92-

7.98(1H,m),8.07(1H,d,J=8.4Hz),8.29(1H,dd,J=1.5&7.5Hz),8.65(1H,LI):3374,3016,2946,2868,1727,1506,1435,1318,1160,1133,1105,1051, 984,890/cm.

[α]<sub>D</sub>=-39.3±0.8 ° (CHCl<sub>3</sub>,c=1.07,22°C).

## No.3a-32

CDCl<sub>3</sub> 300MHz

0.80-1.90(14H,m),1.95-2.05(1H,m),2.27(2H,t,J=7.2Hz),2.90-2.96(1H,m), 4.85-5.00(2H,m),5.23(1H,d,J=6.6Hz),7.50-7.72(3H,m),7.95(1H,d,J=8.1Hz),

8.07(1H,d,J=8.4Hz),8.29(1H,dd,J=1.2&7.5Hz),8.66(1H,d,J=9.0Hz).

IR(CHCl<sub>3</sub>):3270,3020,2948,2868,1708,1455,1412,1317,1159,1132,1104,1079, 1051,983,891/cm.

[α]<sub>D</sub>=-29.2±0.6 ° (CHCl<sub>3</sub>,c=1.08,22°C).

## No.3a-33

CD<sub>3</sub>OD 300MHz

0.94-1.84(14H,m),1.96-2.08(3H,m),2.77-2.84(1H,m),4.67-4.84(2H,m),7.55-7.75(3H,m),8.02(1H,d,J=7.8Hz),8.12-8.26(2H,m),8.74(1H,d,J=8.7Hz).

IR(KBr):3432,3298,2951,2872,1564,1412,1315,1159,1134,1107,1082,1058, 986/cm.

[α]<sub>D</sub>=-79.9±1.2 ° (CH<sub>3</sub>OH,c=1.00,23°C).

## No.3a-34

CDCl<sub>3</sub> 300MHz

0.97-1.91(14H,m),2.13-2.20(1H,m),2.42(2H,t,J=7.2Hz),3.00-3.07(1H,m), 5.06-5.24(2H,m),5.33(1H,d,J=6.9Hz),7.57-7.68(2H,m),7.82-8.00(4H,m), 8.45(1H,d,J=1.2Hz)

IR(CHCl<sub>3</sub>):3260,3020,2948,1708,1408,1319,1154,1129,1073,953,893/cm.

[α]<sub>D</sub>=+20.7±0.6 ° (CHCl<sub>3</sub>,c=1.07,22°C).

## No.3a-35

CD<sub>3</sub>OD 300MHz

1.03-2.20(m,17H),2.97(m,1H),5.02(m,2H),7.64(m,2H),8.00(m,4H),8.43 (S,1H).

IR(KBr):3360,3285,1562,1407,1316,1153,1130,1075/cm.

[α]<sub>D</sub>=0

[α]<sub>365</sub>=+20.9±0.6 ° (CH<sub>3</sub>OH,c=1.04,23°C).

EP 0 837 052 A1

No.3d-1

CDCl<sub>3</sub> 300MHz  
 0.93-2.55(m,17H),3.02(m,1H),5.24(m,2H),6.48(m,1H),7.35-7.60(m,3H),7.85-8.00(m,2H)  
 IR(Nujol): 3275,1548,1160,1094,758,719,689,591,557/cm.  
 [α]<sub>D</sub>=+19.0±0.6° (CH<sub>3</sub>OH,c=1.010,26.5°C).

10

Elemental analysis (C <sub>20</sub> H <sub>26</sub> NO <sub>4</sub> S 1/2Ca 1.0 H <sub>2</sub> O)					
Calcd.:	C, 57.94;	H, 6.82;	N, 3.38;	Ca, 4.83;	H <sub>2</sub> O, 4.35
Found:	C, 57.80;	H, 6.68;	N, 3.68;	Ca, 5.06;	H <sub>2</sub> O, 4.50

15 No.3d-6

[α]<sub>D</sub>=-20.7±0.6° (CHCl<sub>3</sub>,c=1.00,24°C).

No.3d-7

20

[α]<sub>D</sub>=-3.2±0.4° (CHCl<sub>3</sub>;c=1.03,22°C).  
 mp.65-67°C

No.3d-8

25

[α]<sub>D</sub>=-14.5±0.5° (CHCl<sub>3</sub>,c=1.07,24°C).

No.3d-9

30

[α]<sub>D</sub>=+12.2±0.5° (CH<sub>3</sub>OH,c=1.00,23°C).  
 mp.119-125°C

No.3d-10

35

[α]<sub>D</sub>=+39.7±0.8° (CHCl<sub>3</sub>,c=1.07,22°C).

No.3d-11

40

[α]<sub>D</sub>=+29.2±0.7° (CHCl<sub>3</sub>,c=1.06,22°C).

No.3d-12

[α]<sub>D</sub>=+76.4±1.1° (CH<sub>3</sub>OH,c=1.03,24°C).

45 No.3d-14

[α]<sub>D</sub>=-20.6±0.6° (CHCl<sub>3</sub>,c=1.07,22°C).

No.3d-15

50

[α]<sub>365</sub>=-28.0±0.7° (CH<sub>3</sub>OH,c=1.03,24.5°C).

No.3d-16

55

[α]<sub>D</sub>=-8.7±0.5° (CHCl<sub>3</sub>,c=1.06,22°C).

# EP 0 837 052 A1

No.3d-17

CDCl<sub>3</sub> 300MHz  
 0.80-2.15(m,24H),2.32(t,J=7Hz,2H),2.68(t,J=7Hz,2H),3.02(m,1H),2.15  
 5 (m,24H),2.32(t,J=7Hz,2H),2.68(t,J=7Hz,2H),3.02(m,1H),5.22(m,2H),5.38(d,  
 Apart,J=8Hz,2H),7.81(A2B2qBpart,J=8Hz,2H), 9.86 (brs,1H). J=7Hz,1H),7.30(A2B2q-  
 [α]<sub>D</sub>=0  
 [α]<sub>365</sub>=-9.7±0.5° (CHCl<sub>3</sub>,c=1.03,22°C).

10 No.3d-24

[α]<sub>D</sub>=+19.2±0.6 ° (CHCl<sub>3</sub>,c=1.05,23°C).

No.3d-26

15

CD<sub>3</sub>OD 300MHz  
 0.90-2.20(20H,m),2.88(1H,m),3.07(2H,q,J=7.0Hz),5.00-5.40(2H,m),7.20-7.60(4H,m),7.95(1H,m).  
 IR(KBr):3415,3254,1698,1564,1314,1154/cm.

20 No.3d-28

CD<sub>3</sub>OD 300MHz  
 0.90-2.20(20H,m),2.73(2H,q,J=7.0Hz),2.93(1H,m),5.00-5.30(2H,m),7.40-7.50(2H,m),7.60-7.77(2H,m).  
 IR(KBr):3435,3280,1562,1323,1304,1151/cm.

25

No.3d-20

30

Elemental analysis (C <sub>20</sub> H <sub>25</sub> BrNO <sub>4</sub> Na)						
Calcd.:	C50.21;	H5.27;	Br16.70;	N2.93;	S6.70;	Na4.81
Found:	C50.22;	H5.40;	Br15.57;	N2.88;	S6.41;	Na5.10

35 IR(KBr):3425,3280,3085,1697,1570,1410,1321,1165,1155/cm.

No.3e-1

CD<sub>3</sub>OD 300MHz  
 40 0.71(1H,d,J=10.2Hz),1.04(3H,s),1.12(3H,s),1.35-2.28(14H,m), 2.42(3H,s),3.17-3.25(1H,m),5.18-  
 5.39(2H,m),7.37(2H,d,J=8.4Hz),7.75(2H,d,J=8.4Hz).  
 IR(CHCl<sub>3</sub>):3400,3289,2986,2924,2870,1559,1424,1322,1305,1160,1095,1075, 1030/cm.  
 [α]<sub>D</sub>=+25.9±0.7 ° (CH<sub>3</sub>OH,c=1.00,23°C).

45 Compounds prepared in Examples above were tested for in vivo and in vitro activity according to the method shown  
 in Experimental examples below.

## Experiment 1 Binding to PGD<sub>2</sub> Receptor

50 Material and Method

### (1) Preparation of Human Platelet Membrane Fraction

55 A Blood sample was obtained using a plastic syringe containing 3.8 % sodium citrate from veins of healthy volun-  
 teers (adult male and female), put into a plastic test tube and mixed gently by inversion. The sample was then centri-  
 fuged at 1800 rpm, 10 min at room temperature, and supernatant containing PRP (platelet rich plasma) was collected.  
 The PRP was re-centrifuged at 2300 rpm, 22 min at room temperature to obtain platelets. The platelets were homoge-  
 nized using a homogenizer (Ultra-Turrax) followed by centrifugation 3 times at 20,000 rpm, 10 min at 4°C to obtain a

## EP 0 837 052 A1

platelet membrane fraction. After protein determination, the membrane fraction was adjusted to 2 mg/ml and preserved in a refrigerator at -80°C until use.

### (2) Binding to PGD<sub>2</sub> Receptor

To a binding-reaction solution (50 mM Tris/HCl, pH 7.4, 5 mM MgCl<sub>2</sub>) (0.2 ml) were added human platelet membrane fraction (0.1 mg) and 5 nM [<sup>3</sup>H]PGD<sub>2</sub> (115Ci/mmol), and reacted at 4°C for 90 min. After the reaction finished, the reaction mixture was filtered through a glass fiber filter paper, washed several times with cooled saline, and measurement made of radioactivity retained on the filter paper. The specific binding was calculated by subtracting the non-specific binding (the binding in the presence of 10 μM PGD<sub>2</sub>) from the total binding. The binding-inhibitory activity of each compound was expressed as concentration required for 50 % inhibition (IC<sub>50</sub>), which was determined by depicting a substitution curve by plotting the binding ratio (%) in the presence of each compound, where the binding ratio in the absence of a test compound is 100 %. The results are shown in Table below.

Compound number	Activity (μM)	compound number	activity (μM)
3a-4	0.6	2a-4	0.54
1a-115	8.6	2a-17	0.12
1a-28	0.045	2a-21	5.2
1a-47	0.0086	2a-28	0.046
1a-100	0.56	2a-95	1.6
1a-176	0.047	2a-109	0.003
1a-2	0.13	1a-162	0.027

### Experiment 2 Evaluation of Antagonistic Activity Against PGD<sub>2</sub> Receptor Using Human Platelet

Peripheral blood was obtained from a healthy volunteer using a syringe in which 1/9 volume of citric acid/dextrose solution had been previously added. The syringe was subjected to centrifugation at 180 g for 10 min to obtain the supernatant (PRP: platelet rich plasma). The resultant RRP was washed 3 times with a washing buffer and the number of platelets was counted with a micro cell counter. A suspension adjusted to contain platelets at a final concentration of 5 x 10<sup>8</sup>/ml was warmed at 37°C, and then subjected to the pretreatment with 3-isobutyl-1-methylxanthine (0.5mM) for 5 min. To the suspension was added a test compound diluted at various concentrations. Ten-minutes later, the reaction was induced by the addition of 0.1-2.0 μM PGD<sub>2</sub> and, 15-minutes later, stopped by the addition of HCl. The platelets were destroyed with an ultrasonic homogenizer. After centrifugation, the cAMP in the supernatant was determined by radioassay. PGD<sub>2</sub> receptor antagonism of a drug was evaluated as follows. The inhibition rate regarding cAMP increased by the addition of PGD<sub>2</sub> was determined at individual concentration, and then the concentration of the drug required for 50 % inhibition (IC<sub>50</sub>) was calculated. The results are shown in the Table below.

Compound number	Inhibition of Increase of Human Platelet cAMP (IC <sub>50</sub> ) (μM)
3a-16	0.37
1a-12	12.11
1a-28	0.30
1a-47	2.09
2a-2	0.77
2a-4	0.94
2a-35	1.52
2a-75	0.71



## EP 0 837 052 A1

### Experiment 3 Experiment Using Nasal Occlusion Model

The method used for measuring the nasal cavity resistance and evaluating the anti-nasal occlusion using a guinea pig are described below.

5 A 1% ovalbumin (OVA) solution was treated with an ultrasonic nebulizer to obtain an aerosol. A Hartley male guinea pig was sensitized by inhaling twice the aerosol for 10 min at one-week intervals. Seven-days after the sensitization, the guinea pig was exposed to an antigen to initiate the reaction. Then the trachea was incised under anesthesia with pentobarbital (30 mg/kg, i.p.) and cannulas were inserted into the trachea at the pulmonary and nasal cavity sides. The canal inserted at the pulmonary side was connected with an artificial respirator that provides 4 ml air 60 times/min. After  
10 arresting the spontaneous respiration of a guinea pig with Garamin (2 mg/kg, i.v.), air was supplied to the snout side with an artificial respirator at the frequency of 70 times/min, and the flow rate of 4 ml air/time, and the atmospheric pressure required for the aeration was measured by the use of a transducer fitted at the branch. The measurement was used as a parameter of the nasal cavity resistance. The exposure of an antigen was carried out by generating aerosol of 3 % OVA solution for 3 min between the respirator and nasal cavity cannula. The test drug was injected intravenously  
15 10 min before the antigen exposure. The nasal resistance between 0 to 30 min was measured continuously and the effect was expressed as inhibition rate to that obtained for vehicle using the AUC for 30 min (on the vertical axis, nasal cavity resistance (cm H<sub>2</sub>O), and on the horizontal axis, time (0 - 30 min)) as an indication. The result is shown below.

20

25

30

35

40

45

Compound number	Inhibition Rate (%) 1 mg/kg (i.v.)	Remarks
1a-28	44	3mg/kg (i.v.)
1a-98	69	
1a-100	50	
1a-115	66	
1a-116	48	
1a-120	58	
1a-2	82	
1a-162	80	
1a-176	60	
1a-267	62	
2a-4	60	
2a-21	52	
2a-28	54	
2a-95	77	
2a-96	77	10mg/kg(p.o.)
2a-109	73	
2a-110	66	
22a-194	79	

### 50 Formulation 1 Preparation of Tablets

Tablets each containing 40 mg of active ingredient were prepared in a conventional manner. The ingredients for 40 mg tablet are as follows:

55

# EP 0 837 052 A1

5	Calcium (+)-(Z)-7-[(1R,2S,3S,4S)-3-benzenesulfonamidobicyclo[2.2.1]hept-2-yl]-5-heptenoate dihydrate	40.0 mg
	Hydroxypropyl cellulose	3.6 mg
	Magnesium stearate	0.4mg
	Cornstarch	18.0 mg
10	Lactose	58.0 mg
	Total	120.0 mg


## Formulation 2 Preparation of Granules

15 Ingredients:

20	Calcium (+)-(Z)-7-[(1R,2S,3S,4S)-3-benzenesulfonamidobicyclo[2.2.1]hept-2-yl]-5-heptenoate dihydrate	100.0 mg
	Hydroxypropyl cellulose	30.0 mg
	Carmellose Calcium	30.0 mg
25	Talc	10.0 mg
	Poloxamer 188	20.0 mg
	Crystalline cellulose	70.0 mg
	Cornstarch	300.0 mg
30	Lactose	440.0 mg
	Total	1000.0 mg


## Claims

- 35 1. A PGD<sub>2</sub> antagonist comprising a compound of the general formula (I) below or a salt or a hydrate thereof as an active ingredient:




50 wherein

55



is



A is alkylene which optionally is intervened by a hetero atom or phenylene, contains oxo group, and/or has an unsaturated bond;

B is hydrogen, alkyl, aralkyl or acyl;

R is COOR<sub>1</sub>, CH<sub>2</sub>OR<sub>2</sub> or CON(R<sub>3</sub>)R<sub>4</sub>;

R<sub>1</sub> is hydrogen or alkyl;

R<sub>2</sub> is hydrogen or alkyl;

R<sub>3</sub> and R<sub>4</sub> each are independently hydrogen, alkyl, hydroxy or alkylsulfonyl;

X<sub>1</sub> is a single bond, phenylene, naphthylene, thiophenediyl, indolediyl, or oxazolediyl;

X<sub>2</sub> is a single bond, -N=N-, -N=CH-, -CH=N-, -CH=N-N-, -CH=N-O-, -C=NNHCSNH-, -C=NNHCONH-, -CH=CH-, -CH(OH)-, -C(Cl)=C(Cl)-, - (CH<sub>2</sub>)<sub>n</sub>-, ethynylene, -N(R<sub>5</sub>)-, -N(R<sub>51</sub>)CO-, -N(R<sub>52</sub>)SO<sub>2</sub>-, -N(R<sub>53</sub>)CON(R<sub>54</sub>)-, -CON(R<sub>55</sub>)-, -SO<sub>2</sub>N(R<sub>56</sub>)-, -O-, -S-, -SO-, -SO<sub>2</sub>-, -CO-, oxadiazolediyl, thiadiazolediyl or tetrazolediyl;

X<sub>3</sub> is alkyl, alkenyl, alkynyl, aryl, aralkyl, heterocyclic group, cycloalkyl, cycloalkenyl, thiazolinyldenemethyl, thiazolidinyldenemethyl, -CH=NR<sub>6</sub> or -N=C(R<sub>7</sub>)R<sub>8</sub>;

R<sub>5</sub>, R<sub>51</sub>, R<sub>52</sub>, R<sub>53</sub>, R<sub>54</sub>, R<sub>55</sub> and R<sub>56</sub> each are hydrogen or alkyl;

R<sub>6</sub> is hydrogen, alkyl, hydroxy, alkoxy, carbamoyloxy, thiocarbamoyloxy, ureido or thioureido;

R<sub>7</sub> and R<sub>8</sub> each are independently alkyl, alkoxy, or aryl;


n is 1 or 2;

Z is -SO<sub>2</sub>- or -CO-; and

m is 0 or 1;


wherein a cyclic substituent may have one to three substituents selected from the group consisting of nitro, alkoxy, sulfamoyl, substituted- or unsubstituted-amino, acyl, acyloxy, hydroxy, halogen, alkyl, alkynyl, carboxy, alkoxycarbonyl, aralkoxycarbonyl, aryloxycarbonyl, mesyloxy, cyano, alkenyloxy, hydroxyalkyl, trifluoromethyl, alkylthio, -N=PPh<sub>3</sub>, oxo, thioxo, hydroxyimino, alkoxylimino, phenyl and alkylenedioxy.

2. The PGD<sub>2</sub> antagonist of claim 1 wherein the active ingredient is a compound of the formula (I) wherein



is

5



;


10

m is 0; and when Z is SO<sub>2</sub>, both X<sub>1</sub> and X<sub>2</sub> are a single bond; X<sub>3</sub> is alkyl, phenyl, naphthyl, styryl, quinolyl or thienyl; and a cyclic substituent among these substituents optionally has one to three substituents selected from the group consisting of nitro, alkoxy, substituted- or unsubstituted-amino, halogen, alkyl and hydroxyalkyl, or a salt or hydrate thereof.

15


3. The PGD<sub>2</sub> antagonist of claim 1 wherein the active ingredient is a compound of the formula (I) wherein

20



is

25



;


30

when m is 1, both X<sub>1</sub> and X<sub>2</sub> are a single bond; and X<sub>3</sub> is phenyl optionally substituted with halogen, or a salt or hydrate thereof.

35


4. The PGD<sub>2</sub> antagonist of claim 1 wherein the active ingredient is a compound of the formula (I) wherein

40



is

45




;

50

when m is 1, X<sub>1</sub> is phenyl, X<sub>2</sub> is -CH<sub>2</sub>- or -N=N- and X<sub>3</sub> is phenyl, or a salt or hydrate thereof.

5. The PGD<sub>2</sub> antagonist of claim 1 which is a drug for treating nasal occlusion.

6. A compound of the formula (Ia):




15 wherein A, B, R, X<sub>1</sub>, X<sub>2</sub> and X<sub>3</sub> are as defined above, or a salt or hydrate thereof, provided that those wherein (1) X<sub>1</sub> and X<sub>2</sub> are a single bond, and X<sub>3</sub> is substituted- or unsubstituted-phenyl, or naphthyl; and (2) A is 5-heptenylene, R is COOR<sub>1</sub> (R<sub>1</sub> is hydrogen or methyl), X<sub>1</sub> is 1,4-phenylene, X<sub>2</sub> is a single bond, and X<sub>3</sub> is phenyl are excluded.

20 7. The compound of claim 6, a salt or hydrate thereof, wherein X<sub>1</sub> and X<sub>2</sub> are a single bond, X<sub>3</sub> is isoxazolyl, thiadiazolyl, isothiazolyl, morpholyl, indolyl, benzofuryl, dibenzofuryl, dibenzodioxinyl, benzothienyl, dibenzothienyl, carbazolyl, xanthenyl, phenanthridinyl, dibenzoxepinyl, dibenzothiepinyl, cinnolyl, chromenyl, benzimidazolyl or dihydrobenzothiepinyl, and A, B and R are as defined above.

25 8. The compound of claim 6, a salt or hydrate thereof, wherein X<sub>1</sub> is a single bond, X<sub>2</sub> is phenylene, X<sub>3</sub> is alkenyl, alkynyl, -CH=NR<sub>6</sub> or -N=C(R<sub>7</sub>)R<sub>8</sub>, and A, B, R, R<sub>6</sub>, R<sub>7</sub>, and R<sub>8</sub> are as defined above.

9. The compound of claim 6, a salt or hydrate thereof, wherein R is COOR<sub>1</sub>, X<sub>1</sub> is phenylene or thiophenediyl, X<sub>2</sub> is a single bond, -N=N-, -CH=CH-, -CONH-, -NHCO- or ethynylene and X<sub>3</sub> is phenyl, thiazolylidenemethyl, thiazolidinylidenemethyl or thienyl, and A, B, R<sub>1</sub>, R<sub>6</sub>, R<sub>7</sub>, and R<sub>8</sub> are as defined above.


30 10. A compound of the formula (Ib):



wherein



50 is




EP 0 837 052 A1

A, B, R,  $X_1$ ,  $X_2$  and  $X_3$  are as defined above, or a salt or hydrate thereof, provided that those wherein  $X_1$  and  $X_2$  are a single bond, and  $X_3$  is phenyl, and wherein  $X_1$  is a single bond,  $X_2$  is -O-, and  $X_3$  is benzyl are excluded.

11. The compound of claim 10, a salt or hydrate thereof, wherein


5



10

is

15



;

20


and A, B, R,  $X_1$ ,  $X_2$  and  $X_3$  are as defined above.

12. The compound of claim 11, a salt or hydrate thereof, wherein R is COOR<sub>1</sub> (R<sub>1</sub> is as defined above).

- 25 13. The compound of claim 11, a salt or hydrate thereof, wherein  $X_1$  is phenylene or thiophenediyl,  $X_2$  is a single bond, -N=H-, -CH=CH-, ethynylene, -O-, -S-, -CO-, -CON(R<sub>55</sub>)- (R<sub>55</sub> is as defined above), -N(R<sub>51</sub>)CO- (R<sub>51</sub> is as defined above) and  $X_3$  is phenyl or thienyl.

14. The compound of claim 10, a salt or hydrate thereof, wherein


30



35

is

40



,

45

and A, B, R,  $X_1$ ,  $X_2$ ,  $X_3$  and Z are as defined above.

- 50 15. The compound of claim 14, a salt or hydrate thereof, wherein B is hydrogen, both  $X_1$  and  $X_2$  are a single bond,  $X_3$  is thienyl, thiazolyl, thiadiazolyl, isothiazolyl, pyrrolyl, pyridyl, benzofuryl, benzimidazolyl, benzothienyl, dibenzofuryl, dibenzothienyl, quinolyl or indolyl.

- 55 16. The compound of claim 15, a salt or hydrate thereof, wherein  $X_1$  is phenylene, thiophenediyl, indolediyl or oxazolediyl,  $X_2$  is a single bond, -N=H-, -CH=CH-, ethynylene, -S- or -O-, and  $X_3$  is aryl or heterocyclic group.

EP 0 837 052 A1

INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP96/01685

A. CLASSIFICATION OF SUBJECT MATTER Int. Cl<sup>6</sup> C07C233/52, 233/84, 271/24, 311/06, 311/11, 311/13, 311/19, C07D493/08, 495/08, A61K31/16, 31/18, 31/27, 31/33, 31/34, 31/35, 31/38  
According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) Int. Cl<sup>6</sup> C07C233/52, 233/84, 271/24, 311/06, 311/11, 311/13, 311/19, C07D493/08, 495/08, A61K31/16, 31/18, 31/27, 31/33, 31/34, 31/35, 31/38

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

CAS ONLINE

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	JP, 6-279395, A (Ono Pharmaceutical Co., Ltd.), October 4, 1994 (04. 10. 94) & EP, 608847, A	1 - 16
X	JP, 2-180862, A (Ono Pharmaceutical Co., Ltd.), July 13, 1990 (13. 07. 90) & EP, 312906, A & US, 5168101, A	1 - 16
X	JP, 63-139161, A (Shionogi & Co., Ltd.), June 10, 1988 (10. 06. 88) & EP, 226346, A & US, 4861913, A & US, 4960909, A & US, 4976891, A & US, 5041635, A & US, 5043451, A & US, 5043456, A	1 - 16
X	JP, 60-178876, A (E.R. Squibb & Sons, Inc.), September 12, 1985 (12. 09. 85) & EP, 150709, A & US, 4526901, A	1 - 16

☐ Further documents are listed in the continuation of Box C.

☐ See patent family annex.

\* Special categories of cited documents:

"A" documents defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" documents which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reasons (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"Z" document member of the same patent family

Date of the actual completion of the international search

September 12, 1996 (12. 09. 96)

Date of mailing of the international search report